

Our Verandas
tick all the boxes
Beauty, Strength, Durability
and last but not least,

Desire.

Verandas by

Ornate Designs

www.ornate-designs.co.uk

L O N D O N
B I R M I N G H A M
S T I R L I N G





A candle lit dinner under the stars,
why does food taste so much better when your outside?

Further information available at www.ornate-designs.co.uk

Ornate Designs



Pre-dinner drinks,
on the patio.

Further information available at www.ornate-designs.co.uk

Ornate Designs



A quiet drink with a loved one
before bed, nothing better.

Further information available at www.ornate-designs.co.uk

Ornate Designs



The children quietly sitting outside
doing their studies without the television on (that would be life changing.).

Further information available at www.ornate-designs.co.uk

Ornate Designs



Create Designs

Integrated light, heating & sound system

Technical Specifications

Cantilever beams

Our veranda cantilever beams are manufactured from structural grade aluminium 6082T6, to a specification tailored to each individual veranda project, in a full-range of colours, taking into account individual beam load requirements.

Fascia gutter combination

The veranda fascia gutter combination is extruded in architectural grade aluminium 6063T6 in a full-range of powder coated colours and anodised finishes. The section acts as the veranda gutter support for the glazing system via the cantilever beams, as well as housing all the electrical option's and associated wiring.

Glazing support system

The verandas glazing system is extruded in architectural grade aluminium 6082T6 in a full-range of colours. This bespoke system has been specifically designed for the uplift of imposed loading of wind, as well as the down force of wind snow and sand, that open sided structures are required to endure.

All load bearing sections are bolted into position with marine grade (A4) stainless steel fixings. None of the glazing system is of a push /clip fit design.

Glazing

The veranda glazing is available in two materials, Toughened glass and solid polycarbonate.

Toughened safety glass

Toughened glass is predictably 5 times stronger than normal glass of the same thickness. Glass used in this application has an infinite life span.

Glass is highly resistant to surface damage and scratching compared to alternative materials. Glass retains its light transparency and translucency. The glass is available in a wide range of tints and patterns.

Solid polycarbonate

Solid polycarbonate is a clear or transparent glazing material, providing high impact resistance. Is available in clear, translucent or opaque in a choice of tints and solid colours. Product options include UV and advanced abrasion protection.

Wall fixings

Wall fixings for our verandas are provided by Hilti Great Britain. These would normally be mechanical (20mm diameter) or chemical anchors depending on the base material to which the beams are being fixed. Where necessary, in-house we have the facility to conduct onsite pull-out load testing.

Lateral restraints

Where lateral restraints are required, these are made from Marine grade (A4 & 316) stainless steel.

Bolted connections

All bolted connections are made from marine grade (A4) stainless steel. These are of various diameters depending on loadings.

Options

There is a wide range of options for our verandas, these include lighting, heating, sound, sun shade and side screens. A typical specification for some of these options is outlined below.

Light and speaker mountings in mahogany hardwood with two coats of teak stain and two coats of high gloss yacht varnish.

Lighting 8 x 7 watt LED lights IP54 Rated with dimmable remote control.

4 x 40 watt waterproof speakers connected to Bose sound system.

2 x 1.5 kW waterproof infrared heaters.

5 x electrically operated roller blinds in Sunbrella "dune" fabric.

Two drop down sides with detachable corner posts.

Aluminium powder coated finishes are available in a full range of British RAL colours to BS6496.

Design Specification

All verandas are specified subject to customer requirements and the loadings required by relevant building regulation authorities for the installation's geographical location, which includes wind, snow, sand loading and fire regulations.



Get your free
quote today.

Freephone:
0800 783 3835
or email: mail@123v.com

City Pride House
28 Farringdon Road
Clerkenwell,
London
EC1R 3AU
England

Edgcott House
Lawn Hill
Edgcott
Aylesbury
HP18 0QW
England

Canopy House
Ramsay Street
Coalsnaughton
FK13 6LH
Scotland

Copyright.
All rights reserved Copyright GRP Canopies PLC 2011.
All information, images, trademarks and certificates displayed on this web site are the sole property of GRP Canopies PLC. Any redistribution or reproduction of part or all of the contents in any form is prohibited other than the following:
• you may print or download to a local hard disk extracts for your personal and non-commercial use only
• you may copy the content to individual third parties for their personal use, but only if you acknowledge the website as the source of the material
You may not, except with our express written permission, distribute or commercially exploit the content. Nor may you transmit it or store it in any other website or other form of electronic retrieval system.
Products subject to European designs registration under the following:
27th August 2008 - 4008326 - Canopy Frame
27th August 2008 - 4008327 - Canopy Frame
27th August 2008 - 4008328 - Canopy Gutter
27th August 2008 - 4008326 - Canopy Attachment Beam
Products subject to UK and European patent application:
UK - GB0612282.2 published 6th January 2010 under GB2461570A
EU - EP091164358.5 published 6th January 2010 under EP2141295
Registered trademark:
22nd August 2008 - 2469261 - 123V



Verandas by

Ornate Designs

www.123v.com/ornate

Copyright 123v © 2011 Ornate-Designs are a division of
GRP Canopies PLC and part of the 123v group.
For more information please contact us.