

Floors that define your space





INTRODUCTION

INSPIRATION m²

The floor is the foundation that an interior design is built on, it sets the tone and mood for your space and defines the performance characteristics. At Atkinson & Kirby we understand the need for an intelligently selected range of wood flooring styles, so you have the options to create exactly the right aesthetic for every project. Investing in trend forecasting, maintaining high quality and environmental standards, providing value, insight and inspiration has been at the heart of our business for more than 100 years. A level of experience and enthusiasm that we believe shows in our updated collections. Result: happiness m².





COMPREHENSIVE CHOICE FOR INSPIRED INTERIORS



ENGINEERED

SOLID

VINYL



PARQUET
Page 20

Perfectly at home in both contemporary and traditional settings, with all the technical benefits of an engineered product.



CONTEMPORARY
Page 26

The natural tones of oak engineered plank flooring are joined by additional options such as cool whites and greys, in on-trend brushed and matt finishes.




CLASSIC
Page 36

Classic comprises some of our most timeless engineered designs, and gives you the ideal balance of aesthetic flexibility, durable performance and value.



REFINED
Page 44

Factory applied lacquers and oils are UV treated to provide lasting, durable finishes to our solid plank flooring.



RAW
Page 48

Alternatively, UK manufactured solid oak strip and block flooring products can be supplied in an uncoated state for finishing to your own specification on site.



LUXURY VINYL
Page 50

The very latest interior directions interpreted in a comprehensive range, with all the attributes of easyfit, easy-care performance characteristics.

Left: Greenwich Smoked Oak



FEATURES THAT MAKE OUR FLOORS BEAUTIFUL



ATKINSON & KIRBY WARRANTY

We offer various product warranties up to 30 years in duration, subject to terms and conditions.



FLOOR THICKNESS

A range of thickness options is offered, to enable tailored specification to different applications and traffic characteristics.



TONGUE & GROOVE

This simple but effective method of fitting is tried and tested over generations - Atkinson & Kirby ensure the tradition can continue with various products supplied in T&G format.



2G

The click system allows fast, easy and accurate installation, with joint integrity assured board after board.



5G

Quick and easy, 5G is a development of click systems, where boards are instantly interlocked securely, and perfectly aligned with each other across the entire installation.



CLICK FOLD DOWN

Our Herringbone planks benefit from simple 'Fold Down' fitting. The edges of the planks are precision profiled to allow easy alignment and ensure secure joints for a better, closer fitting result.



SUITABLE FOR UNDERFLOOR HEATING

Our engineered hardwood floors have the stability to perform well over underfloor heating systems. Manufacturers agree that water-based heating is the best option, due to slower heating and cooling when compared to electrical systems.

CONTENTS

Introduction	02
Product Overview	04
Choosing your Floor	08
Trends	10
Parquet	20
Contemporary	26
Classic	36
Refined	44
Raw	48
Luxury Vinyl	50
Projects	54
Style & Suitability	66
Fitting Specification	68
Parquet Layouts	71
Finishing Products	72
About Us	74



CHOOSING YOUR PERFECT FLOOR

1 BY SHADE

The floor is the foundation for the overall decor of a room, so the colour shade of the floor can help set the tone for the whole feel and mood. Rustic warm mid tones can create a vintage ambience, whereas Scandinavian influenced pale woods give a fresh, light, modern effect. Dark floors can work well in larger areas, and can be both historic or ultra-modern in appearance. Smaller rooms, or rooms without natural light tend to benefit from pale or bleached tones helping to create a feeling of space. Of course personal preference is a major factor, and our comprehensive range of timbers means your perfect floor is right here waiting for you.



2 BY STYLE

Solid hardwood floors are traditional; engineered boards have superior stability, versatility and use smaller amounts of eco-precious hardwoods. The grade of hardwood is set when the natural logs are selected, and the timber is grouped according to the number and nature of features such as knots, splits, grain and colour.

Finish options include oiled, lacquered and steel-brushed to enhance texture - we can also supply hand-scraped products for a highly on-trend 'craft' look. Coatings are clear and bring out the beauty of the wood while protecting it effectively. Unfinished boards can be supplied for finishing in-situ.

The edge style of boards has a real impact on the overall look of a finished floor. A bevel gives a more traditional look, square edge is standard to all unfinished boards which will be sanded on site - the effect is seamless.



3 BY SUITABILITY

In commercial or other areas with heavier traffic, choose a thicker wear layer.

Consider the surface the floor is to be laid on; for battens (at 250mm centres), engineered boards or solid wood is suitable so long as the overall thickness is over 18mm. Laying direct to concrete, or on existing wooden floors, solid or engineered boards can be used.

If the floor is to be used over underfloor heating, engineered board is the best solution.

In kitchen and basement environments, engineered board's stability makes it more dependable. We don't recommend the use of hardwood flooring for bathrooms but we have a selection of moisture resistance LVT floors that work perfectly in this situation.

Don't hesitate to contact us for advice on the best wood for your application.




Left: Light Timia Oak



TRENDS m²





FLOORS THAT INSPIRE

For some years we have been working closely with Trend Bible, a leading trend forecasting consultancy. Their direction allied to our own research and customer feedback are instrumental in compiling our flooring collections, so you can be confident that there is a solid understanding behind everything we do.





WILDER

LOOKING FOR A SELF SUSTAINING, SIMPLER WAY OF LIFE

Wilder appeals to the increasing number of people looking to reconnect with a more natural way of life, away from the relentless backdrop of global news and social media. The look is for the unprocessed; weathered natural textures and surfaces, rustic materials, the individuality of the unique crafted product with all the manmade marks of creation. Wilder embraces character timbers featuring large knots and saw chatter, bleached by time and the weather showing high contrast wood graining and tactile grey tones.

- Solitude
- Untouched
- Weathered
- Unmapped
- Rugged
- Textured
- Handcrafted
- Stonewashed



- 01. Eton Oak
- 02. Sandur Oak
- 03. Epsom Oak
- 04. Eton Oak
- 05. Tolmont Limed Oak
- 06. Baltra Oak

Left: Wyvis Smoked Oak

A photograph of a dining area featuring a light-colored wooden table and several chairs in vibrant colors like red, orange, and grey. The floor is made of wide, light-colored wooden planks. The background is a plain grey wall with two glass pendant lights hanging from the ceiling. On the table, there are some dishes and a blue vase. The overall aesthetic is modern and minimalist.

URBAN PLAY

BRINGING A SPLASH OF SUNSHINE INSIDE

Urban Play looks to bring a bright and refreshing antidote to years of design austerity and minimalism. Energetic and optimistic, playful yet sophisticated, there is a clever use of shared space utilising zoned or contrast flooring. Colours are light and bright, mixing and matching wide, white planks with flat colour stains, straight grains and neutral tones.

Energetic

Playful

Inspiring

Zoning

Contrast

Colour Play

Optimistic

Abstract



01



02



03



04



05



06

- 01. Rasselas Oak
- 02. Manoa Oak
- 03. Light Timia Oak
- 04. Tanami Oak
- 05. Light Timia Oak
- 06. Light Timia Oak

Left: Rasselas Oak



SLOW CONNECTIONS

TAKE THE TIME TO APPRECIATE YOUR SPACE

This trend reflects the hunger for a slower pace of life, the dream of escaping to an off grid retreat and living in a way more respectful of nature. A palette of soft timbers and stone create a connection to the landscape, smoked floors flow throughout the space with an earthen quality. Craftsmanship and tactile surfaces combine with mixed wood shades, neutral grey undertones, decorative grain and natural oiled finishes to create calming spaces and a reflective mood.

- Grounded
- Earthy
- Craftsmanship
- Slower Pace
- Refined Nature
- Tactile
- Simplicity
- Wabi-Sabi



- 01. Richmond Oak
- 02. Westray Oak
- 03. Chiswick Oak
- 04. Temple Oak
- 05. Grasmere Oak
- 06. Dulwich Limed Oak
- 07. Temple Oak

Left: Richmond Oak

A modern interior scene featuring a pink velvet sofa with two pillows (one cream, one dark with a white pattern). To the left is a small round white side table with a vase of white flowers. To the right is a tall gold floor lamp with a white base. The floor is made of dark wood in a herringbone pattern. The background is a dark blue wall.

SOFT RETRO

CELEBRATING VINTAGE FASHION STYLE WITH A MODERN TWIST

Taking inspiration from retro hotel styles and classic fashion brands, this is an elegant and sophisticated look that is still warm and welcoming (as a good hotel should be). Rich in colour and lifted by accessories with added bling, the emphasis is on quality, decorative geometric patterns and warm sheen finishes for a combination of style with comfort.

- Futuristic Retro
- Geometric
- Luxury
- Fashionable
- Panelling
- Nostalgic
- Rich Colour
- Pattern Play



01



02



03



05



04

- 01. Greenwich Smoked Oak
- 02. Adelphi Oak
- 03. Harlesden Smoked Oak
- 04. Sheraton Smoked Oak
- 05. Sloane Smoked Oak

Left: Harlesden Smoked Oak



ENGINEERED BLOCKS

PARQUET COLLECTION

CLASSIC BLOCK PATTERNS FOR A TOUCH OF CLASS

Parquet engineered boards echo the timeless quality that can still be seen in floors that were laid long ago. Crucially, Atkinson & Kirby Parquet has the added modern advantage of stability and suitability for a range of substrates and underfloor heating. With a choice of sizes and an outstanding tonal choice, you're free to be absolutely on trend, perfectly traditional or anywhere in between.



Above: Epsom Oak / Eton Oak / Grizedale Oak **Left:** Eton Oak

11mm Herringbone



01



02



03



04



05



01

Hampstead Oak

Engineered
Smooth &
Natural Oil Protect
Select Grade

PAR1005

Thickness: 11 mm
Width: 70 mm
Length: 500 mm
Wear Layer: 3.6 mm
Profile: T&G

02

Kensington Oak

Engineered
Smooth &
Natural Oil Protect
Select Grade

PAR1006

Thickness: 11 mm
Width: 70 mm
Length: 500 mm
Wear Layer: 3.6 mm
Profile: T&G

03

Harlsden Smoked Oak

Engineered
Smooth &
Natural Oil Protect
Select Grade

PAR1007

Thickness: 11 mm
Width: 70 mm
Length: 500 mm
Wear layer: 3.6 mm
Profile: T&G

04

Sloane Smoked Oak

Engineered
Smooth &
Natural Oil Protect
Select Grade

PAR1008

Thickness: 11 mm
Width: 70 mm
Length: 500 mm
Wear Layer: 3.6 mm
Profile: T&G

05

Eltham Walnut

Engineered
Smooth &
Natural Oil Protect
Select Grade

PAR1009

Thickness: 11 mm
Width: 70 mm
Length : 500 mm
Wear Layer: 3.6 mm
Profile: T&G

Above: Harlsden Smoked Oak

14mm Herringbone



01



02



03



04



05

01

Siwa Oak

Engineered
Brushed &
Matt Lacquer
Select Grade

PAR2001

Thickness: 14 mm
Width: 130 mm
Length: 725 mm
Wear Layer: 2.5 mm
Profile: Click
Fold Down

02

Brenin Oak

Engineered
Brushed &
Natural Oil
Rustic Grade

PAR2002

Thickness: 14 mm
Width: 130 mm
Length: 725 mm
Wear Layer: 2.5 mm
Profile: Click
Fold Down

03

Sonoran Oak

Engineered
Brushed &
Matt Lacquer
Select Grade

PAR2003

Thickness: 14 mm
Width: 130 mm
Length: 725 mm
Wear Layer: 2.5 mm
Profile: Click
Fold Down

04

Grizedale Oak

Engineered
Brushed &
Natural Oil
Rustic Grade

PAR2004

Thickness: 14 mm
Width: 130 mm
Length: 725 mm
Wear Layer: 2.5 mm
Profile: Click
Fold Down

05

Dorchester Oak

Engineered
Brushed &
Matt Lacquer
Select Grade

PAR2005

Thickness: 14 mm
Width: 130 mm
Length: 725 mm
Wear Layer: 2.5 mm
Profile: Click
Fold Down

Above: Siwa Oak

20mm Herringbone



01



02



03



04



05



06



Above: Epsom Oak



01

Eton Oak

Engineered
Natural Oil
Rustic Grade

PAR3001

Thickness: 20 mm
Width: 100 mm
Length: 500 mm
Wear Layer: 6 mm
Profile: T&G

02

Shrewsbury Oak

Engineered
Brushed & UV Oiled
Rustic Grade

PAR3002

Thickness: 20 mm
Width: 100 mm
Length: 500 mm
Wear Layer: 6 mm
Profile: T&G

03

Rugby Oak

Engineered
Smooth & UV Oiled
Rustic Grade

PAR3003

Thickness: 20 mm
Width: 100mm
Length: 500 mm
Wear Layer: 6mm
Profile: T&G

04

Winchester Oak

Engineered
Brushed & UV Oiled
Rustic Grade

PAR3004

Thickness: 20 mm
Width: 100 mm
Length: 500 mm
Wear Layer: 6 mm
Profile: T&G

05

Harrow Oak

Engineered
Smooth &
Lacquered
Rustic Grade

PAR3005

Thickness: 20 mm
Width: 100 mm
Length: 500 mm
Wear Layer: 6 mm
Profile: T&G

06

Chester Oak

Engineered
Brushed & UV Oiled
Rustic Grade

PAR3006

Thickness: 20 mm
Width: 100 mm
Length: 500 mm
Wear Layer: 6 mm
Profile: T&G

07

Dulwich Oak

Engineered
Brushed &
Natural Oil
Select Grade

PAR3007

Thickness: 20 mm
Width: 100 mm
Length: 500 mm
Wear Layer: 6 mm
Profile: T&G

08

Marlborough Oak

Engineered
Brushed &
Natural Oil
Rustic Grade

PAR3008

Thickness: 20 mm
Width: 100mm
Length: 500 mm
Wear Layer: 6mm
Profile: T&G

09

Westminster Oak

Engineered
Brushed & UV Oiled
Rustic Grade

PAR3009

Thickness: 20 mm
Width: 100 mm
Length: 500 mm
Wear Layer: 6 mm
Profile: T&G

10

Epsom Oak

Engineered
Brushed &
Natural Oil
Rustic Grade

PAR3010

Thickness: 20 mm
Width: 100 mm
Length: 500 mm
Wear Layer: 6 mm
Profile: T&G



Above: Eton Oak




ENGINEERED PLANKS

CONTEMPORARY COLLECTION

A CAREFUL UPDATE KEEPS OUR FLOORING CURRENT

Continued analysis of trends here and worldwide provides the choice you need to create exactly the right ambience to match your taste. Precision engineering combines with cutting-edge colour and character to make the Contemporary Collection the future for engineered boards.



Above: Rasselas Oak / Richmond Oak / Greenwich Smoked Oak **Left:** Light Timia Oak

14mm Planks



01



02



03



04



05



06

Above: Rasselas Oak



01
Manoa Oak
 Engineered
 Brushed &
 Lacquered
 Rustic Grade
CON2001
 Thickness: 14 mm
 Width: 180 mm
 Length : 2200 mm
 Wear Layer: 2.5 mm
 Profile: 5G

02
Tanami Oak
 Engineered
 Brushed & Natural
 Oiled
 Rustic Grade
CON2002
 Thickness: 14 mm
 Width: 180 mm
 Length: 2200 mm
 Wear Layer: 2.5 mm
 Profile: 5G

03
Rasselas Oak
 Engineered
 Brushed &
 Lacquered
 Rustic Grade
CON2003
 Thickness: 14 mm
 Width: 180 mm
 Length: 2200 mm
 Wear Layer: 2.5 mm
 Profile: 5G

04
Mojave Oak
 Engineered
 Brushed &
 Matt Lacquered
 Select Grade
CON2004
 Thickness: 14 mm
 Width: 180 mm
 Length: 2200 mm
 Wear Layer: 2.5 mm
 Profile: 5G

05
Sahara Oak
 Engineered
 Smooth &
 Matt Lacquered
 Select Grade
CON2005
 Thickness: 14 mm
 Width: 180 mm
 Length: 2200 mm
 Wear Layer: 2.5 mm
 Profile: 5G

06
Holburn Oak
 Engineered
 Brushed &
 Matt Lacquered
 Rustic Grade
CON2006
 Thickness: 14 mm
 Width: 180 mm
 Length: 2200 mm
 Wear Layer: 2.5 mm
 Profile: 5G

07
Chiswick Oak
 Engineered
 Brushed & UV Oiled
 Rustic Grade
CON2007
 Thickness: 14 mm
 Width: 180 mm
 Length: 2200 mm
 Wear Layer: 2.5 mm
 Profile: 5G

08
Farringdon Oak
 Engineered
 Smooth &
 Matt Lacquered
 Natural Grade
CON2008
 Thickness: 14 mm
 Width: 180 mm
 Length : 2200 mm
 Wear Layer: 2.5 mm
 Profile: 5G

09
Finsbury Oak
 Engineered
 Brushed &
 Natural Oiled
 Rustic Grade
CON2009
 Thickness: 14 mm
 Width: 180 mm
 Length: 2200 mm
 Wear Layer: 2.5 mm
 Profile: 5G

10
Adelphi Oak
 Engineered
 Brushed &
 Matt Lacquered
 Rustic Grade
CON2010
 Thickness: 14 mm
 Width: 180 mm
 Length : 2200 mm
 Wear Layer: 2.5 mm
 Profile: 5G



Above: Manoa Oak

15mm Planks



01



02



03



04



05



06



Above: Temple Oak



01

Light Timia Oak

Engineered
Brushed &
Matt Lacquer
Rustic Grade

CON1001

Thickness: 15 mm
Width: 185 mm
Length: 2100 mm
Wear Layer: 3 mm
Profile: 2G

02

Richmond Oak

Engineered
Brushed &
Matt Lacquer
Select Grade

CON1002

Thickness: 15 mm
Width: 180 mm
Length: 2100 mm
Wear Layer: 3 mm
Profile: 2G

03

**Greenwich
Smoked Oak**

Engineered
Brushed & saw cut
Matt Lacquer
Natural Grade

CON1003

Thickness: 15 mm
Width: 185 mm
Length: 2100 mm
Wear Layer: 3 mm
Profile: 2G

04

**Sheraton
Smoked Oak**

Engineered
Brushed &
Matt Lacquer
Rustic Grade

CON1004

Thickness: 15 mm
Width: 185 mm
Length: 2100 mm
Wear Layer: 3 mm
Profile: 2G

05

Hackney Grey Oak

Engineered
Brushed &
Matt Lacquer
Rustic Grade

CON1005

Thickness: 15 mm
Width: 185 mm
Length: 2100 mm
Wear Layer: 3 mm
Profile: 2G

06

Macaria Oak

Engineered
Brushed &
Matt Lacquer
Select Grade

CON1014

Thickness: 15 mm
Width: 185 mm
Length: 2100 mm
Wear Layer: 3 mm
Profile: 2G

07

Bussento Oak

Engineered
Brushed &
Super Matt Lacquer
Select Grade

CON1015

Thickness: 15 mm
Width: 185 mm
Length: 2100 mm
Wear Layer: 3 mm
Profile: 2G

08

Kielder Oak

Engineered
Brushed &
Hand Scraped
Super Matt Lacquer
Rustic Grade

CON1016

Thickness: 15 mm
Width: 185 mm
Length: 2100 mm
Wear Layer: 3 mm
Profile: 2G

09

Temple Oak

Engineered
Brushed &
Matt Lacquer
Rustic Grade

CON1017

Thickness: 15 mm
Width: 185 mm
Length: 2100 mm
Wear Layer: 3 mm
Profile: 2G

10

Vagar Oak

Engineered
Brushed & Saw Cut
Matt Lacquer
Rustic Grade

CON1018

Thickness: 15 mm
Width: 185 mm
Length: 2100 mm
Wear Layer: 3 mm
Profile: 2G



Above: Richmond Oak

18mm Planks



01



02



03



04



05



06

Above: Pinzon Oak



01

Baltra Oak

Engineered
Hand Scraped
& Undulating
UV Oil
Rustic Grade

CON3001

Thickness: 18 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 4 mm
Profile: T&G

02

Seba Oak

Engineered
Brushed & UV Oil
Rustic Grade

CON3002

Thickness: 18 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 3 mm
Profile: T&G

03

Grasmere Oak

Engineered
Hand Scraped
& Undulating
Natural Oil
Rustic Grade

CON3003

Thickness: 18 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 4 mm
Profile: T&G

04

Husar Oak

Engineered
Brushed & UV Oil
Select Grade

CON3004

Thickness: 18 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 3 mm
Profile: T&G

05

Wyndham Oak

Engineered
Hand Scraped
& Undulating
Natural Oil
Rustic Grade

CON3005

Thickness: 18 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 4 mm
Profile: T&G

06

Rydal Oak

Engineered
Heavy Brushed
& Undulating
UV Oil
Rustic Grade

CON3006

Thickness: 18 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 3 mm
Profile: T&G

07

Pinzon Oak

Engineered
Heavy Brushed
& Undulating
UV Oil
Rustic Grade

CON3007

Thickness: 18 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 3 mm
Profile: T&G

08

Aldwych Oak

Engineered
Heavy Brushed
& Undulating
UV Oil
Rustic Grade

CON3008

Thickness: 18 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 3 mm
Profile: T&G

09

Sandur Oak

Engineered
Heavy Brushed
& Undulating
UV Oil
Rustic Grade

CON3009

Thickness: 18 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 3 mm
Profile: T&G

10

Hackfall Oak

Engineered
Heavy Brushed
& Undulating
UV Oil
Rustic Grade

CON3010

Thickness: 18 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 3 mm
Profile: T&G



07



08



09



10



Above: Wyndham Oak



#HAPPINESSm²

There is a world of inspiration and a stream of constantly evolving trends to be found at the click of a hashtag. We're posting ideas, images and influences on a regular basis in all our favourite places so it's always worth a quick look.





ENGINEERED PLANKS

CLASSIC COLLECTION

ENDURING STYLE FOR A LOOK THAT LASTS

Some of our most popular, timeless designs to give you the ideal balance of aesthetic flexibility, durable performance and value. With its characteristic emphasis on the lighter and honeyed tones of oak and walnut, Classic gives you a warm palette to work from. Whatever ambience you aim to create, these precision engineered boards also deliver exceptional stability and performance.



Above: Tolmont Limed Oak / Westray Oak / Wyvis Smoked Oak **Left:** Westray Oak

14mm Planks



01



02



03



04



05



06

Above: Westray Oak



01

Isla Oak

Engineered
Smooth &
Matt Lacquered
Rustic Grade

CLA1001

Thickness: 14 mm
Width: 125 mm
Length: Random
Wear Layer: 3 mm
Profile: 2G

02

Iona Oak

Engineered
Brushed & UV Oiled
Rustic Grade

CLA1002

Thickness: 14 mm
Width: 125mm
Length: Random
Wear Layer: 3 mm
Profile: 2G

03

Lismore Oak

Engineered
Brushed & UV Oiled
Rustic Grade

CLA1003

Thickness: 14 mm
Width: 150 mm
Length: 1900 mm
Wear Layer: 3 mm
Profile: 5G

04

Easdale Oak

Engineered
Smooth & UV Oiled
Rustic Grade

CLA1004

Thickness: 14 mm
Width: 150 mm
Length: 1900 mm
Wear Layer: 3 mm
Profile: 5G

05

Uist Oak

Engineered
Smooth &
Lacquered
Rustic Grade

CLA1005

Thickness: 14 mm
Width: 150 mm
Length: 1900 mm
Wear Layer: 3 mm
Profile: 5G

06

Harris Oak

Engineered
Brushed & UV Oiled
Rustic Grade

CLA1006

Thickness: 14 mm
Width: 125mm
Length: Random
Wear Layer: 3 mm
Profile: 2G

07

Lewis Oak

Engineered
Smooth &
Matt Lacquered
Rustic Grade

CLA1007

Thickness: 14 mm
Width: 125mm
Length: Random
Wear Layer: 3 mm
Profile: 2G

08

Westray Oak

Engineered
Brushed & UV Oiled
Super Rustic Grade

CLA1008

Thickness: 14 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 3 mm
Profile: 5G

09

Arran Oak

Engineered
Brushed & UV Oiled
Super Rustic Grade

CLA1009

Thickness: 14 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 3 mm
Profile: 5G

10

Jura Oak

Engineered 3 strip
Smooth &
Lacquered
Rustic Grade

CLA1010

Thickness: 14 mm
Width: 207 mm
Length: 2200 mm
Wear Layer: 2.5 mm
Profile: 5G



07



08



09



10



Above: Iona Oak

18mm Planks



01



02



03



04



05



06

Above: Tolmont Limed Oak



01

Nevis Oak

Engineered
Smooth &
Lacquered
Natural Grade

CLA2001

Thickness: 18 mm
Width: 125 mm
Length: Random
Wear Layer: 4 mm
Profile: T&G

02

Benmore Oak

Engineered
Brushed &
Lacquered
Natural Grade

CLA2002

Thickness: 18 mm
Width: 125 mm
Length: Random
Wear Layer: 4 mm
Profile: T&G

03

Lomond Oak

Engineered
Brushed & UV Oiled
Natural Grade

CLA2003

Thickness: 18 mm
Width: 150 mm
Length: Random
Wear Layer: 4 mm
Profile: T&G

04

Saddle Oak

Engineered
Smooth &
Lacquered
Natural Grade

CLA2004

Thickness: 18 mm
Width: 125 mm
Length: Random
Wear layer: 4 mm
Profile: T&G

05

Cairnwell Oak

Engineered
Brushed & UV Oiled
Natural Grade

CLA2005

Thickness: 18 mm
Width: 150 mm
Length: Random
Wear Layer: 4 mm
Profile: T&G

06

Tolmont Limed Oak

Engineered
Brushed & UV Oiled
Rustic Grade

CLA2006

Thickness: 18 mm
Width: 150 mm
Length: Random
Wear Layer: 4 mm
Profile: T&G

07

Mayar Limed Oak

Engineered
Brushed & UV Oiled
Rustic Grade

CLA2007

Thickness: 18 mm
Width: 150 mm
Length: Random
Wear Layer: 4 mm
Profile: T&G

08

Gulvain Smoked Oak

Engineered
Brushed & UV
Lacquered
Rustic Grade

CLA2008

Thickness: 18 mm
Width: 150 mm
Length: Random
Wear Layer: 4 mm
Profile: T&G

09

Drumochter Walnut

Engineered
Smooth & UV Oiled
Natural Grade

CLA2009

Thickness: 18 mm
Width: 150 mm
Length: Random
Wear Layer: 4 mm
Profile: T&G

10

Wyvis Smoked Oak

Engineered
Brushed &
Hardwax Oiled
Rustic Grade

CLA2010

Thickness: 18 mm
Width: 150 mm
Length: Random
Wear layer: 4 mm
Profile: T&G

11

Maple

Engineered
Smooth &
Matt Lacquer
Prime Grade

CLA3011

Thickness: 18.5 mm
Width: 120 mm
Length: Random
Wear Layer: 4 mm
Profile: T&G

25 year guarantee



07



08



09



10



11



Above: Wyvis Smoked

20mm Planks



01



02



03



04



05



06

Above: Almond Oak



01

Tummel Smoked Oak

Engineered
Smooth & UV Oiled
Rustic Grade

CLA3001

Thickness: 20 mm
Width: 160 mm
Length: Random
Wear Layer: 6 mm
Profile: T&G

02

Brora Limed Oak

Engineered
Smooth & UV Oiled
Rustic Grade

CLA3002

Thickness: 20 mm
Width: 160 mm
Length: Random
Wear Layer: 6 mm
Profile: T&G

03

Eden Oak

Engineered
Smooth & UV Oiled
Rustic Grade

CLA3003

Thickness: 20 mm
Width: 180 mm
Length: Random
Wear Layer: 6 mm
Profile: T&G

04

Carron Oak

Engineered
Brushed & UV Oiled
Rustic Grade

CLA3004

Thickness: 20 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 6 mm
Profile: T&G

05

Almond Oak

Engineered
Smooth & Lacquered
Rustic Grade

CLA3005

Thickness: 20 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 6 mm
Profile: T&G

06

Moray Smoked Oak

Engineered
Brushed & UV Oiled
Rustic Grade

CLA3006

Thickness: 20 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 6 mm
Profile: T&G

07

Glenmore Oak

Engineered
Smooth & UV Oiled
Natural Grade

CLA3007

Thickness: 20 mm
Width: 190 mm
Length: 1900 mm
Wear Layer: 6 mm
Profile: T&G

08

Ness Smoked Oak

Engineered
Brushed & UV Oiled
Rustic Grade

CLA3008

Thickness: 20 mm
Width: 190 mm
Length: Random
Wear Layer: 6 mm
Profile: T&G

09

Tweed Oak

Engineered
Brushed & UV Oiled
Super Rustic Grade

CLA3009

Thickness: 20 mm
Width: 190 mm
Length: Random
Wear Layer: 6 mm
Profile: T&G

10

Esk Oak

Engineered
Brushed &
Natural Oil Protect
Select Grade

CLA3010

Thickness: 20 mm
Width: 220 mm
Length: 2200 mm
Wear Layer: 6 mm
Profile: T&G



07



08



09



10



Above: Ness Smoked Oak



SOLID PREFINISHED PLANKS

REFINED COLLECTION

THERE'S NO MISTAKING THE REAL DEAL

For some there's nothing quite so authentic as a solid natural block or plank floor. A statement of quality which goes back to Atkinson & Kirby's roots in 1903. Whilst the format is steeped in tradition, the character you can give a space with our prefinished solid planks is as varied as the tonal richness of the wood itself.



Above: Finger Jointed Oak / **Burghley Oak** **Left:** Burghley Oak

Solid Prefinished Plank



01



02



03



04



05



06

Above: Blenheim Hickory



01

Blenheim Hickory

Solid Plank
Saw Cut &
Lacquered
Rustic Grade

RFD1001

Thickness: 18 mm
Width: 125 mm
Length: Random
Profile: T&G

02

**Chatsworth Oak
(Square peg)**

Solid Plank
Handscraped &
Lacquered
Rustic Grade

RFD1002

Thickness: 18 mm
Width: 125 mm
Length: Random
Profile: T&G

03

Hardwick Oak

Solid Plank
Handscraped &
Lacquered
Rustic Grade

RFD1003

Thickness: 18 mm
Width: 125 mm
Length: Random
Profile: T&G

04

Burghley Oak

Solid Plank
Handscraped &
Lacquered
Rustic Grade

RFD1004

Thickness: 18 mm
Width: 150 mm
Length: Random
Profile: T&G

05

Hatfield Oak

Solid Plank
Handscraped &
Lacquered
Rustic Grade

RFD1005

Thickness: 18 mm
Width: 150 mm
Length: Random
Profile: T&G

06

**Dark Finger Jointed
Oak**

Solid Plank
Handscraped &
Lacquered
Super Rustic Grade

RFD1006

Thickness: 18 mm
Width: 203 mm
Length: 2200 mm
Profile: T&G

07

American Walnut

Solid Plank
Smooth &
Lacquered
Natural Grade

RFD1007

Thickness: 18 mm
Width: 110 mm
Length: Random
Profile: T&G

08

Finger Jointed Oak

Solid Plank
Handscraped &
Lacquered
Super Rustic Grade

RFD1008

Thickness: 18 mm
Width: 203 mm
Length: 2200 mm
Profile: T&G

09

Burton Oak

Solid Plank
Brushed & UV Oil
Rustic Grade

RFD1011

Thickness: 18 mm
Width: 150 mm
Length: Random
Profile: T&G

10

Witley Oak

Solid Plank
Smooth &
Matt Lacquer
Rustic Grade

RFD1012

Thickness: 18 mm
Width: 150 mm
Length: Random
Profile: T&G



07



08




09



10



Above: Hatfield Oak





SOLID UNFINISHED STRIP & BLOCK

RAW

COLLECTION

MAKE YOUR OWN STYLE STATEMENT

Carefully selected quality timbers are the canvas for your own flooring artwork. We understand that not everyone wants a ready finished floor, so here's our collection of solid unfinished strips and blocks, prepared for whatever fits your own aspirations. Bespoke designer flooring is now entirely achievable.

01

Prime Oak Strip

Solid Strip
Unfinished
Prime Grade
Tongue & Groove

Oak Prime 63W RL

Code: RAW1003
Size: 20 x 63 x RL

Oak Prime 89W RL

Code: RAW1005
Size: 20 x 89 x RL

Oak Prime 114W RL

Code: RAW1007
Size: 20 x 114 x RL

02

Prime Oak Block

Solid Block
Unfinished
Prime Grade
Tongue & Groove

Oak Prime 70W 228L

Code: RAW2001
Size: 20 x 70 x 228mm

Oak Prime 70W 254L

Code: RAW2003
Size: 20 x 70 x 254mm

Oak Prime 70W 300L

Code: RAW2005
Size: 20 x 70 x 300mm

Oak Prime 70W 350L

Code: RAW2007
Size: 20 x 70 x 350mm

03

Natural Oak Strip

Solid Strip
Unfinished
Natural Grade
Tongue & Groove

Oak Natural 63W RL

Code: RAW1004
Size: 20 x 63 x RL

Oak Natural 89W RL

Code: RAW1006
Size: 20 x 89 x RL

Oak Natural 114W RL

Code: RAW1008
Size: 20 x 114 x RL

Oak Natural 140W RL

Code: RAW1009
Size: 20 x 140 x RL

Oak Natural 150W RL

Code: RAW1010
Size: 20 x 150 x RL

Oak Natural 165W RL

Code: RAW1011
Size: 20 x 165 x RL

04

Natural Oak Block

Solid Block
Unfinished
Natural Grade
Tongue & Groove

Oak Natural 70W 228L

Code: RAW2002
Size: 20 x 70 x 228mm

Oak Natural 70W 254L

Code: RAW2004
Size: 20 x 70 x 254mm

Oak Natural 70W 300L

Code: RAW2006
Size: 20 x 70 x 300mm

Oak Natural 70W 350L

Code: RAW2008
Size: 20 x 70 x 350mm

05

Maple Strip

Solid Block
Unfinished
Prime Grade
Tongue & Groove

Maple Prime 57W RL

Code: RAW1002
Size: 20 x 57 x RL

Maple Prime 83W RL

Code: RAW1001
Size: 20 x 83 x RL



01



02



03



04



05



PLANKS & TILES

LUXURY VINYL COLLECTION

THE EASY OPTION IN PLANKS AND TILES

The technology of vinyl boards means any look is possible. Our Vinyl range gives you the most up to date selection of decors to create stunning interiors from the ground up. The registered embossed finish adds a textural dimension to give even more character, coupled with the purely practical benefits of easy-fit, exceptional stability thanks to the 5G click locking system, easy maintenance and moisture resistant performance.



Above: Sinapia Oak / Light Icaria Oak / Grey Lambeth Oak **Left:** Kufra Oak

4.2mm Planks



*Lifetime warranty residential / 30 year warranty commercial.

01
White Medina Oak

Vinyl Plank
Embossed In
Register
LVT1001
Thickness: 4.2 mm
Width: 178 mm
Length: 1219 mm
Wear Layer: 0.55 mm
Profile: 5G

06
Ubari Oak

Vinyl Plank
Embossed In
Register
LVT1006
Thickness: 4.2 mm
Width: 178 mm
Length: 1219 mm
Wear Layer: 0.55 mm
Profile: 5G

02
Light Icaria Oak

Vinyl Plank
Embossed In
Register
LVT1002
Thickness: 4.2 mm
Width: 178 mm
Length: 1219 mm
Wear Layer: 0.55 mm
Profile: 5G

07
Kufra Oak

Vinyl Plank
Embossed In
Register
LVT1007
Thickness: 4.2 mm
Width: 178 mm
Length: 1219 mm
Wear Layer: 0.55 mm
Profile: 5G

03
Sinapia Oak

Vinyl Plank
Embossed In
Register
LVT1003
Thickness: 4.2 mm
Width: 178 mm
Length: 1219 mm
Wear Layer: 0.55 mm
Profile: 5G

08
Dark Battersea Oak

Vinyl Plank
Embossed In
Register
LVT1008
Thickness: 4.2 mm
Width: 178 mm
Length: 1219 mm
Wear Layer: 0.55 mm
Profile: 5G

04
Oceana Oak

Vinyl Plank
Embossed In
Register
LVT1004
Thickness: 4.2 mm
Width: 178 mm
Length: 1219 mm
Wear Layer: 0.55 mm
Profile: 5G

09
Grey Lambeth Oak

Vinyl Plank
Embossed In
Register
LVT1009
Thickness: 4.2 mm
Width: 178 mm
Length: 1219 mm
Wear Layer: 0.55 mm
Profile: 5G

05
Liwa Oak

Vinyl Plank
Embossed In
Register
LVT1005
Thickness: 4.2 mm
Width: 178 mm
Length: 1219 mm
Wear Layer: 0.55 mm
Profile: 5G



01



02



03



04



05



06



07



08



09

4.2mm Tiles



*Lifetime warranty residential / 30 year warranty commercial.

01

Tabas Travertine

Vinyl Tile
Textured

LVT2001

Thickness: 4.2 mm
Width: 300 mm
Length: 600 mm
Wear Layer: 0.55 mm
Profile: 5G

02

Limehouse Concrete

Vinyl Tile
Textured

LVT2002

Thickness: 4.2 mm
Width: 300 mm
Length: 600 mm
Wear Layer: 0.55 mm
Profile: 5G

03

Dark Clerkenwell Concrete

Vinyl Tile
Textured

LVT2003

Thickness: 4.2 mm
Width: 300 mm
Length: 600 mm
Wear Layer: 0.55 mm
Profile: 5G



01



02



03

Above: Limehouse Concrete





**INSPIRATIONAL
FLOORS TO
ENHANCE EVERY
PROJECT**

Project : LIBERTON BARNES

Liberton Barns is an innovative and prestigious townhouse development in Edinburgh overlooking the Royal Observatory and Liberton Tower. Award winning Glencairn Properties specialise in contemporary, luxury homes, and specified Atkinson & Kirby Manoa Oak for the entrance hallways, living and dining areas. The spacious, innovative design uses natural light and areas of real wood flooring, natural stone and large glazed areas to give the properties a luxurious modern feel whilst sympathising with the heritage of the original site.

PROJECT

#01





Contractor: Glencairn Properties
Location: Edinburgh, Scotland
Application: Innovative townhouse development
Collection: Contemporary
Brief: Create a luxurious and modern development whilst sympathising with the heritage of the original site



Manoa Oak was selected to complement the interior scandic look and feel of the main living areas. The properties are a contemporary interpretation of an existing agricultural barn within a collection of converted steading buildings next to a B-listed 19th century farmhouse.

PROJECT
#02



Project : **ABODE MANCHESTER**

Atkinson & Kirby has added character and style to the reception area of the Abode Hotel Manchester as part of its most recent refurbishments. The Abode Manchester is a luxury hotel situated in the thriving city centre, housed in a 19th century textile factory, adding to the unique essence of its environment.

The hotel has undergone improvements to the reception and restaurant areas to continue to enhance the hotel's facilities, one of the more notable changes being the addition of new flooring.

Shone Building Ltd, the contractor for the project, installed Marlborough Oak from the Parquet Collection to enhance the sense of luxury and reflect the hotel's distinctive style, focussing on both quality and comfort at the core. With the high level of daily footfall a durable, long-lasting and eye-catching flooring was a must-have for the entrance area.



Contractor: Shone Building Ltd
Location: Manchester, England
Application: Hotel bar refurbishment
Collection: Parquet
Brief: Durable and long lasting floor that enhances the character and style of the luxury hotel



The Parquet flooring supplied for the refurbishment has added a stylish feel to the entrance space, and will be a noticeable addition for guests entering the hotel. Being an engineered product, this particular range will also offer excellent performance for years to come in this busy hotel setting.

PROJECT

#03



Project : CONTEMPORARY OFFICE

Atkinson & Kirby's Marylebone Smoked Oak was used in this recently refurbished central London office to add warmth and colour to this sleek, modern design. The use of steel and glass add light to the space and give a very contemporary feel, while the use of pops of colour in the furniture and smoked oak in the floor add interest and soften the overall look.



Location: London, England
Application: Sleek and modern office refurbishment
Collection: Crafted
Brief: An eye-catching floor to tie in with the sleek lines and open plan concept of the central London office



The precision engineered floor from our Crafted range was an ideal choice for this project as the fitting system allows the floor to be installed quickly and efficiently, while the smoked finish of the floor provides tonal variation, tying in well with the colour scheme.

Project : PERTH THEATRE

Perth Theatre is one of Scotland's oldest theatres, and has received a considerable £15.5M refurbishment. The transformation of the B-listed property is extraordinary, including a three-storey extension, whilst still exposing the Edwardian building's original auditorium wall, which has been retained as a feature of the redeveloped space. The rejuvenated venue boasts a new foyer space, restaurant, bars, a new 200 seat studio theatre, and a community room.

Atkinson & Kirby and McKay Flooring worked together to produce a similar specification to the original hardwood flooring at site. The material needed to perform well over time with heavy footfall in a commercial setting, whilst also sympathising with the appearance of the original flooring used. The building itself has transitioned from Classic Edwardian to contemporary, therefore the flooring had to add a fresh modern look, whilst also being cautious to ensure the theatre's Edwardian auditorium maintained its original traditional style and ambience.

PROJECT

#04





Contractor: McKay Flooring
Location: Perth, Scotland
Application: Modernisation of the historic theatre
Collection: Bespoke
Brief: Update and modernise the venue while creating a product that is as close as possible to the specification of the original hardwood floors onsite



A high quality prime grade of lacquered oak plank was selected for appearance and durability, giving a clean, airy, light and spacious feel to each large space it was laid in. The prime grade gives high consistency in colour and limits the difference of the natural tones, knots and grains of the oak.

Project : EDEN LOCKE

Eden Locke is a design-led aparthotel from leading real estate developers, U Developments, located in the heart of Edinburgh.

Eden Locke has been designed with travellers in mind; providing a stunning living area that allows guests to experience the 'unique and authentic' surroundings, alongside a functional living space with fully fitted kitchens, for the urban traveller who may want to cater for themselves.

To complement the trend-conscious aparthotel, Atkinson & Kirby provided a high quality flooring solution to both stand the test of time in durability and design.

Around 1600m² of Atkinson & Kirby's grey stained flooring was created specifically for the scheme, providing the perfect solution for the aparthotel's bedrooms, bars and corridors.

PROJECT

#05





Contractor: U Developments
Location: Edinburgh, Scotland
Application: Design-led aparthotel
Collection: Bespoke
Brief: Create a high quality flooring solution to stand the test of time in both durability and design



MAKING THE RIGHT CHOICE

ENGINEERED OR SOLID?

Solids are the traditional method of hardwood floor coverings, however over recent decades engineered boards have become the more popular choice due to superior stability, versatility and the requirement to use smaller amounts of eco-precious hardwoods. Engineered boards are essentially a 'sandwich' of layers. Beneath the hardwood wearing surface, the layers are arranged cross grained so reduces the amount of natural expansion and contraction, which is why engineered boards work well with underfloor heating. Using less hardwood also adds to engineered board's green credentials. Solid boards are suitable for nailing or if 18mm minimum can be laid directly onto joists or battens (250mm). Some solid boards can also be sanded and re-finished many times, whereas engineered boards with a thin wear layer offer less refurbishment potential.

GRADE

The grade of hardwood is set when the natural logs are selected. This groups the timber according to the number and nature of features such as knots, splits, grain and colour. Your choices range from 'Prime' grade to 'Super Rustic', to provide a wide range of character options in convenient groupings. The grading is purely an aesthetic guide; no one type has technical advantages over the other, it simply helps you to choose the look and character of the floor.




SHADE

The floor is the foundation for the overall decor of a room, so the colour shade of the floor can help set the tone for the whole feel and mood. Rustic warm mid tones can create a vintage ambience, whereas Scandinavian influenced pale woods give a fresh, light, modern effect. Dark floors can work well in larger areas, and can be both historic or ultra-modern in appearance. Smaller rooms, or rooms without natural light

tend to benefit from pale or bleached tones helping to create a feeling of space. Of course personal preference is a major factor, and our comprehensive range of timbers means your perfect floor is right here waiting for you.

FINISH

Our finish options include oiled, lacquered and steel-brushed to enhance texture - we can also supply hand-scraped products for a highly on-trend 'craft' look. The coatings are clear and bring out the beauty of the wood while protecting it effectively. They are applied at the factory and some are hardened by UV treatment; this generally produces more durable protection than site-applied coatings. Unfinished boards can be supplied for finishing in-situ.



EDGE STYLE

It may seem a very minor and subtle feature, but the edge style of boards and blocks has a real impact on the overall look of a finished floor. The two main styles are micro bevelled and square edge. A bevel is often applied to factory finished boards, to give a more traditional look which defines each board. Square edge is standard to all unfinished boards which will be sanded on site - the effect is a seamless look across the floor.



WEAR LAYER

Engineered wood flooring is made up of layers of wood that have been glued and then pressed together under high pressure. The top layer, is the decorative layer you see and walk on. This is described as the 'wear layer'. This layer, dependent upon which flooring you choose, will be anything from 2.5mm to 6mm thick. The thickness required is dependent on the amount of traffic a floor will receive. Obviously a thicker wear layer can be sanded and sealed more frequently than a thinner wear layer. In a commercial area with heavier traffic a thicker wear layer would be the best solution as it would last longer.

HARDNESS

Amongst 'hardwoods' there can actually be quite a difference in hardness. Obviously, for areas of heavy wear in sectors such as retail, hospitality and commercial, the wearing surface needs to be of a tougher grade. Don't hesitate to contact us for advice on the best wood for your application.

SUBFLOOR

The surface the floor is to be laid on is another important element to factor-in to your plans. If you're considering battens (at 250mm centres), engineered boards or solid wood is suitable so long as the overall thickness is over 18mm. Laying direct to concrete, solid or engineered boards can be used, but new concrete must be fully cured to acceptable moisture levels - please ask us for advice. Both solid and engineered boards can be laid on existing wooden floors.

UNDERFLOOR HEATING

The choice is straightforward: if the floor is to be used over underfloor heating, engineered board is the best solution. The variations in temperature and humidity caused by this kind of heating system are likely to cause solid wood to expand and contract to unacceptable levels, and gaps and warping may occur. It's important to note that water-based underfloor heating heats and cools down more slowly than electrical systems, so if underfloor heating is part of your floor specification, it's best to choose the water-based option.

T&G OR GLUELESS CLICK SYSTEM

Tongue and groove has been the traditional fixing method for floor boards for centuries, and is still a good option - either secret-nailed or stick down installation as suits the site conditions. The glueless click system has become the more popular choice; it offers the benefits of fast easy fitting, less mess and installation noise, no adhesive curing time and no gaps between boards. Please contact us if you want further guidance on these fixing methods.

KITCHENS & BASEMENTS

Given the exposure to moisture and sometimes limited ventilation in kitchen and basement environments, engineered board's stability makes it the more dependable flooring choice in these circumstances. We don't recommend the use of hardwood flooring for bathrooms. Water and wood do not mix!









































CLEANING & MAINTENANCE









































All our floors are easy to maintain. See page 82 for full details or visit www.akirby.co.uk/maintenance-instructions/

FINISHING THE JOB











































Atkinson & Kirby offer a range of finishing accessories, including edge trims, door profiles and pipe covers. Visit www.akirby.co.uk.

FITTING SPECIFICATION


	All dimensions in mm.	Code	Name	Pack Size (m ²)	Underfloor Heating	Fitting Requirements			Warranty Domestic (years)	Page	
						Floated	Secret Nailed	Stuck Down			
PARQUET : ENGINEERED BLOCKS											
11 mm Herringbone		PAR1005	900300	Hampstead Oak	1.68	●			●	30	22
		PAR1006	900302	Kensington Oak	1.68	●			●	30	22
		PAR1007	900301	Harlesden Smoked Oak	1.68	●			●	30	22
		PAR1008	900303	Sloane Smoked Oak	1.68	●			●	30	22
		PAR1009		Eltham Walnut	1.68	●			●	30	22
14 mm Herringbone		PAR2001		Siwa Oak	0.65	●			●	20	23
		PAR2002		Brenin Oak	0.65	●			●	20	23
		PAR2003		Sonoran Oak	0.65	●			●	20	23
		PAR2004		Grizedale Oak	0.65	●			●	20	23
		PAR2005		Dorchester Oak	0.65	●			●	20	23
20 mm Herringbone		PAR3001	700757	Eton Oak	0.5	●			●		25
		PAR3002	700753	Shrewsbury Oak	0.5	●			●		25
		PAR3003	700756	Rugby Oak	0.5	●			●		25
		PAR3004	700752	Winchester Oak	0.5	●			●		25
		PAR3005	700751	Harrow Oak	0.5	●			●		25
		PAR3006	700755	Chester Oak	0.5	●			●		25
		PAR3007	700760	Dulwich Limed Oak	0.5	●			●		25
		PAR3008	700759	Marlborough Oak	0.5	●			●		25
		PAR3009	700754	Westminster Oak	0.5	●			●		25
		PAR3010	700758	Epsom Oak	0.5	●			●		25
CONTEMPORARY : ENGINEERED PLANKS											
14 mm Plank		CON2001	527046	Manoa Oak	2.77	●	●		●	25	29
		CON2002	527047	Tanami Oak	2.77	●	●		●	25	29
		CON2003	527048	Rasselas Oak	2.77	●	●		●	20	29
		CON2004	527065	Mojave Limed Oak	2.77	●	●		●	25	29
		CON2005	527061	Sahara Oak	2.77	●	●		●	20	29
		CON2006	527076	Holborn Oak	2.77	●	●		●	20	29
		CON2007	527062	Chiswick Oak	2.77	●	●		●	20	29
		CON2008	527064	Farringdon Oak	2.77	●	●		●	25	29
		CON2009	527067	Finsbury Oak	2.77	●	●		●	20	29
		CON2010	527063	Adelphi Oak	2.77	●	●		●	25	29
15 mm Plank		CON1001		Light Timia Oak	2.33	●	●		●	30	31
		CON1002		Richmond Oak	2.33	●	●		●	30	31
		CON1003		Greenwich Smoked Oak	2.33	●	●		●	30	31
		CON1004		Sheraton Smoked Oak	2.33	●	●		●	30	31
		CON1005		Hackney Grey Oak	2.33	●	●		●	30	31
		CON1014	900109	Macaria Oak	2.33	●	●		●	30	31
		CON1015		Bussento Oak	2.33	●	●		●	30	31
		CON1016		Kielder Oak	2.33	●	●		●	30	31
	CON1017	900111	Temple Oak	2.33	●	●		●	30	31	
	CON1018		Vagar Oak	2.33	●	●		●	30	31	

	All dimensions in mm.	Code	Name	Pack Size (m ²)	Underfloor Heating	Fitting Requirements			Warranty Domestic (years)	Page
						Floated	Secret Nailed	Stuck Down		
CONTEMPORARY : ENGINEERED PLANKS										
15 mm Plank		CON3001	Baltra Oak	2.17	●	●	●	●	25	33
		CON3002	Seba Oak	2.17	●	●	●	●	25	33
		CON3003	Grasmere Oak	2.17	●	●	●	●	25	33
		CON3004	Husar Oak	2.17	●	●	●	●	25	33
		CON3005	Wyndham Oak	2.17	●	●	●	●	25	33
		CON3006	Rydal Oak	2.17	●	●	●	●	25	33
		CON3007	Pinzon Oak	2.17	●	●	●	●	25	33
		CON3008	Aldwych Oak	2.17	●	●	●	●	25	33
		CON3009	Sandur Oak	2.17	●	●	●	●	25	33
		CON3010	Hackfall Oak	2.17	●	●	●	●	25	33
CLASSIC : ENGINEERED PLANKS										
14 mm Plank		CLA1001	700157	Isla Oak	2.2	●	●	●		39
		CLA1002	700158	Iona Oak	2.2	●	●	●		39
		CLA1003	524004A	Lismore Oak	2.28	●	●	●		39
		CLA1004	524006A	Easdale Oak	2.28	●	●	●		39
		CLA1005	524008A	Uist Oak	2.28	●	●	●		39
		CLA1006	700159	Harris Oak	2.64	●	●	●		39
		CLA1007	700160	Lewis Oak	2.64	●	●	●		39
		CLA1008	900106	Westray Oak	2.89	●	●	●		39
		CLA1009	900107	Arran Oak	2.89	●	●	●		39
		CLA1010	526013	Jura Oak (3 strip)	3.18	●	●	●	5	39
18 mm Plank		CLA2001	526024	Nevis Oak	2.2	●	●	●		41
		CLA2002	526028	Benmore Oak	2.2	●	●	●		41
		CLA2003	526029	Lomond Oak	2.2	●	●	●		41
		CLA2004	700102	Saddle Oak	1.98	●	●	●		41
		CLA2005	700103	Cairnwell Oak	1.98	●	●	●		41
		CLA2006	900100	Tolmont Limed Oak	1.98	●	●	●		41
		CLA2007	900101	Mayar Limed Oak	1.98	●	●	●		41
		CLA2008	900102	Gulvain Smoked Oak	1.98	●	●	●		41
		CLA2009	900103	Drumochter Walnut	1.98	●	●	●		41
		CLA2010	900104	Wyvis Smoked Oak	1.98	●	●	●		41
		CLA2011		Maple		●	●	●	25	41
20 mm Plank		CLA2001	700728	Tummel Smoked Oak	1.41	●	●	●		43
		CLA2002	700729	Brora Limed Oak	1.41	●	●	●		43
		CLA2003	700732	Eden Oak	1.58	●	●	●		43
		CLA2004	700349	Carron Oak	1.81	●	●	●		43
		CLA2005	700350	Almond Oak	1.81	●	●	●		43
		CLA2006	900105	Moray Smoked Oak	1.81	●	●	●		43
		CLA2007	501919A	Glenmore Oak	2.17	●	●	●		43
		CLA2008	600100	Ness Smoked Oak	2.09	●	●	●		43
		CLA2009	700351	Tweed Oak	2.09	●	●	●		43
		CLA2010	501925	Esk Oak	1.94	●	●	●		43


FITTING SPECIFICATION

	All dimensions in mm.	Code	Name	Pack Size (m ²)	Underfloor Heating	Fitting Requirements			Warranty Domestic (years)	Page		
						Floated	Secret Nailed	Stuck Down				
SOLID WOOD												
18mm Refined Strip		RFD1001	900200	Blenheim Hickory	2.2			●	●	1	47	
		RFD1002	501912	Chatsworth Oak	2.2			●	●	1	47	
		RFD1003	501913	Hardwick Oak	2.2			●	●	1	47	
		RFD1004	700420	Burghley Oak	1.98			●	●	1	47	
		RFD1005	700421	Hatfield Oak	1.98			●	●	1	47	
		RFD1006	900201	Dark Finger Jointed Oak	1.786			●	●	1	47	
		RFD1007	RFD1007	American Walnut	1.94			●	●	1	47	
		RFD1008	900202	Finger Jointed Oak	1.786			●	●	1	47	
		RFD1011	900501	Burton Oak	1.98			●	●	1	47	
		RFD1012	900502	Witley Oak	1.98			●	●	1	47	
	20mm Raw Block		RAW1001	504500	Maple Prime 83W RL	1.86			●	●	30	49
			RAW1002	504502	Maple Prime 57W RL	1.86			●	●	30	49
		RAW1003	404425	Oak Prime 63W RL	Nested			●	●	30	49	
		RAW1004	404429	Oak Natural 63W RL	Nested			●	●	30	49	
		RAW1005	404424	Oak Prime 89W RL	Nested			●	●	30	49	
		RAW1006	404427	Oak Natural 89W RL	Nested			●	●	30	49	
		RAW1007	404423	Oak Prime 114W RL	Nested			●	●	30	49	
		RAW1008	404428	Oak Natural 114W RL	Nested			●	●	30	49	
		RAW1009	404430	Oak Natural 140W RL	Nested			●	●	30	49	
		RAW1010	404421	Oak Natural 150W RL	Nested			●	●	30	49	
		RAW1011	404433	Oak Natural 165W RL	Nested			●	●	30	49	
20mm Raw Strip		RAW2001	414403	Oak Prime 70W 228L	0.96				●	30	49	
		RAW2002	414413	Oak Natural 70W 228L	0.96				●	30	49	
		RAW2003	414410	Oak Prime 70W 254L	1.06				●	30	49	
		RAW2004	414409	Oak Natural 70W 254L	1.06				●	30	49	
		RAW2005	414407	Oak Prime 70W 300L	1.26				●	30	49	
		RAW2006	414408	Oak Natural 70W 300L	1.26				●	30	49	
		RAW2007	414400	Oak Prime 70W 350L	1.47				●	30	49	
		RAW2008	414404	Oak Natural 70W 350L	1.47				●	30	49	
		RAW3001	700750	Oak (Engineered)	0.5				●		49	
LUXURY VINYL												
4.2 mm Plank		LVT1001	900405	White Medina Oak	2.168	●	●			Lifetime	52	
		LVT1002	900407	Light Icaria Oak	2.168	●	●			Lifetime	52	
		LVT1003	900406	Sinapia Oak	2.168	●	●			Lifetime	52	
		LVT1004	900408	Oceana Oak	2.168	●	●			Lifetime	52	
		LVT1005	900400	Liwa Oak	2.168	●	●			Lifetime	52	
		LVT1006	900402	Ubari Oak	2.168	●	●			Lifetime	52	
		LVT1007	900401	Kufra Oak	2.168	●	●			Lifetime	52	
		LVT1008	900404	Dark Battersea Oak	2.168	●	●			Lifetime	52	
		LVT1009	900403	Grey Lambeth Oak	2.168	●	●			Lifetime	52	
4.2 mm Tile		LVT2001	900409	Tabas Travertine	2.16	●	●			Lifetime	53	
		LVT2002	900410	Limehouse Concrete	2.16	●	●			Lifetime	53	
		LVT2003	900411	Dark Clerkenwell Concrete	2.16	●	●			Lifetime	53	


BE CREATIVE WITH PARQUET




Square Basket




Diagonal Basket




Diagonal Herringbone




Herringbone




Double Herringbone




Brick Half Bond




Decking




Offset



Diagonal panel ship deck



Herringbone with Border Edge



Multi-coloured example

FINISHING PRODUCTS

SUBFLOOR PREPARATION

Product Code	Description	Pack Size
ACC1001	Floorprep Fastrack DPM	5ltr
ACC1002	Floorprep Floor Binder	5ltr
ACC1003	Floorprep Self-levelling Compound	20kg Bag
ACC1004	Floorprep PVA Adhesive	1kg
ACC1005	Floorprep Prowipes Tub	80 Wipes

FIXINGS

Product Code	Description	Pack Size
ACC2001	Proflex Ultra MS Polymer Adhesive	16kg Tub
ACC2003	Proflex Gun Grade Adhesive	600ml Foil
ACC2004	Proflex Applicator Gun	1
ACC2005	Proflex Applicator Trowel 6mm V-Notch	1
ACC2006	Proflex Applicator Trowel 3mm V-Notch	1
ACC2007	Laybond (L16) Wood Adhesive	15kg
ACC2008	Primatech T Nails 38mm 16 Gauge	1000
ACC2009	Primatech T Nails 50mm 16 Gauge	1000

FLOOR PROTECTION

Product Code	Description	Size	Pack Size
ACC3001	Ram Board Roll	965mm x 30m	28.95m ²
ACC3002	Ram Board Seam Tape	76mm x 50m	50m
ACC3003	Ram Board Edge Tape	63mm x 55m	55m

UNDERLAY

Product Code	Description	DB	Size	Pack Size (m ²)	Underfloor Heating
ACC4001	Quicktherm	19	1.8mm x 1000mm x 10m	10	Yes
ACC4002	Timbertech 2	20	3mm x 1000mm x 10m	10	No
ACC4003	Sound Click LVT	18	1.5mm x 1000mm x 15m	15	No
ACC4005	Polyfoam Vapour Control	18	3mm x 1000mm x 15m	15	No
ACC4006	Polyfoam Acoustic Gold	22	5mm x 1000mm x 15m	15	No
ACC4007	Polyfoam White	18	2mm x 1000mm x 15m	15	No
ACC4008	Polyfoam White	19	2mm x 1000mm x 120m	120	No
ACC4009	XPS Foam	20	5mm x 856mm x 600mm	9.76	No

PROFILES				
Product Code	Description	Species	Size mm	Finish
ACC5001	White Scotia	MDF	18 x 18 x 2400	White Effect
ACC5002	Oak Effect Scotia	MDF	18 x 18 x 2400	Oak Effect
ACC5003	Oak Scotia	Oak	18 x 18 x 2700	UV Satin Lacquer
ACC5004	Oak Scotia	Oak	18 x 18 x 2700	Unfinished
ACC5005	End Cap Trim with Fixing	Oak	19 x 40 x 900	UV Satin Lacquer
ACC5006	End Cap Trim with Fixing	Oak	19 x 40 x 2700	UV Satin Lacquer
ACC5007	End Cap Trim with Fixing	Oak	19 x 40 x 900	Unfinished
ACC5008	End Cap Trim with Fixing	Oak	19 x 40 x 2700	Unfinished
ACC5009	Ramp with Fixing	Oak	20 x 63 x 900	UV Satin Lacquer
ACC5010	Ramp with Fixing	Oak	20 x 63 x 2700	UV Satin Lacquer
ACC5011	Ramp with Fixing	Oak	20 x 63 x 900	Unfinished
ACC5012	Ramp with Fixing	Oak	20 x 63 x 2700	Unfinished
ACC5013	Twin Threshold with Fixing	Oak	16 x 50 x 900	UV Satin Lacquer
ACC5014	Twin Threshold with Fixing	Oak	16 x 50 x 2700	UV Satin Lacquer
ACC5015	Twin Threshold with Fixing	Oak	16 x 50 x 900	Unfinished
ACC5016	Twin Threshold with Fixing	Oak	16 x 50 x 2700	Unfinished
ACC5021	Semi Ramp with Fixing	Oak	18 x 59 x 900	UV Satin Lacquer
ACC5022	Semi Ramp with Fixing	Oak	18 x 59 x 2700	UV Satin Lacquer
ACC5023	Semi Ramp with Fixing	Oak	18 x 59 x 900	Unfinished
ACC5024	Semi Ramp with Fixing	Oak	18 x 59 x 2700	Unfinished
ACC5025	Stair Nosing	Oak	44 x 60 x 1000	UV Satin Lacquer
ACC5026	Stair Nosing	Oak	44 x 60 x 3000	UV Satin Lacquer
ACC5027	Stair Nosing	Oak	44 x 60 x 1000	Unfinished
ACC5028	Stair Nosing	Oak	44 x 60 x 3000	Unfinished
ACC5029	Radiator Pipe Cover x 2	Oak	12 x 50	UV Satin Lacquer
ACC5030	Radiator Pipe Cover x 2	Oak	12 x 50	Unfinished

HERITAGE AND FUTURE COMBINED

Established as a family firm in 1903, Atkinson & Kirby continues to be a close-knit team that respects the craft tradition whilst always looking to the future. We're proud to be one of the few remaining manufacturers of hardwood flooring in the UK, applying innovation to ensure you constantly have the broadest, highest quality range at your fingertips.

ENVIRONMENTAL RESPONSIBILITY

Wood is an amazing natural resource - we feel privileged to work with it and to support sustainable timber production. All our products are EUTR compliant and where possible sourced from independently certified forests. Please ask about our FSC®, PEFC™ product availability.

ATKINSON & KIRBY AND THE ARCHWOOD GROUP

Atkinson & Kirby is part of the Archwood Group - a group focused on enabling its brand to lead the timber industry in setting trends and optimising value for customers. Archwood comprises Atkinson & Kirby, Richard Burbidge stair parts, architectural mouldings and decking products, plus Masons Timber which supplies sheet materials, mouldings, sawn and treated timber.

The Group is strongly resourced in terms of customer service, distribution and manufacturing capabilities. And while each Archwood brand operates independently, the Group's overall scale helps to support an outstanding quality, service and innovation culture across each brand.





Tolmont Limed Oak



T: 01695 573234
Scotland T: 01506 505030
sales@akirby.co.uk
www.akirby.co.uk

