

LUMINAIRES - FIRE RATED DOWNLIGHTING

A2-DLM941

Product Description:


Range of pressed steel fixed, adjustable and IP65 rated GU10 compact fire rated downlights. Horizontal adjustment 30° for A2-DLM942. Available in White, Polished Chrome and Satin Nickel. MR16 lamp holder and IC cover available separately. Rated to 30, 60 and 90 minute fire ceilings. Complies with BS476 Part 21 and BS EN ISO 10140-2: 2010 & BS EN ISO 10140-3: 2010 + A1: 2015 (acoustics). Not for use with dichroic halogen lamps (cool beam). Lamp not included.

3 year extended warranty - register at auroralighting.com/warranty

Product Image:



Line Drawing



Product Specs:

Technology	Halogen	Lamp Type	PAR16
Lamp Base	GU10	Input Voltage	220~240V AC
Input Frequency	50/60HZ	Fire Protection	Yes
Acoustic Rated	Yes	Overall Diameter (mm)	80
Weight (Kg)	0.256		

SKU Table and Ordering:

Cat No.(SKU Code)	Wattage
A2-DLM941PB	50W
A2-DLM941PC	50W
A2-DLM941SN	50W
A2-DLM941SS	50W
A2-DLM941W	50W

Compliance & Approvals:



Warranty:

This product has a guarantee period of 2 Years. Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.

UK Sales

16 Alban Park Hatfield Road St. Albans
AL4 0JJ

United Kingdom

Tel : +44 (0) 1727 83 66 11

Fax : +44 (0) 1727 83 66 22

UK Distribution

Apex Park 6 Little Burrow Welwyn
Garden City AL7 4SW

United Kingdom

Tel : +44 (0) 1707 35 18 20

Fax : +44 (0) 1727 35 18 21