

# Data Sheet

## Panel Light 60x60



### Features

- Energy Saving
- Low heat, No UV, or IR light radiation
- Light source: SMD LED
- Long life time > 30,000 hours
- Power consumption up to 39W
- High power driver efficiency > 50%
- Dimmable and Non-Dimmable options available
- CE, FCC Approved
- IP 41

### Typical Application



- Indoor Lighting
- Architectural Lighting
- Conference Lighting
- Mood Lighting
- Biological Lighting
- Hospital Lighting
- Commercial and Industrial Lighting





Life Span	30,000 hrs
Total Power Consumption	39W
Working Voltage	24V DC
Size	600mm x 600mm
Beam Angle	105°
CRI	Cool White Ra=60 Warm White Ra=75 Natural White Ra=61
Colour Temperature	Cool White 5850K Warm White 3000K Natural White 4000K
Lumens	Cool White - 2500lm Warm White - 2300lm Natural White - 2400lm
Material	Plastic & Aluminium Alloy
Net Weight	6.1kg
Operational Temperature	-30 to 50°C
Frequency(Hz)	50 Hz

Model Number	PL6060SA39C
Model Number	PL6060SA39W
Model Number	PL6060SA39N



## Cool White




## Warm White



## Natural White





---

**Disclaimer**

The information contained in this document is subject to change without notice.

**Copyright**

This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written consent of:

Bri-Tek

---

---

Head Office:

Unit D3C, Edgefold Industrial Estate  
Smethurst Lane, Farnworth, Bolton, BL4 0JW  
Tel: +44 (0) 161 850 0905 Fax: +44 (0) 161 850 0907  
Web: [www.britektechnologies.co.uk](http://www.britektechnologies.co.uk)  
Email: [enquiries@britektechnologies.co.uk](mailto:enquiries@britektechnologies.co.uk)

---