






A robust and easy to install enclosure for electrical and other services

- A range of standard sizes from 50x50mm to 300x300mm
- Any size, or profile, can be manufactured
- Rapid installation: each length comes with a threaded connector - no need for nuts
- Rapid installation: the quick release lid runs the full length of the trunking
- Rapid installation: a full range of accessories eliminates on site fabrication

● Optional features include:

- weatherproof trunking
- partitions to give multiple compartments
- choice of finish, of galvanised steel, white, stainless steel and others to order


● Made to comply with BS4678 part 1



## What options are available?


### 1) Standard profiles

#### Surface trunking




Ref C type

- Available for any value of X and Y
- A range of stocked sizes
- Available in 2 or 3m lengths



Ref C type - multiple compartment


- Available for any value of X and Y
- Any number of compartments
- Compartments of equal or unequal size



Ref E type

- Available for any value of X and Y
- Lid and all joints fitted with gasket for weatherproof seal

#### Lighting trunking



Ref B20 Body




Ref B22 Plastic Lid

Ref B23 Steel Lid

- Available for any value of X and Y

- Ranges B, F and L are available ex stock in 3m lengths




Ref F20 Body




Ref F22 Plastic Lid

- Available in ranges B, F and L with a choice of a steel or plastic clip in lid. For all other sizes a steel clip in lid is provided



Ref L20 Body




Ref L22 Plastic Lid

Ref L23 Steel Lid

- Plastic ref 22

- Steel ref 23



### 2) Standard Accessories

A large range of junctions and accessories are available:

#### All Ranges



Ref 390 Connecting sleeve (1 incl per length)



Ref 42 Terminating flange



Limited stock:  
Ref 31 Back Entry Tee



Ref 32 Top right hand



Ref 45 Internal 45° bend



Ref 34 Top left hand



Ref 37 Flanges



Ref 46 External 45° bend



Ref 33 Top square tee



Ref 38 End Cap



Ref 47 External angle




Ref 52 tapered reducer



Ref 41 Copper earth link



Ref 48 Internal angle



Ref 64 Trunking suspension saddle



Ref 44 Top 45° bend



Ref 62 Spring cable retainer



Ref 65 Front entry tee


#### C Range



Ref C21 Top gusset bend




Ref C28 Flange tee



Ref C24 Top gusset tee



Ref C60 Internal gusset bend



Ref C27 Top gusset cross



Ref C61 External Gusset Bend



## Part references - Standard surface trunking - C type

To order quote part reference followed by Width x Height in mm, e.g. C20-2m-100x50 for a 2m length of 100mm wide by 50mm high C type surface trunking.

For multiple compartment, specify number of compartments with a "/n" where n is the number of compartments.

We will assume equal compartments unless another spacing is specified. Example C20-100x50/2 (70:30) for unequal 2 compartment trunking 100x50mm with compartments 70 and 30mm.

Note that for unequal compartment flat bends are handed and hand must be specified on ordering.

Codes for stocked items are shown below, others to order.

| Size: Base X * Height Y |              |              |               |                |               |               |                |                |  |
|-------------------------|--------------|--------------|---------------|----------------|---------------|---------------|----------------|----------------|--|
|                         | 50*50        | 75*75        | 100*50        | 100*100        | 150*50        | 150*75        | 150*100        | 150*150        |  |
| 20-2m                   | C20-2m-50*50 | C20-2m-75*75 | C20-2m-100*50 | C20-2m-100*100 | C20-2m-150*50 | C20-2m-150*75 | C20-2m-150*100 | C20-2m-150*150 |  |
| 20-3m                   | C20-3m-50*50 | C20-3m-75*75 | C20-3m-100*50 | C20-3m-100*100 | C20-3m-150*50 | C20-3m-150*75 | C20-3m-150*100 | C20-3m-150*150 |  |
| 20L                     | C20L-50*50   | C20L-75*75   | C20L-100*50   | C20L-100*100   | C20L-150*50   | C20L-150*75   | C20L-150*100   | C20L-150*150   |  |
| 21                      | C21-50*50    | C21-75*75    | C21-100*50    | C21-100*100    | C21-150*50    | C21-150*75    | C21-150*100    | C21-150*150    |  |
| 24                      | C24-50*50    | C24-75*75    | C24-100*50    | C24-100*100    | C24-150*50    | C24-150*75    | C24-150*100    | C24-150*150    |  |
| 27                      | C27-50*50    | C27-75*75    | C27-100*50    | C27-100*100    | C27-150*50    | C27-150*75    | C27-150*100    | C27-150*150    |  |
| 38                      | C38-50*50    | C38-75*75    | C38-100*50    | C38-100*100    | C38-150*50    | C38-150*75    | C38-150*100    | C38-150*150    |  |
| 44                      | C44-50*50    | C44-75*75    | C44-100*50    | C44-100*100    | C44-150*50    | C44-150*75    | C44-150*100    | C44-150*150    |  |
| 45                      | C45-50*50    | C45-75*75    | C45-100*50    | C45-100*100    | C45-150*50    | C45-150*75    | C45-150*100    | C45-150*150    |  |
| 46                      | C46-50*50    | C46-75*75    | C46-100*50    | C46-100*100    | C46-150*50    | C46-150*75    | C46-150*100    | C46-150*150    |  |
| 60                      | C60-50*50    | C60-75*75    | C60-100*50    | C60-100*100    | C60-150*50    | C60-150*75    | C60-150*100    | C60-150*150    |  |
| 61                      | C61-50*50    | C61-75*75    | C61-100*50    | C61-100*100    | C61-150*50    | C61-150*75    | C61-150*100    | C61-150*150    |  |
| 64                      | C64-50*50    | C64-75*75    | C64-100*50    | C64-100*100    | C64-150*50    | C64-150*75    | C64-150*100    | C64-150*150    |  |
| 28                      | C28-50*50    | C28-75*75    | C28-100*50    | C28-100*100    | C28-150*50    | C28-150*75    | C28-150*100    | C28-150*150    |  |
| 31                      | C31-50*50    | C31-75*75    | C31-100*50    | C31-100*100    | C31-150*50    | C31-150*75    | C31-150*100    | C31-150*150    |  |
| 32                      | C32-50*50    | C32-75*75    | C32-100*50    | C32-100*100    | C32-150*50    | C32-150*75    | C32-150*100    | C32-150*150    |  |
| 33                      | C33-50*50    | C33-75*75    | C33-100*50    | C33-100*100    | C33-150*50    | C33-150*75    | C33-150*100    | C33-150*150    |  |
| 37                      | C37-50*50    | C37-75*75    | C37-100*50    | C37-100*100    | C37-150*50    | C37-150*75    | C37-150*100    | C37-150*150    |  |
| 42                      | C42-50*50    | C42-75*75    | C42-100*50    | C42-100*100    | C42-150*50    | C42-150*75    | C42-150*100    | C42-150*150    |  |
| 47                      | C47-50*50    | C47-75*75    | C47-100*50    | C47-100*100    | C47-150*50    | C47-150*75    | C47-150*100    | C47-150*150    |  |
| 48                      | C48-50*50    | C48-75*75    | C48-100*50    | C48-100*100    | C48-150*50    | C48-150*75    | C48-150*100    | C48-150*150    |  |
| 52                      | C52-50*50    | C52-75*75    | C52-100*50    | C52-100*100    | C52-150*50    | C52-150*75    | C52-150*100    | C52-150*150    |  |
| 65                      | C65-50*50    | C65-75*75    | C65-100*50    | C65-100*100    | C65-150*50    | C65-150*75    | C65-150*100    | C65-150*150    |  |
| 67                      | C67-50*50    | C67-75*75    | C67-100*50    | C67-100*100    | C67-150*50    | C67-150*75    | C67-150*100    | C67-150*150    |  |

20

21

## Part references - Lighting trunking

|    | LI-B   | LI-F   | LI-L   |
|----|--------|--------|--------|
| 20 | LI-B20 | LI-F20 | LI-L20 |
| 22 | LI-B22 | LI-F22 | LI-L22 |
| 23 | LI-B23 | LI-F23 | LI-L23 |
| 31 | LI-B31 | LI-F31 | LI-L31 |
| 32 | LI-B32 | LI-F32 | LI-L32 |
| 33 | LI-B33 | LI-F33 | LI-L33 |
| 34 | LI-B34 | LI-F34 | LI-L34 |
| 37 | LI-B37 | LI-F37 | LI-L37 |
| 38 | LI-B38 | LI-F38 | LI-L38 |
| 41 | LI-B41 | LI-F41 | LI-L41 |
| 42 | LI-B42 | LI-F42 | LI-L42 |
| 44 | LI-B44 | LI-F44 | LI-L44 |
| 45 | LI-B45 | LI-F45 | LI-L45 |
| 46 | LI-B46 | LI-F46 | LI-L46 |
| 47 | LI-B47 | LI-F47 | LI-L47 |
| 48 | LI-B48 | LI-F48 | LI-L48 |
| 62 | LI-B62 | LI-F62 | LI-L62 |
| 64 | LI-B64 | LI-F64 | LI-L64 |
| 65 | LI-B65 | LI-F65 | LI-L65 |

20

21

38

44

Ref C20L trunking lid  
with metal turnbuckle  
fixings

Ref 20 trunking  
body available in  
2 or 3 metre lengths

