

FIBREfon MICRO 50

August 15

Section 1 - Chemical Product and company identification

Product Name -	FIBREfon MICRO 50
Use -	Acoustic fleece
Company -	CELLECTA Limited, Norman Close, Medway Valley Park, Rochester, Kent, ME2 2JU

Section 2 - Composition

Thermally bonded non-woven mix of fine white and black polyester fibres and bonding bicomponent fibres with polyester core and co-polyester sheath.

Section 3 - Hazards Identification

Appearance -	Polyester fleece, grey in colour
General -	Non-wovens do not present any danger in normal use.
Hazards -	Product will partly melt and shrink away from flames. Smoke can give small amounts of acid

Section 4 - First aid measures

Inhalation -	No specific risk
Skin Contact -	No specific risk
Eye Contact -	Flush with plenty of water for at least 5 minutes. If irritation persists, consult a medical professional.
Ingestion -	Drink plenty of water. Do not give laxatives or induce vomiting. Should symptoms persist consult a medical professional.

Section 5 - Fire fighting measures

Extinguishing Media -	Water, CO ₂ or powder can be used - do not use water if fire is caused by an electrical short circuit.
Advise for Firefighters -	Product will partly melt and shrink away from flames. Smoke can give small amounts of acid
Flash Point -	Above 450°C
Auto ignition -	Above 450°C

Section 6 - Accidental Release Measures

Environmental Protection -	N/A
----------------------------	-----

Section 7 - Handling and Storage

Packaging -	Product is wrapped in polyethylene.
Max Storage Temp -	70°C
Storage Conditions -	FIBREfon MICRO 50 should be stored in dry conditions and not outside.

Section 8 - Exposure Controls/Personal Protection

Respiratory equipment -	No specific risk - wear a suitable face mask where appropriate.
Hand Protection -	No specific risk - wear suitable gloves where appropriate.
Eye Protection -	No specific risk - wear suitable safety glasses where appropriate.
Skin Protection -	N/A
Hygiene Measures -	After contact, wash hands with lukewarm water and soap.

Section 9 - Physical and Chemical Properties

Appearance -	Solid, textile batt
Odour -	Odourless
Melting Point -	Polyester 250°C, co-polyester 110°C
Density -	1350 to 1420kg/m ³ @ 25°C
Solubility -	Polyester fibre is soluble in concentrated sulphuric acid, o-dichloobenzol, m-cresol and tetrachlor-ethylene.

Section 10 - Stability and Reactivity

Reactivity -	None
Chemical Stability -	Polyester will be decomposed by strong oxidation agents as well as strong acids and caustics.
Dangerous Reactions -	None
Conditions to avoid -	Moisture

Section 11 - Toxicological Information

Irritant Effect -	These products present no danger in normal use and for which the product was intended.
-------------------	--

Section 12 - Ecological Information

Biodegradation -	N/A
------------------	-----

Section 13 - Disposal Considerations

Disposal -	Non-wovens are generally considered household waste and therefore should be disposed of according to local regulations.
------------	---

Section 14 - Transport Information

This product is not classified as hazardous for land, maritime and air transport

Section 15 - Regulatory Information

This product is not classified as hazardous.

Section 16 - Further Information

Supplementary information about this product can be supplied by Cellacta Ltd.

The information given is correct to the best of our knowledge at the time of publication but without guarantee of accuracy. It does not represent a guarantee of the properties of the product. We do not accept any responsibility for damage and claims arising from handling, transport, storage or disposal of the product. This data sheet applies to the product named above. If the product is used as parts of other products, information in the safety data sheet may be invalidated. No warranty is hereby expressed or implied.