

COMPARISON OF SECURITY RATING CLASSIFICATIONS USED IN LPS 1175: ISSUE 7 AND ISSUE 8

This revision of LPS 1175, which came into effect as of January 2019, is the most substantial revision of the security standard to date.

		SECURITY RATING CLASSIFICATION							
DELAY	20 MINUTES	A20	B20	C20	D20	E20	F20	G20	H20 (SR8)
	15 MINUTES	A15	B15	C15	D15	E15	F15	G15	H15
	10 MINUTES	A10	B10	C10	D10 (SR4)	E10 (SR5)	F10 (SR6)	G10 (SR7)	H10
	5 MINUTES	A5	B5	C5 (SR3)	D5	E5	F5	G5	H5
	3 MINUTES	A3	B3 (SR2)	C3	D3	E3	F3	G3	H3
	1 MINUTE	A1 (SR1)	B1	C1	D1	E1	F1	G1	H1
TOOL KIT	LPS 1175: ISSUE 8	A	B	C	D	E	F	G	H
	LPS 1175: ISSUE 7	A	B	C	D	D+	E	F	G

The previous single digit performance classification (security ratings 1 to 8) has been extended to one formed of two elements that classify performance in terms of:

- **THREAT LEVEL** (first element) - Letter (A to H) corresponding with the tool kit used to evaluate the product’s intruder resistance and number of attackers involved.
- **DELAY** (second element) - Numeric value (1, 3, 5, 10, 15, 20) corresponding with the minimum delay (in minutes) provided by the product when placed in a locked condition