



NOTES:

1. GENERAL TOLERANCE ON OVERALL DIMENSIONS: +/-4mm.
2. OUTER CASING FINISHED IN POWDERCOAT PAINT, (COLOUR SPECIFIED BY CUSTOMER), OR, BRUSHED STAINLESS STEEL.
3. DISCHARGE GRILLE PAINTED TO MATCH OUTER CASING, OR, FINISHED IN ANODISED ALUMINIUM.
4. INSTALLATION: THE UNIT MOUNTING BASE SECTION IS FIXED TO THE FLOOR, THEN THE MAIN UNIT IS MOUNTED ON TOP.
5. UNIT MOUNTING BASE MUST BE INSTALLED FLAT AND LEVEL IN ALL DIRECTIONS USING 4-OFF SUITABLE FIXINGS (BY OTHERS)
6. UNIT FIXED TO MOUNTING BASE WITH 4-OFF M16 BOLTS AND WASHERS (NUTS WELDED TO TOP FLANGE OF MOUNTING BASE)
7. MOUNTING BASE MUST BE FITTED PAYING ATTENTION TO DIRECTION OF AIRFLOW (SEE UNDERSIDE VIEW).
8. OPTIONAL 3-PORT VALVE SUPPLIED BY DIFFUSION TO BE FITTED REMOTE TO UNIT BY OTHERS IF REQUIRED.

ITEM	DESCRIPTION
1	CABLE / PIPE ENTRY
2	COIL TAILS ϕ 22mm OD PLAIN TAILS
3	FLOOR FIXING HOLES ϕ 18mm (4-POSITIONS)
4	ACCESS PANEL (4-POSITIONS)
5	CONTROL BOX
6	DISCHARGE GRILLE
7	WALL MOUNTED CONTROL PANEL

REV.	MOD.NO.	DATE	DRN	CHKD	DRAWING TO B.S. 308:PARTS 1,2 AND 3. WELDING TERMS AND SYMBOLS TO B.S. 499:PART 2.																																
1	FIRST ISS	03-06-08	DD																																		
MODIFICATION					<table border="1"> <thead> <tr> <th>CHARACTERISTIC</th> <th>SYM</th> <th>CHARACTERISTIC</th> <th>SYM</th> </tr> </thead> <tbody> <tr> <td>Straightness</td> <td>—</td> <td>Angularity</td> <td>∠</td> </tr> <tr> <td>Flatness</td> <td>∇</td> <td>Run out</td> <td>∕</td> </tr> <tr> <td>Roundness</td> <td>○</td> <td>Position</td> <td>⊕</td> </tr> <tr> <td>Cylindricity</td> <td>∕</td> <td>Concentricity</td> <td>◎</td> </tr> <tr> <td>Profile of a line</td> <td>∧</td> <td>Symmetry</td> <td>≡</td> </tr> <tr> <td>Profile of a surface</td> <td>∧</td> <td>M.M.C.</td> <td>⊖</td> </tr> <tr> <td>Parallelism</td> <td>∕∕</td> <td>Squareness</td> <td>⊥</td> </tr> </tbody> </table>	CHARACTERISTIC	SYM	CHARACTERISTIC	SYM	Straightness	—	Angularity	∠	Flatness	∇	Run out	∕	Roundness	○	Position	⊕	Cylindricity	∕	Concentricity	◎	Profile of a line	∧	Symmetry	≡	Profile of a surface	∧	M.M.C.	⊖	Parallelism	∕∕	Squareness	⊥
CHARACTERISTIC	SYM	CHARACTERISTIC	SYM																																		
Straightness	—	Angularity	∠																																		
Flatness	∇	Run out	∕																																		
Roundness	○	Position	⊕																																		
Cylindricity	∕	Concentricity	◎																																		
Profile of a line	∧	Symmetry	≡																																		
Profile of a surface	∧	M.M.C.	⊖																																		
Parallelism	∕∕	Squareness	⊥																																		
					ALL DIMENSIONS IN MM THIRD ANGLE PROJECTION TOLERANCES UNLESS OTHERWISE STATED DIMENSIONAL \pm 0,5 ANGULAR \pm 1°																																

SCALE	N.T.S.	DRAWN	DD	DIFFUSION 47 Central Avenue, West Molesey, Surrey, KT8 2QZ Telephone 020 8783-0033. Fax 020 8783 0140 email: diffusion@etenv.co.uk
MAT'L		DATE	03-06-08	TITLE
FINISH		CHECKED		GENERAL ARRANGEMENT - SALES CHAMELEON ϕ 400 2600 (2.6m) LPHW CIRCULAR DOOR HEATER VERTICAL (BASE MOUNTED VERSION)
		DATE		JOB
		APP'D		NOTTINGHAMSHIRE HOSPITAL (MAS)
		DATE		DRG.NO.
				A1/22736

The designs shown in these drawings are the original creations of Diffusion Environmental Systems which owns all the intellectual property rights therein. No reproduction may be made of the drawings nor may articles be made therefrom without prior written permission
ALL RIGHTS RESERVED
 C Diffusion 2000