



**DURATION WINDOWS**

---

# **Durafold 1000 Folding Doors Section Identification**

# Contents



DURATION  
WINDOWS



● Outer Frames & Thresholds	Page 3
● Sashes & Mullions	Page 4
● Ramps & Frame Extension	Page 5
● Beads & Adaptors	Page 6
● Cills	Page 7 - 9
● Jamb Sight-Lines	Page 10
● Head Sight-Lines	Page 11
● Meeting Stiles	Page 12 - 15
● Standard Threshold Sight-Lines	Page 16
● 20mm Low Threshold	Page 17
● 15mm Low Threshold	Page 18
● Threshold Options- STD Threshold Plus A 150 Cill	Page 19

# Outer Frames & Thresholds





DURATION  
WINDOWS

## Outer Frame & Std Threshold: DV14





## 15mm Low Threshold: DV171



Silver Anodised finish only.

## 20mm Low Threshold: DV173



Silver Anodised finish only.



Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Sashes & Mullions





DURATION  
WINDOWS



## Soft Line Sash: DV26



## Square Sash: DV23



## Floating Mullion: DV32





Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Ramps & Frame Extension





**DURATION  
WINDOWS**

## Ramp for 15mm Low Threshold: EUD03





Silver Anodised finish only.

## Ramp for 20mm Low Threshold: DV174



Silver Anodised finish only.

## Frame Extension: DV559





Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Beads & Adaptors




DURATION  
WINDOWS



Bead for 28mm unit: DV67




Bead for 32mm unit: DV64




Bead for 24mm unit: DV160



Rebated Door Adaptor: DV56



Low Threshold Adaptor: DV62





Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Cills





DURATION  
WINDOWS

## 85mm Cill: ETC178



## 150mm Cill: ETC157





Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Cills



DURATION  
WINDOWS

190mm Cill: ETC158




Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Cills



**DURATION  
WINDOWS**

**225mm Cill: ETC-179**





Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Jamb Sight-Lines



DURATION  
WINDOWS



## Jamb Open Out



Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.





## Head Open Out



Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.



## Meeting Stile Open Out






Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Meeting Stile Sight-Lines



# DURATION WINDOWS

## Meeting Stile Open Out






Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Meeting Stile Sight-Lines



# DURATION WINDOWS

## Equal Panel Jamb Open Out






Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Meeting Stile Sight-Lines



# DURATION WINDOWS

## Equal Panel Meeting Stile Open Out



Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.



# Threshold Sight-Lines



DURATION  
WINDOWS

## Standard Threshold Open Out

DA



Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.



# Threshold Sight-Lines



# DURATION WINDOWS

## 20mm Low Threshold Open Out

DB



Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.



# Threshold Sight-Lines



# DURATION WINDOWS

## 15mm Low Threshold Open Out

DC




Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Threshold Sight-Lines



DURATION  
WINDOWS

## Standard Threshold Plus 150 Cill Open Out



Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.