



**DURATION WINDOWS**

---

# **Durations Putty Line Heritage Window Section Identification**

# Contents



DURATION  
WINDOWS



General	Page
● Outer Frames	3
● Sash & Beads	4
● Transom & Astragal	5
● Cills	6 - 8
● Coupling Bar & Extension	9
● Extension	10
● Bay Poles	11 - 12
● Corner Post	12
● Sections	13 - 16
● Clip On / Off Astragal Bar	17

# Outer Frames





DURATION  
WINDOWS

## Equal Leg: ZSB94



## 70mm Direct Fix: ZSB129





Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Sash & Beads




DURATION  
WINDOWS



## Sash: ZSB95





## Internal Bead: W20167



## External Bead: ETC375



## Glazing Reducer: ZSB97





Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Transom & A-Shaped Astragal





# DURATION WINDOWS



## Transom / Mullion: ZSB96



## Astragal Bar: ZSB98



## Fixing Plate: ZSB99



Patented Design



Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Cills





DURATION  
WINDOWS

## 85mm Cill: ETC178



## 150mm Cill: ETC157





Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Cills



DURATION  
WINDOWS

190mm Cill: ETC158





Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Cills



**DURATION  
WINDOWS**

**225mm Cill: ETC-179**





Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Coupling Bars





DURATION  
WINDOWS

## 70mm Direct Fix Coupling Bar: ETC517






## 57mm Coupler: ZSB130






Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.



## Head Extension: ETC559



## Head Extension: ETC156






Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Bay Poles






DURATION  
WINDOWS

## 120° - 136°: ETC040



## 137° - 155°: ETC041






Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Bay Pole & Corner Post





DURATION  
WINDOWS

## 156° - 170°: ETC042



## 70mm Corner Post: ETC048





Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Sections





# DURATION WINDOWS

## Opener





## Fixed



Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.





## Fixed Lite Next to an Opener



Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.



## Opener Next to an Opener




Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

# Sections



# DURATION WINDOWS

## Opener Over a Fixed Window With Cill




Duration Windows reserves the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

## Clip On / Off Astragal



DURATION  
WINDOWS



Our unique patented clip on and off astragal enables you to easily glaze and de-glaze your windows when needed. This system enables us to attach a base plate to the glass in a specified place within the controlled environment of the factory. You then simply clip the astragal bar or bars into place on site.

No mess, No problems, No worries.

