





PUSH DOOR - FRAME WITH HEADER



PULL DOOR - FRAME WITH HEADER



FRAMES FOR SINGLE DOORS - Finished Wall Thickness 100 mm

DOOR PANEL UK

MAX. PASSAGE SIZE		OVERALL DIMENSION (PUSH)		OVERALL DIMENSION (PULL)		DOOR PANEL 44mm thick		
L	H	C	H1	C	H1	DW1	DW2	DH
1200	2036	1326	2099	1350	2111	606	616	2040
1400	2036	1526	2099	1550	2111	706	716	2040
1600	2036	1726	2099	1750	2111	806	816	2040
1800	2036	1926	2099	1950	2111	906	916	2040
1200	1977	1326	2040	1350	2052	606	616	1981
1400	1977	1526	2040	1550	2052	706	716	1981
1600	1977	1726	2040	1750	2052	806	816	1981
1800	1977	1926	2040	1950	2052	906	916	1981

Dimensions are given in mm




NOTES

- ▶ Supplied as standard with 3 hinges. Max. door panel weight with 3 hinges: 50 kg.
- ▶ Available upon request with 4 hinges. Max. door panel weight with 4 hinges: 65 kg.
- ▶ Available finishes: Primer-coated, Champagne, Bronze, Tobacco and White RAL 9010.
- ▶ Flared frame not recommended for non-standard thicknesses.
- ▶ In the push version, the actual passage width is reduced by the thickness of the door panel.
- ▶ Install at finished floor level.





ACCESSORIES



- ▶ Self-closing door hinge (for wooden doors only)



PUSH DOOR - FRAME WITH HEADER



PULL DOOR - FRAME WITH HEADER



FRAMES FOR SINGLE DOORS - Finished Wall Thickness 125 mm

DOOR PANEL UK

MAX. PASSAGE SIZE		OVERALL DIMENSION (PUSH)		OVERALL DIMENSION (PULL)		DOOR PANEL 44mm thick		
L	H	C	H1	C	H1	DW1	DW2	DH
1200	2036	1366	2119	1390	2131	606	616	2040
1400	2036	1566	2119	1590	2131	706	716	2040
1600	2036	1766	2119	1790	2131	806	816	2040
1800	2036	1966	2119	1990	2131	906	916	2040
1200	1977	1366	2060	1390	2072	606	616	1981
1400	1977	1566	2060	1590	2072	706	716	1981
1600	1977	1766	2060	1790	2072	806	816	1981
1800	1977	1966	2060	1990	2072	906	916	1981

Dimensions are given in mm




NOTES

- ▶ Supplied as standard with 3 hinges. Max. door panel weight with 3 hinges: 50 kg.
- ▶ Available upon request with 4 hinges. Max. door panel weight with 4 hinges: 65 kg.
- ▶ Available finishes: Primer-coated, Champagne, Bronze, Tobacco and White RAL 9010.
- ▶ Flared frame not recommended for non-standard thicknesses.
- ▶ In the push version, the actual passage width is reduced by the thickness of the door panel.
- ▶ Install at finished floor level.





ACCESSORIES



- ▶ Self-closing door hinge (for wooden doors only)



PUSH DOOR - FRAME WITH HEADER



PULL DOOR - FRAME WITH HEADER



FRAMES FOR SINGLE DOORS - Finished Wall Thickness 150 mm

DOOR PANEL UK

MAX. PASSAGE SIZE		OVERALL DIMENSION (PUSH)		OVERALL DIMENSION (PULL)		DOOR PANEL 44mm thick		
L	H	C	H1	C	H1	DW1	DW2	DH
1200	2036	1410	2141	1432	2152	606	616	2040
1400	2036	1610	2141	1632	2152	706	716	2040
1600	2036	1810	2141	1832	2152	806	816	2040
1800	2036	2010	2141	2032	2152	906	916	2040
1200	1977	1410	2082	1432	2093	606	616	1981
1400	1977	1610	2082	1632	2093	706	716	1981
1600	1977	1810	2082	1832	2093	806	816	1981
1800	1977	2010	2082	2032	2093	906	916	1981

Dimensions are given in mm



NOTES

- ▶ Supplied as standard with 3 hinges. Max. door panel weight with 3 hinges: 50 kg.
- ▶ Available upon request with 4 hinges. Max. door panel weight with 4 hinges: 65 kg.
- ▶ Available finishes: Primer-coated, Champagne, Bronze, Tobacco and White RAL 9010.
- ▶ Flared frame not recommended for non-standard thicknesses.
- ▶ In the push version, the actual passage width is reduced by the thickness of the door panel.
- ▶ Install at finished floor level.



ACCESSORIES

- ▶ Self-closing door hinge (for wooden doors only)