


5 59 007 0

Flower jumping platforms



Age indication



Fitness



Social skills




Senses




Balance

Scope of delivery

1x jumping plate: high pressure laminate (HPL) ribbed
3x spring including ground anchor: steel
3x ground anchor: steel














Flower jumping platforms



Technical data

	Material	HPL
	Minimum space	Ø 4,00x2,06 m
	Impact protection net	-
	Free falling height	26 cm
	Ground constitution DE/NL/BE	at least stone
	Ground constitution all except DE/NL/BE	at least stone
	Largest section	Ø 100 cm
	Heaviest section	6 kg
	mx. number of users	3
	Certificate	-
	Tested according to standard	-

Installation information

	Foundations	1x CF
	Fundamentlevel	ET 700
	Assembly	2 persons/1 h
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	0,10 m ³
	CF concrete	0,20 m ³
	CF excavation	0,40 m ³



5 59 007 0

Flower jumping platforms



CO₂ emissions of the product

143,8 kg

Material share of renewable raw materials

0%

Recyclate content

17%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024