

play unit Rose



Age indication



Something new to



Fitness



Fine motor skills





Imagination



Social skills









Scope of delivery

- 1x belly board: high-pressure laminate (HPL)
- 1x roof: high-pressure laminate (HPL), Makrolon
- 1x crawling tube: high-pressure laminate (HPL), PP
- 1x arched bridge: high-pressure laminate (HPL), softwood
- 3x platform: high-pressure laminate (HPL)
- 1x staircase: high-pressure laminate (HPL)
- 1x arched ramp: softwood, high-pressure laminate (HPL)
- 4x fence element: stainless steel, PE
- 1x set posts with post bases: softwood, galvanised steel
















Technical data

| | | |
|---|--|--------------------|
|  | Material | SW pi |
|  | Minimum space | 6,66x4,71x2,24 m |
|  | Impact protection net | 7,5 m ² |
|  | Free falling height | 44 cm |
|  | Ground constitution DE/NL/BE | at least lawn |
|  | Ground constitution all except DE/NL/BE | at least lawn |
|  | Largest section | 100x100x1,5 cm |
|  | Heaviest section | 23 kg |
|  | mx. number of users | 15 |
|  | Tested according to standard | EN 1176 - 1/3/7 |
|  | Service interval (in months) | 6 |

Installation information

| | | |
|---|----------------|---------------------------|
|  | Foundations | 12x CF or 3x PFs + 9x PFr |
|  | Fundamentlevel | ET 400 |
|  | Assembly | 2 persons/4 h |
|  | PF Accessories | 3x 5632540 + 9x 5632550 |
|  | PF drainage | - |
|  | PF concrete | - |
|  | PF excavation | 0,70 m ³ |
|  | CF Accessories | - |
|  | CF drainage | - |
|  | CF concrete | 0,43 m ³ |
|  | CF excavation | 1,30 m ³ |



5 59 827 011 00

play unit Rose



CO₂ emissions of the product

606,1 kg

Material share of renewable raw materials

30%

Recyclate content

20%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024