




Product overview and prices 2014

emco rubber honeycomb mats

Ideal for entrances in outdoor areas, industrial buildings, exhibition halls and sports halls, ski lifts, ship decks and landing stages



emco STRUCTURA 220 (FR / B)



Material: High-quality solid rubber, weather-proof and abrasion-proof

Mat height: Approx. 22 mm

Surface: Octagonal honeycomb pattern

Water drainage: Dimples on the underside combined with open honeycomb bases ensure excellent water drainage

Weight: Heavy duty at approx. 13,5 kg/m²

Colour: Black

Features: Very robust, general purpose mat with excellent cleaning effect (for protection against coarse dirt). Because it is easy to clean and offers a straightforward water drainage system as well as a high level of temperature resistance (-30 to +50 °C), it is also ideal for outdoor areas with snow and high levels of moisture.

Custom mats: Bespoke cuts enable practically any dimensions to be accommodated. (Mat sizes up to approx. 2 m² are manufactured with the parts bonded together; larger mat systems are supplied in several parts – with solid rubber connection elements.)

Accessories: Frame: - Aluminium
- Natural brass
- Stainless steel V2A (material 1.4301)

Connection elements (mat joining brackets) made of solid rubber
Double ring brush inserts

emco rubber honeycomb mat, Type "STRUCTURA 220 FR"	Low-flammability rubber honeycomb mat in accordance with EN 13501: Bfl-S ₁ : Price on request
emco rubber honeycomb mat, Type "STRUCTURA 220 B"	Rubber honeycomb mat fitted with single-colour double-ring brush inserts in every second honeycomb (approx. 290 brushes/m ²) for protection against coarse and fine dirt (refer to accessories, page 6) Special format price on request

Pricing table:

VERSION 1 Standard mats for existing frames*			VERSION 2 Standard mats with frame (full honeycomb)							
Item no.	Mat dimensions W x D in mm	Mat €/Pcs.	Frame							
			Item no.	Mat dimensions W x D in mm	Mat €/Pcs.	Item no. Aluminium frame	Frame dimensions H x W x D in mm	Aluminium €/Pcs.	Brass €/run. m	Stainless steel** €/run. m
465-0975	585 x 385	11,-	465-0982	581 x 374	11,-	065-1605	26,5 x 596 x 389	29,-	53,-	37,-
465-0976	685 x 385	15,-	465-0983	664 x 374	15,-	065-1606	26,5 x 679 x 389	31,-		
465-0977	785 x 485	23,-	465-0984	789 x 498	23,-	065-1607	26,5 x 804 x 513	37,-		
465-0978	885 x 585	38,-	465-0985	913 x 581	38,-	065-1608	26,5 x 928 x 596	43,-		
465-0979	985 x 485	29,-	465-0986	996 x 498	29,-	065-1609	26,5 x 1011 x 513	43,-		
465-0980	985 x 585	40,-	465-0987	996 x 581	40,-	065-1610	26,5 x 1011 x 596	47,-		
465-0981	1185 x 585	61,-	465-0988	1204 x 581	61,-	065-1611	26,5 x 1219 x 596	51,-		
VERSION 3 Panels and custom mats										
Mat dimensions in mm		€	€ With brush***	Aluminium €/run. m		Brass €/run. m		Stainless steel** €/run. m		
1500 x 1000 (Panel)		Item no. 660-2093 79,-/Pcs.	469,-/Pcs.	16,-		53,-		37,-		
Custom mats (rectangular)		82/m ²	345/m ²							
Custom mats (special shape)		97/m ²	361/m ²							

Size tolerance: +/- 1.5%. When ordering, always specify mat dimensions.


* Can be cut through the honeycombs (if necessary) ** Stainless steel, material no. 1.4301 (V2A) *** For information about the brushes, refer to page 6
Orders whose net value is below € 100 are subject to an extra charge for small quantities of € 25.

Subject to technical modifications. Issued: 01.01.2014



Ideal for entrances and steps in outdoor areas, ski lifts, industrial buildings, exhibition halls and sports halls

emco CUBUS 220 (B)



Material: High-quality solid rubber, weather-proof and abrasion-proof

Mat height: Approx. 22 mm

Surface: Honeycomb pattern

Water drainage: Dimples on the underside combined with open honeycomb bases ensure excellent water drainage

Weight: Approx. 10,2 kg/m²

Colour: Black

Features: Robust, general purpose mat with good cleaning effect (for protection against coarse dirt). Because it is easy to clean and offers a straightforward water drainage system as well as a high level of temperature resistance (-30 to +50 °C), it is also ideal for outdoor areas with snow and high levels of moisture.

Custom mats: Bespoke cuts enable practically any dimensions to be accommodated. (Mat sizes up to approx. 2 m² are manufactured with the parts bonded together; larger mat systems are supplied in several parts – with solid rubber connection elements.)

Accessories: Frame: - Aluminium
- Natural brass
- Stainless steel V2A (material 1.4301)

Connection elements (mat joining brackets) made of solid rubber
Double ring brush inserts

emco rubber honeycomb mat, Type "CUBUS 220 B"	Rubber honeycomb mat equipped with single-colour double-ring brush inserts in every second honeycomb (approx. 315 brushes/m ²) for protection against coarse and fine dirt (refer to accessories, page 6) Special format price on request
---	---

Pricing table:

Panels and custom mats					
Mat dimensions in mm	€	€ With brush**	Frame		
			Aluminium €/run. m	Brass €/run. m	Stainless steel* €/run. m
1200 x 800 (Panel)	Item no. 660-2095 47,-/Pcs.	326,-/Pcs.	16,-	53,-	37,-
Custom mats (rectangular)	79,-/m ²	369,-/m ²			
Custom mats (special shape)	94,-/m ²	385,-/m ²			

Size tolerance: +/- 1.5%. When ordering, always specify mat dimensions.

* Stainless steel, material no. 1.4301 (V2A) ** For information about the brushes, refer to page 6

Orders whose net value is below € 100 are subject to an extra charge for small quantities of € 25.

Ideal for entrance areas in outdoor areas, pergolas, etc.



emco CUBUS 135



Material: High-quality solid rubber, weather-proof and abrasion-proof

Custom mats: Can be cut to rectangular shapes

Mat height: Approx. 13,5 mm

Surface: Honeycomb pattern

Water drainage: Dimples on the underside combined with open honeycomb bases ensure excellent water drainage

Weight: Approx. 9,2 kg/m²

Colour: Black

Features: Mat with good cleaning effect (coarse dirt) and ideal water drainage system combined with low construction height. Ideal for laying on the floor without a frame; straightforward cleaning and the material has a high level of temperature resistance (-30 to +50 °C).

Pricing table:


Panels and custom mats		
Item no.	Mat dimensions in mm	€
660-2096	1515 x 1010 (Panel)	64,-/Pcs.
	Custom mats (rectangular)	75,-/m²

Size tolerance: +/- 1.5%. When ordering, always specify mat dimensions.
Orders whose net value is below € 100 are subject to an extra charge for small quantities of € 25.



Ideal for entrances in outdoor areas without mat well or frame.

emco LIMBUS 105



Material: High-quality solid rubber, weather-proof and abrasion-proof

Custom mats: Can be cut to rectangular shapes (only possible without leading edge)

Mat height: Approx. 10,5 mm

Surface: Octagonal honeycomb pattern with a ramped edge on all sides

Water drainage: Ribs on the underside combined with open honeycomb bases ensure good water drainage even where the construction height is low

Weight: Approx. 6,3 kg/m²

Colour: Black

Features: Mat with good cleaning effect and ideal water drainage system combined with low construction height. Straightforward cleaning and the material has a high level of temperature resistance (-30 to +50 °C).

Pricing table:

Panels and custom mats		
Item no.	Mat dimensions in mm	€
660-2097	1520 x 920 (Panel)	62,-/Pcs.
	760 x 920 (three-sided border from original plate)	37,-/Pcs.
	Custom mats (rectangular)	73,-/m²

Size tolerance: +/- 1.5%. When ordering, always specify mat dimensions.

Orders whose net value is below € 100 are subject to an extra charge for small quantities of € 25.



Brushes

Description: Double-ring brush inserts, loose.
Colours: Black, grey, red, green, blue, yellow. (For emco STRUCTURA 220 and emco CUBUS 220)



Price: 0,50 € / each

Colours:



Item no.: 800-3443 800-3444 800-3445 800-3446 800-3447 800-3448

Packing unit: 10 Pcs.

Connection elements

Description: Connection elements for emco STRUCTURA 220 and emco CUBUS 220



Item no.: 660-2098

Colour: Black

Price: 1,60 € / each

emco installation frame 500



The emco installation frame 500/25 consists of angled profiles (model 500 N from plug profiles) with mitred corners. The supplied gusset plates (model 500/N with plug connectors) ensure precise assembly. The frame is ready for assembly.

	Aluminium	Aluminium	Stainless steel*	Brass
For mat height of 22 mm:	Only for standard sizes Model 500/N	Model 500/25	Model 500/25	Model 500/25
Dimensions:	26,5 x 31,5 x 4,5 mm Without wall anchor	25 x 28 x 3 mm With wall anchor	25 x 30 x 3 mm With wall anchor	25 x 25 x 3 mm With wall anchor

* Stainless steel, material no. 1.4301 (V2A)



The simple and easy alternative for family homes
and buildings with low footfall.



Description:: Roll-up, hard-wearing entrance mat; suitable for wheelchairs

Custom mats: Practically any dimensions can be accommodated

Tread surface: Non-degradable PP fibres with contrasting, recessed black strips and latex underlay

Frame: Natural brass (refer to page 6)
Stainless steel V2A (material 1.4301)
(refer to page 6)
Aluminium model 500/25
(refer to page 6)

Mat height: 22 mm

Weight: 5,0 kg/m²

Dimensions: max. walking depth 2000 mm x width 3500 mm

Colours:



Anthracite

Light grey

Beige

Pricing table:

		Custom mats		
Mat dimensions in mm	€	Frame		
		Aluminium €/run. m	Brass €/run. m	Stainless steel* €/run. m
Custom mats (rectangular)	107,-/m ²	16,-	53,-	37,-

Size tolerance: +/- 1.5%. When ordering, always specify mat dimensions.

* Stainless steel, material no. 1.4301 (V2A)

Orders whose net value is below € 100 are subject to an extra charge for small quantities of € 25.

www.emco.de

Pricelist 2014, valid as of 01.01. 2014.

Prices are shown in Euro exclusive of VAT, carriage, insurance and packing costs. On publication of this price list all previous pricelists become invalid.

The right to price and technical changes are retained.

emco Bau- und Klimatechnik
GmbH & Co. KG
Postfach 1860
D-49803 Lingen (Ems)
Germany
Tel. +49 (0) 591 9140-0
Fax +49 (0) 591 9140-852
bau@emco.de
www.emco-bau.com

| emcobad

| emcobau

| emcoklima

