



ENVIRO
BUILD



MESA

S U P P O R T



[ENVIROBUILD.COM](https://envirobuild.com)



+44 (0) 208 088 4888

FSC Trademark Licence: FSC® C007915




DECKING SUPPORT OVERVIEW



PEDESTAL COMPONENTS

Standard = 1 Base + 1 Head
Joist Cradle
Slope Corrector
Rubber Protective Pad



JOIST CRADLE



HEIGHT RANGE

Fixed Level = 12.5mm
Adjustable Range = 19mm - 1280mm



PEDESTAL



DIMENSIONS

Head Diameter = 150mm
Joist Cradle Diameter = 160mm
Base Diameter = 200mm
Wall Thickness = 4.5mm - 6mm



SLOPE CORRECTOR



PEDESTAL MATERIAL

90% Recycled Polypropylene (PP)
100% Recyclable



RUBBER MAT



PERFORMANCE

UV Stable, Salt Water and Frost Resistant
Operating Temperature = -40°C to 120°C



APPLICATIONS

- High Traffic Commercial Areas
- Residential Projects
- Decking Joist Support
- Floor Bearer Support



SLOPE CORRECTION

Slope correctors compensate for a ground fall of 0% - 5%, creating a perfectly level surface if required. Slope correctors are simply placed under the pedestals and adjusted for the slope.



COLLAR FIX

Locks the height adjustment against vibration or shock movement. Improved performance over standard pedestal support.



PAVING SUPPORT OVERVIEW



PEDESTAL COMPONENTS

Standard = 1 Base + 1 Head
Paving Spacer
Slope Corrector
Rubber Protective Pad



HEIGHT RANGE

Fixed Level = 12.5mm
Adjustable Range = 19mm - 1280mm



DIMENSIONS

Head Diameter = 150mm
Base Diameter = 200mm
Wall Thickness = 4.5mm - 6mm





PEDESTAL MATERIAL

90% Recycled Polypropylene (PP)
100% Recyclable



PERFORMANCE

UV Stable, Salt Water and Frost Resistant
Operating Temperature = -40°C to 120°C



TILING SPACER
↓
PEDESTAL
↓
SLOPE CORRECTOR
↓
RUBBER MAT



APPLICATIONS

- High Traffic Commercial Areas
- Residential Projects
- Paver Support
- Metal Grate Support
- Fiberglass Grid Support
- Wood Board Floor Support



SLOPE CORRECTION

Slope correctors compensate for a ground fall of 0% - 5%, creating a perfectly level surface if required. Slope correctors are simply placed under the pedestals and adjusted for the slope.



COLLAR FIX

Locks the height adjustment against vibration or shock movement. Improved performance over standard pedestal support.



RETAIL PRICE LIST

PEDESTALS

SKU	HEIGHT RANGE	PRICE PER UNIT
DA-SP-12	12.5mm	£1.19
DA-SP-19	19-30mm	£2.29
DA-SP-28	28-42mm	£2.49
DA-SP-40	40-65mm	£2.69
DA-SP-65	65-105mm	£3.19
DA-SP-90	90-180mm	£4.19
DA-SP-180	180-320mm	£6.59
DA-SP-260	260-440mm	£8.99
DA-SP-350	350-580mm	£11.49
DA-SP-450	450-730mm	£13.99
DA-SP-540	540-880mm	£16.29
DA-SP-620	620-1000m	£18.69
DA-SP-720	720-1150mm	£21.19
DA-SP-810	810-1280mm	£23.49

All prices shown are exclusive of VAT. Delivery may be charged as per the standard delivery rates.



RETAIL PRICE LIST

ACCESSORIES

	ACCESSORY	HEIGHT RANGE	PRICE PER UNIT
	Joist Cradle	4mm	£0.75
	Slope Corrector	12mm	£1.69
	Protective Base Pad	3mm	£0.99
	Tiling Spacer - 2mm	4mm	£0.20
	Tiling Spacer - 3.5mm	4mm	£0.20
	Tiling Spacer - 5mm	4mm	£0.20
	2mm Rubber Shim	2mm	£0.19
	1mm Rubber Shim	1mm	£0.19
	Ind. 2mm Spacer Tab	0mm	£0.16
	Ind. 5mm Spacer Tab	0mm	£0.16

All prices shown are exclusive of VAT. Delivery may be charged as per the standard delivery rates.



TECHNICAL SPECIFICATIONS




SKU	HEIGHT RANGE	MAX LOADING (KG)		
		FULL	HALF	QUARTER
DA-SP-12	12.5mm	6325	3535	1990
DA-SP-19	19-30mm	1815	1505	791
DA-SP-28	28-42mm	1835	1510	795
DA-SP-40	40-65mm	1890	1535	790
DA-SP-65	65-105mm	1910	1620	800
DA-SP-90	90-180mm	2235	1840	935
DA-SP-180	180-320mm	1850	1500	825
DA-SP-260	260-440mm	1740	1475	790
DA-SP-350	350-580mm	1675	1405	785
DA-SP-450	450-730mm	1600	1380	760
DA-SP-540	540-880mm	1520	1225	750
DA-SP-620	620-1000m	1465	1110	725
DA-SP-720	720-1150mm	1390	1055	700
DA-SP-810	810-1280mm	1310	985	680

It is the customers responsibility to determine the suitability of MESA Support pedestals for their particular private or commercial installation.



TECHNICAL SPECIFICATIONS



SKU	HEIGHT RANGE	BREAKING LOAD (KG)		
		FULL	HALF	QUARTER
DA-SP-12	12.5mm	13836	7765	3922
DA-SP-19	19-30mm	3726	3100	1811
DA-SP-28	28-42mm	3754	3105	1806
DA-SP-40	40-65mm	3871	3117	1726
DA-SP-65	65-105mm	3895	3148	1729
DA-SP-90	90-180mm	4537	3463	1988
DA-SP-180	180-320mm	3728	3105	1800
DA-SP-260	260-440mm	3660	2963	1687
DA-SP-350	350-580mm	3609	2816	1583
DA-SP-450	450-730mm	3532	2777	1580
DA-SP-540	540-880mm	3463	2705	1566
DA-SP-620	620-1000m	3308	2643	1534
DA-SP-720	720-1150mm	3300	2598	1533
DA-SP-810	810-1280mm	3107	2537	1503

It is the customers responsibility to determine the suitability of MESA Support pedestals for their particular private or commercial installation.



ENVIRO
BUILD

MESA

S U P P O R T

ENVIROBUILD.COM



+44 (0) 208 088 4888

Envirobuild Materials Ltd, Unit 210, Bon Marche Centre, 241-251 Ferndale Road, London, SW9 8BJ