



Beautifully crafted rooflights
for **beautiful** living spaces




EOS97
Fixed, Opening & Modular Rooflight



EOS97 Rooflight


High Performance roof glazing for flat and low pitched roofs. Featuring market leading thermal efficiency and exceptional safety levels.



EOS97 - Fixed Rooflight

Are you looking for a high performing rooflight for your next project? Explore our top of the range fixed rooflight.


- Double glazed 'System' U-value from 0.88 W/m²K
- Triple Glazed U-value as low as 0.66 W/m²K
- Thermally broken aluminium frame
- Heat Soak Tested toughened outer pane as standard.
- Laminate inner pane throughout the range
- Supplied with a fully insulated timber upstand, including internal plasterboard rebate.
- Upstands can be manufactured either flat or with a 5 degree pitch (suitable for both cold and warm roofs)
- Huge range of glass options to choose from.
- Proudly manufactured in the UK.



EOS97 - Opening Rooflight

Sleek contemporary design coupled with exceptional thermal performance.

- Double glazed U-value of 0.92 W/m²K.
- Triple Glazed U-value of 0.66 W/m²K.
- Integrated motor installed within insulated upstand.
- Heat Soak Tested toughened outer pane.
- Safety laminate glass on all units as standard.
- Includes a fully compliant upstand either 150mm high (cold roofs) or 300mm (warm roofs).
- Upstand available with either flat or 5 degrees pitch.
- Options include switch, remote, rain sensor and weather station.
- Proudly manufactured in the England



EOS97 - Modular Rooflight

Fixed and Opening sections sit side by side with no visual difference from either inside or out.

- Double glazed 'System' U-values from 0.92 W/m²K.
- Triple glazed 'System' U-values as low as 0.66 W/m²K.
- Identical site lines between fixed and opening modules.
- Heat Soak Tested toughened outer pane
- Laminate inner pane for increased safety and security levels.
- Includes purpose built insulated upstand for improved U values.
- Suitable for flat roofs with a pitch between 0 and 15 degrees.
- Huge range of glass upgrades available.
- Manufactured by EOS in our UK factory.

