



Declaration of Conformity ET0206

The manufacturer

Eternit AG, Im Breitspiel 20, 69126 Heidelberg

manufacturing plant

1060, Werk Neubeckum

following the provisions of the 89/106/EEC Construction Products Directive
herewith declare that the products

Eternit Fassadentafeln

Textura, Natura, Pictura, Natura PRO

are in conformity with the provisions as described in the annex ZA of the following standard:
„DIN EN 12467: 2006-12 Fibre cement flat sheets –
Product specification and test methods“

Intended use :

Fibre cement flat sheets for internal and external walls and ceilings

Characteristic	Performance declaration	Report
Mechanical resistance	Class 4, category A	05/2084/02
Reaction to fire	A2 – s1, d0	Textura und Natura: 230004747-8 Pictura, Natura PRO: 230006900-2
Water impermeability	Pass	05/2084/02
Dimensional variation	Level I	05/2084/02
Release of dangerous substances	Type NT	-
Durability against warm water	Pass	05/2084/02
Durability against soak / dry	Pass	05/2084/02
Durability against freeze-thaw	Pass	05/2084/02
Durability against heat-rain	Pass	05/2084/02

Notified laboratory for fire tests:

Materialprüfungsamt NRW, Außenstelle Erwitte
Auf den Thränen 2, 59597 Erwitte

Laboratory for type testing:

Materialprüfungsanstalt MPA Berlin-Brandenburg GmbH
Voltastraße 5, Gebäude 10.6, 13355 Berlin

For the manufacturer:

i.V. Stephan Schreiber
Head Technics

21.03.2011

i.V. Gregor Vogt
Head Quality Control

