

ACTIVE ONE

Detergent solution for cleaning masonry surfaces



Interior/Exterior



Brush



Spray

Composition

ACTIVE ONE is an aqueous solution with high active chlorine content, for interiors and exteriors, designed for cleaning masonry surfaces.

Ingredients declaration according to Reg. (EC) 648/2004: < 5% Nonionic surfactants between 5-15% Chlorine-based bleaching agents.

Supply

- Box of 2 x approx. 5 litres containers
- Box of 12 x approx. 0.5 litre bottles

Use

ACTIVE ONE is used as a detergent solution for cleaning masonry surfaces showing deterioration due to various types of hard-to-remove stains and dirt.

Application

ACTIVE ONE is ready-to-use and is applied by brush or using the spray bottle provided. Apply the product directly onto the surface being treated, leaving it to act for around 30 minutes, then wash with plenty of water. If there is considerable hard-to-remove dirt on the surface, repeat the treatment a number of times, as well as brushing the surface mechanically.

Warnings

- Read the safety datasheet before use.
- Product for professional use.
- Avoid application at temperatures below +5°C or above +30°C and with a relative humidity higher than 75%.
- Before starting the treatment on painted walls, perform a test application on a small area so as to check for possible discolouration or bleaching of pigments that are sensitive to strong oxidants.
- Contains: sodium hypochlorite.
- Irritating to eyes and skin.
- Keep out of the reach of children and away from food and drinks.
- If swallowed seek medical advice immediately and show the container or label.
- Contact with acids liberates toxic gas.
- Do not use in combination with other products, harmful gases (chlorine) may form.
- Avoid contact with metal, wood, fabrics or plants, in case of contact rinse immediately with plenty of water.
- During application, avoid contact with skin, eyes and mucous. Wear suitable protective clothing, PVC or PE gloves and eye protection.
- When applying the solution indoors, ensure adequate ventilation.
- Tools must be washed in water immediately after use.

ACTIVE ONE must only be used in its original state without the addition of other materials.



Storage

The product contains sodium hypochlorite, whose slow decomposition over time is accelerated by exposure to sunlight and sources of heat. In addition, storing the product at high temperatures may cause the container to buckle: beware when opening. If stored in a room at a suitable temperature (min. 5°C, max. 30°C), protected against direct sunlight and sealed in its original packaging, the material has a shelf life of 12 months. Protect from frost.

Quality

ACTIVE ONE is subjected to careful and constant testing in our laboratories. The raw materials used are rigorously selected and checked.

Technical Data

Specific weight	1.19 kg/l
Appearance	Liquid, pale yellow colour
Odour	Slight, characteristic
pH	approx. 12.5
Dilution	Ready-to-use
Yield	approx. 6-8 m ² /l per coat

The information shown on this datasheet is based on our acquired know-how and experience, as well as the state-of-the-art. The technical data shown refer to average product characteristics. The user can check the specific characteristics of each supply directly on the product identification label. In any case, the user must verify that the product is suitable for the intended application, taking all responsibility for its use.

This document cannot account for every possible design and site situation. If necessary, please contact Fassa S.r.l. Technical Service by email at area.technica@fassabortolo.com.

Fassa S.r.l. reserves the right to freely make any modifications to this datasheet, publishing a new edition that will represent the most recent reference technical document and will be available on the company's website www.fassabortolo.com.