

# ATLANTIC

LED Bulkhead

**FernHoward**  
Lighting



Stylish and vandal resistant, the new Fern-Howard Atlantic is a weather proof and UV resistant LED Bulkhead. Its contemporary oval shape and pleasant light make it the perfect replacement for traditional CFL luminaires.

IP65

IK10

LED



## FEATURES

- Energy efficient LED luminaire with a life span of 30,000 hours (L70)
- Contemporary oval shape
- Robust Polycarbonate body in white
- Opal polycarbonate diffuser provides pleasing light
- UV resistant and corrosion free
- IP65 protection against dust and water

Built-in Microwave Sensor option available - to further reduce energy use.



## SIMPLE TO INSTALL AND USE

- Slot-in geartray for easy installation
- Complete with security screws (key provided)
- Wall or ceiling mountable
- Interior and exterior use



## TYPICAL APPLICATIONS

- Car parks
- Walkways
- Stairwells and corridors
- Local Authorities and Housing Associations
- Commercial buildings

# ATLANTIC



## TECHNICAL INFORMATION



Dimensions:  
235 x 328 x 91mm

Weight:  
0.7kg

Mounting type:



Wall  
Ceiling



Interior  
Exterior


Base Colour Options:



Diffuser Options:




## LIGHT DISTRIBUTION



Photometric files at [www.fernhoward.com](http://www.fernhoward.com)

## STANDARDS



# ATLANTIC

## ORDERING GUIDE

Standard Product Code	Light Management Options Suffix										Performance Data**		
	Base Colour	Diffuser Option	DALI	Dimming	Corridor Function	3hr Emergency	Self-Test	DALI Emergency	Microwave Sensor	PhotoCell	Lumen Output Lm	Wattage W	Efficacy Lm/W
<b>Atlantic LED</b>													
FHBL368-083	W	OP	-	-	-	-	-	-	MS	-	830	10.5	79

FHBL368-083 - S - OP - MS

Example Code: Atlantic, Silver, Opal with Microwave Sensor

\*\* Efficacy can vary depending on Light Management Option chosen

**30,000**  
Hours  
L70

**>80**  
CRI (Ra)

**4,000K**  
Colour  
Temperature



Fern-Howard products are manufactured in the UK at our modern factory in Alton, Hampshire. Luminaires are manufactured and tested in accordance with BS EN60598. Incorporated control gear and components comply with BS/VDE standards. Luminaires are tested in accordance with IES LM-79-08.

Fern-Howard, 2 Newman Lane, Alton, Hampshire, GU34 2QR, UK. Call 01420 470 400 or email [lighting@fernhoward.com](mailto:lighting@fernhoward.com)

Registered in England Reg. No. 3202749. We reserve the right to alter specifications without notice in accordance with our policy of continuous product improvement. Design and copyright reserved and our standard Term & Conditions apply. Full details of our warranty can be found on our website.

**FernHoward**  
Lighting