



SAFETY DATA SHEET

According to Regulation (EU) 2015/830

Bonding Bridge 842 Part A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name Bonding Bridge 842 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Description Two component cementitious coating.

1.3 Details of the supplier of the safety data sheet

Company Flexcrete Technologies Ltd
 Address Tomlinson Road
 Leyland
 Lancashire, United Kingdom
 PR25 2DY
 Web www.flexcrete.com
 Telephone +44(0)845 260 7005
 Email info@flexcrete.com
 Email address of the competent person sds@flexcrete.com

1.4 Emergency telephone number

Emergency telephone number +44(0)845 260 7005
 9.00am – 5.00pm (GMT) Mon-Fri

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Main Hazards No Significant Hazard

2.2 Label elements

Risk Phrases No Significant Hazard

2.3 Other hazards

Other hazards No data available.

SECTION 3: Composition/information on ingredients

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention.
Eye Contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention if irritation or symptoms persist.
Skin Contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye Contact	May cause irritation to eyes.

Bonding Bridge 842 Part A

Skin Contact	May cause irritation to skin. May cause sensitisation by skin contact.
Ingestion	Ingestion may cause nausea and vomiting.
4.3. Indication of any immediate medical attention and special treatment needed	
	If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media	
	This product is not flammable. Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising from the substance or mixture	
	Burning produces irritating, toxic and obnoxious fumes
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	
	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for containment and cleaning up	
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal.
6.4. Reference to other sections	
	See SECTION 8: Exposure controls/personal protection, SECTION 13: Disposal considerations for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage, including any incompatibilities	
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
7.3. Specific end use(s)	
	Various.
Further information	
	Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

SECTION 8: Exposure controls/personal

8.1. Control parameters	
	Not applicable.
8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear suitable protective clothing.
Eye / face protection	Wear suitable eye protection.
Skin protection - Handprotection	Wear suitable gloves.
Respiratory protection	Wear suitable respiratory equipment when necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Appearance	Liquid
Colour	White
Odour	Characteristic
pH	7-9
Melting point	Not determined.
Freezing Point	Not determined.
Initial boiling point	Not determined.
Flash point	Not applicable.
Evaporation rate	Not determined.
Flammability (solid, gas)	Not applicable.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.02 (H ₂ O = 1 @ 20 °C)
Fat Solubility	Not determined.
Partition coefficient	Not determined.
Autoignition temperature	Not applicable.
Viscosity	Not determined.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.
Solubility	Miscible in water
9.2. Other information	
VOC (Volatile organic compounds)	< 0.93 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity	
	Stable under normal conditions.
10.2. Chemical stability	
	This product is not flammable.
10.3. Possibility of hazardous reactions	
	Will not decompose if stored and used as recommended.
10.4. Conditions to avoid	
	Keep away from direct sunlight. Store at temperatures between 0 °C and 30 °C. Protect from frost.
10.5. Incompatible materials	
	Avoid contact with acids, bases, amines, oxidising agents.
10.6. Hazardous decomposition products	
	Burning produces obnoxious and irritating fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity	No observed adverse effect concentration.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitisation	May cause sensitisation by skin contact.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
STOT-single exposure	No data is available on this product.

Bonding Bridge 842 Part A

STOT-repeated exposure	No data is available on this product.
Aspiration hazard	No data is available on this product.
Repeated or prolonged exposure	May cause irritation to skin, eyes and mucous membranes.
11.1.4. Toxicological information	
	No data available.

SECTION 12: Ecological information

12.1. Toxicity	
	No data available.
12.2. Persistence and degradability	
	No data available.
12.3. Bioaccumulative potential	
	No data available.
Partition coefficient	
	Bonding Bridge 842 Part A Not determined.
12.4. Mobility in soil	
	No data available.
12.5. Results of PBT and vPvB assessment	
	No data available.
12.6. Other adverse effects	
	No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
	Dispose of in compliance with all local and national regulations. Contact a licensed waste disposal company. Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.

SECTION 14: Transport information

14.1. UN Number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for user	
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.
Further Information	
	The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).</p> <p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
-------------	---

15.2. Chemical safety assessment

	Not required.
--	---------------

SECTION 16: Other information

Other information	
Revision	This document differs from the previous version in the following areas: 1 - Description.
Maximum content of VOC	0.93 g/l.
Further Information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.



SAFETY DATA SHEET


According to Regulation (EU) 2015/830

Bonding Bridge 842 Part B

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product Name	Bonding Bridge 842 Part B
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Description	Two-component cementitious coating
1.3 Details of the supplier of the safety data sheet	
Company	Flexcrete Technologies Ltd
Address	Tomlinson Road Leyland Lancashire, United Kingdom PR25 2DY
Web	www.flexcrete.com
Telephone	+44(0)845 260 7005
Email	info@flexcrete.com
Email address of the competent person	sds@flexcrete.com
1.4 Emergency telephone number	
Emergency telephone number	+44(0)845 260 7005 9.00am – 5.00pm (GMT) Mon-Fri

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture	
2.1.1 Classification-1999/45/EC	Xi; R37/38-41-43 Symbols: Xi: Irritant.
Main Hazards	Irritating to respiratory system and skin. Risk of serious damage to eyes. May cause sensitisation by skin contact.
2.1.2. Classification – EC 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335;
2.2 Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Dam. 1: H318 - Causes serious eye damage. STOT SE 3: H335 - May cause respiratory irritation.
Precautionary Statement: Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P302+P352 - IF ON SKIN: Wash with plenty of water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Bonding Bridge 842 Part B

	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
2.3 Other hazards	
Other hazards	No data available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	Reach Registration number	Conc.(%w/w)	Classification	M-Factor
Quartz Sand		14808-60-7	238-878-4		50 - 60%		
Portland Cement Clinker (Portland cement)		65997-15-1	266-043-4		20 - 30%	Xi; R37/38-41-43	
Fly Ash					10 - 20%		
Silica Fume		69012-64-2	273-761-1		1 - 10%		
Glass Fibre Filler		65997-17-3			1 - 10%		
Hydrated lime (Calcium hydroxide)		1305-62-0	215-137-3	01-2119475151-45	1 - 10%	Xi; R38-41	
Sodium nitrite	007-010-00-4	7632-00-0	231-555-9	01-2119471836-27	0 - 0.5%	O; R8 T; R25 N; R50	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	Reach Registration number	Conc.(%w/w)	Classification	M-Factor
Quartz Sand		14808-60-7	238-878-4		50 - 60%		
Portland Cement Clinker (Portland cement)		65997-15-1	266-043-4		20 - 30%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335;	
Fly Ash					10 - 20%		
Silica Fume		69012-64-2	273-761-1		1 - 10%		
Glass Fibre Filler		65997-17-3			1 - 10%		
Hydrated lime (Calcium hydroxide)		1305-62-0	215-137-3	01-2119475151-45	1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; STOT SE 3: H335;	
Sodium nitrite	007-010-00-4	7632-00-0	231-555-9	01-2119471836-27	0 - 0.5%	Ox. Sol. 3: H272; Acute Tox. 3: H301; Aquatic Acute 1: H400;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention.
Eye Contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention if irritation or symptoms persist.
Skin Contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye Contact	May cause irritation to eyes.
Skin Contact	May cause irritation to skin. May cause sensitisation by skin contact.
Ingestion	Ingestion may cause nausea and vomiting.

Bonding Bridge 842 Part B

4.3. Indication of any immediate medical attention and special treatment needed	
	If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media	
	This product is not flammable. Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising from the substance or mixture	
	Burning produces irritating, toxic and obnoxious fumes
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	
	Avoid raising dust. Ensure adequate ventilation of the working area. Wear suitable protective equipment.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for containment and cleaning up	
	Sweep up. Avoid formation of dust. Transfer to suitable, labelled containers for disposal.
6.4. Reference to other sections	
	See SECTION 8: Exposure controls/personal protection, SECTION 13: Disposal considerations for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage, including any incompatibilities	
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
7.3. Specific end use(s)	
	Various.
Further information	
	This product contains soluble chromium (VI) controlled by the addition of a reducing agent to no more than 2ppm by dry weight of cement when mixed with water, for a minimum period of 12 months from the date of manufacture shown on the packaging under the stipulated storage conditions. See Section 15 for information on regulations.

SECTION 8: Exposure controls/personal

8.1. Control parameters													
	Not applicable.												
8.1.1. Exposure Limit Values													
Fly Ash	<table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">WEL 8-hr limit ppm: -</td> <td style="text-align: right;">WEL 8-hr limit mg/m3: 4</td> </tr> <tr> <td style="text-align: center;">WEL 15 min limit ppm: -</td> <td style="text-align: right;">WEL 15 min limit mg/m3:</td> </tr> <tr> <td style="text-align: center;">WEL 8-hr limit mg/m3 total -</td> <td style="text-align: right;">WEL 15 min limit mg/m3 total -</td> </tr> <tr> <td style="text-align: center;">inhalable dust:</td> <td style="text-align: right;">inhalable dust:</td> </tr> <tr> <td style="text-align: center;">WEL 8-hr limit mg/m3 total -</td> <td style="text-align: right;">WEL 15 min limit mg/m3 total -</td> </tr> <tr> <td style="text-align: center;">respirable dust:</td> <td style="text-align: right;">respirable dust:</td> </tr> </table>	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 4	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3:	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -	inhalable dust:	inhalable dust:	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -	respirable dust:	respirable dust:
WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 4												
WEL 15 min limit ppm: -	WEL 15 min limit mg/m3:												
WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -												
inhalable dust:	inhalable dust:												
WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -												
respirable dust:	respirable dust:												
Glass Fibre Filler	<table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">WEL 8-hr limit ppm: -</td> <td style="text-align: right;">WEL 8-hr limit mg/m3: 15</td> </tr> <tr> <td style="text-align: center;">WEL 15 min limit ppm: -</td> <td style="text-align: right;">WEL 15 min limit mg/m3:</td> </tr> <tr> <td style="text-align: center;">WEL 8-hr limit mg/m3 total -</td> <td style="text-align: right;">WEL 15 min limit mg/m3 total -</td> </tr> </table>	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 15	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3:	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -						
WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 15												
WEL 15 min limit ppm: -	WEL 15 min limit mg/m3:												
WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -												

Bonding Bridge 842 Part B

	inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Hydrated lime (Calcium hydroxide)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 5 WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Portland Cement Clinker (Portland cement)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total - 10 inhalable dust: WEL 8-hr limit mg/m3 total - 4 respirable dust:	WEL 8-hr limit mg/m3: WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Respirable crystalline silica dust	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total - 10 inhalable dust: WEL 8-hr limit mg/m3 total - 4 respirable dust:	WEL 8-hr limit mg/m3: WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Silica Fume	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 6 WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear suitable protective clothing.
Eye / face protection	Wear suitable eye protection.
Skin protection - Handprotection	Wear suitable gloves.
Respiratory protection	Wear suitable respiratory equipment when necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Appearance	Powder
Colour	Grey
Odour	Characteristic
Odour threshold	Not determined
pH	> 11
Melting point	Not applicable.
Freezing Point	Not applicable.
Initial boiling point	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	Not applicable.

Fat Solubility	Not determined.
Partition coefficient	Not determined.
Autoignition temperature	Not applicable.
Viscosity	Not applicable.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.
Solubility	Miscible in water.
9.2. Other information	
Bulk Density	1.2 - 1.7 g/cm ³

SECTION 10: Stability and reactivity

10.1. Reactivity	
	Stable under normal conditions.
10.2. Chemical stability	
	This product is not flammable.
10.3. Possibility of hazardous reactions	
	Will not decompose if stored and used as recommended.
10.4. Conditions to avoid	
	Keep away from water.
10.5. Incompatible materials	
	Avoid contact with acids, finely powdered metals, oxidising agents.
10.6. Hazardous decomposition products	
	Burning produces obnoxious and irritating fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity	No observed adverse effect concentration.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitisation	May cause sensitisation by skin contact.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
STOT-single exposure	No data is available on this product.
STOT-repeated exposure	No data is available on this product.
Aspiration hazard	No data is available on this product.
Repeated or prolonged exposure	May cause irritation to skin, eyes and mucous membranes. Contained chromium (VI). May produce an allergic reaction.
11.1.4. Toxicological information	
	No data available

SECTION 12: Ecological information

12.1. Toxicity	
	No data available
12.2. Persistence and degradability	
	No data available.
12.3. Bioaccumulative potential	
	No data available.

Bonding Bridge 842 Part B

Partition coefficient				
	Bonding Bridge 842 Part B	Not determined.	Quartz Sand	No data available.
	Portland Cement Clinker	No data available.	Fly Ash	No data available.
	Silica Fume	No data available.	Glass Fibre Filler	No data available.
	Hydrated Lime	No data available.		
12.4. Mobility in soil				
	No data available.			
12.5. Results of PBT and vPvB assessment				
	No data available.			
12.6. Other adverse effects				
	No data available.			

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
	Dispose of in compliance with all local and national regulations. Contact a licensed waste disposal company. Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.

SECTION 14: Transport information

14.1. UN Number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for user	
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.
Further Information	
	The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Regulations	<p>COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).</p> <p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
15.2. Chemical safety assessment	
	Not required.

SECTION 16: Other information

Other information	
Revision	This document differs from the previous version in the following areas: 1 - Description.
Text of risk phrases in Section 3	R8 - Contact with combustible material may cause fire. R25 - Toxic if swallowed R37/38 - Irritating to respiratory system and skin. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R50 - Very toxic to aquatic organisms
Text of Hazard Statements in Section 3	Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Dam. 1: H318 - Causes serious eye damage. STOT SE 3: H335 - May cause respiratory irritation. Ox. Sol. 3: H272 - May intensify fire; oxidiser. Ox. Sol. 3: H301 - Toxic if swallowed. Acute Tox. 3: H301 - Toxic if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life
Further Information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

