

Uniclass L74 735	EPIC K712
CI/Sfb (62X) (63) X	

The
Hamilton[®]
Collection
excellence and elegance...

electrical wiring accessories • audio and lighting controls



2013 sees Hamilton celebrating 45 years in business. It is still a family owned Company, under the overall direction of its founder Rod Hamilton and his son Ian Hamilton.

A pioneer in the market of decorative plates for switches, sockets and lighting controls, the Company continues to lead the way setting trends in both designs and finishes.

Recent years have seen a shift in fashion from ornate brass to plain, understated, monochromatic styles. At the same time, Hamilton has developed its own range of inserts, broadening its scope from box-fix to grid-fix, Euro-fix and concealed fixing.

Aiming to be a single-source for the specifier and installer, the Company now bases its product development on a "family" theme with new items designed for all versions of each plate, whether box, grid, Euro or concealed fixing.

The latest evolution of product has taken place with the Perception range of transparent plates with concealed fixing and state-of-the-art Mercury Audio Control and Mercury Lighting Control systems.

Thus the company is well placed to move into its 45th year and beyond.



Linea-Rondo CFX Piano Black Range

Quality Concealed Fixing accessories on Smooth Rounded Edge Plates...


Pages 2 – 10



Linea-Rondo CFX Range

Quality Concealed Fixing accessories on Smooth Rounded Edge Plates...

Pages 12 – 35



Linea-Duo CFX Range

Quality Concealed Fixing accessories on Minimalist Straight Edge Plates...

Pages 36 – 59



Linea-Scala CFX Range

Quality Concealed Fixing accessories on Delicate Stepped Edge Plates...

Pages 60 – 83



Linea-Perlina CFX Range

Quality Concealed Fixing accessories on Beaded Edge Plates...

Pages 84 – 97



Linea-Georgian CFX Range

Quality Concealed Fixing accessories on Georgian Rope Edge Plates...

Pages 98 – 111



Mercury Audio Control

Bespoke Audio and Data Control System...


Pages 112 – 113



Mercury Lighting Control

Bespoke Lighting Control System...

Pages 114 – 115



Savile Row

Bespoke Electrical Wiring Accessories Tailor Made to your requirements.

Pages 116 – 121



GRID-IT Modules

A comprehensive range of quality Grid Fix Modules and Plates...

Pages 122 – 133



EuroFix Modules

A comprehensive range of Data and Media Modules and Plates...

Pages 134 – 139



Hartland Range

Quality accessories on Super Slim Plates...

Pages 140 – 159



Hartland CFX Range

Quality Concealed Fixing accessories on Super Slim Plates...

Pages 160 – 179



Hartland CFX Colours

Concealed Fixing accessories on Super Slim Coloured Plastic...


Pages 180 – 187



Perception CFX Range

Quality Concealed Fixing accessories on Subtle Transparent Plates that blend perfectly with any decor...

Pages 188 – 203



Sheer Range

Quality accessories on Stylish Flat plates...

Pages 204 – 223



Sheer CFX Range

Quality Concealed Fixing accessories on Stylish Flat Plates...

Pages 224 – 243



Sheer Floor Socket Range

Quality Floor Sockets on Stylish Flat Plates...


Pages 244 – 249



Cheriton Range

Quality accessories on Georgian and Victorian style plates...

Pages 250 – 269



Bloomsbury Range

Antique style Plain and Fluted Toggle Switches on Natural Wood Plinth Plates...

Pages 270 – 275



Woods Range

Quality accessories on Natural Wood Finish Plates...

Pages 276 – 293



White Plastic Dimmer Switches

Pages 294 – 295



ICDM1000 1000W Ceiling Dimmer

Pages 296 – 297



Lighting Ancillaries

Electronic Transformers and Dimmable LED Drivers

Pages 298 – 301



Perfect Partners & Giara Martellato CFX Range

Concealed Fixing accessories with complementary Door Handles...

Pages 302 – 311



Technical Specifications

Pages 312 – 336

Piano Black


Modern and elegant with a smooth rounded frame design

The Linea CFX® range comes in five different designs to suit either contemporary or classic interiors. Linea CFX® has a separate back frame and our patented four point face plate clipping system, allowing the option of matching or contrasting elements.

- Minimal depth and a modern look
- Concealed fixing
- Two-part frame and plate for 'mix and match'
- Also available in Linea-Duo CFX and Linea-Scala CFX - see pages 36-83
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)




Hamilton Linea-Rondo CFX® Piano Black Concealed Fixing



LRX T21 BC-N



LRX 1X40 BC-N



LRX C11 BC-N B



LRX SPN BC-N B



LRX 5258 BC-N B



LRX R21 BC-N B


Select your choice of accessory from the following pages overleaf

1. Select the required electrical accessory from the following pages, e.g. LRX R21 = Linea-Rondo CFX Piano Black 1 gang 10AX 2 way Rocker Switch.
2. The Frame Finish for Piano Black is Bright Chrome = BC- --- --.

The Front Plate Finish is Piano Black = --- N.
The Insert Surround Colour is Black = --- B

Therefore a Linea-Rondo CFX Piano Black 1 gang 10AX 2 way Rocker Switch as illustrated below = LRX R21 BC-N B.

Illustration of Product Code configuration to order a Linea-Rondo CFX Piano Black LRX R21 BC-N B



Concealed Fixing Rocker Switches

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 10AX 2 way Rocker	2 gang 10AX 2 way Rocker	3 gang 10AX 2 way Rocker	4 gang 10AX 2 way Rocker	6 gang 10AX 2 way Rocker
Bright Chrome	Piano Black	Black	LRX R21 BC-N B	LRX R22 BC-N B	LRX R23 BC-N B	LRX R24 BC-N B	LRX R26 BC-N B

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 10AX Intermediate Rocker	2 gang 10AX Intermediate Rocker	1 gang 10AX Push To Make/ Break Retractive Rocker	1 gang 10A Triple Pole Rocker
Bright Chrome	Piano Black	Black	LRX R31 BC-N B	LRX R32 BC-N B	LRX RRT BC-N B	-
Black Plastic	Black	-	-	-	-	LRX TP BC-N B

Linea-Rondo CFX R21 is a UK Registered Design Certificate No. 2106349
Linea-Rondo CFX SS2 is a UK Registered Design Certificate No. 2106350
Linea-Rondo CFX R21 is a Chinese Registered Design Certificate No. 269586

Linea-Rondo CFX SS2 is a Chinese Registered Design Certificate No. 268626
Linea-Rondo CFX R21 is an Indian Registered Design Certificate No. 1162
Linea-Rondo CFX SS2 is an Indian Registered Design Certificate No. 1161

Concealed Fixing Rocker Switches



LXR R242 BC-N B



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 20AX 2 way Rocker	2 gang 20AX 2 way Rocker	3 gang 20AX 2 way Rocker	4 gang 20AX 2 way Rocker	1 gang 20AX Intermediate Rocker	2 gang 20AX Intermediate Rocker
Bright Chrome	Piano Black	Black	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R212 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R222 Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R232 Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R242 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R312 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R322 Product Code
LXR R212 BC-N B	LXR R222 BC-N B	LXR R232 BC-N B	LXR R242 BC-N B	LXR R312 BC-N B	LXR R322 BC-N B			

Concealed Fixing Toggle Switches



LXR T21 BC-N



Frame and Insert Finish	Plate Finish	1 gang 20AX 2 way Toggle	2 gang 20AX 2 way Toggle	3 gang 20AX 2 way Toggle	4 gang 20AX 2 way Toggle	1 gang 20AX Intermediate Toggle
Bright Chrome	Piano Black	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T21 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T22 Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T23 Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T24 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T31 Product Code
LXR T21 BC-N	LXR T22 BC-N	LXR T23 BC-N	LXR T24 BC-N	LXR T31 BC-N		

Concealed Fixing Key Switches



LXR K21 BC-N B



Frame Finish	Plate Finish	Insert Colour	1 gang 20AX 2 way Key Switch	1 gang 20AX 2 way Key Switch "EMG LTG TEST"
Bright Chrome	Piano Black	Black	Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: K21 Product Code	Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: KEL Product Code
LXR K21 BC-N B	LXR KEL BC-N B			

Concealed Fixing Hotel Card Switch with LED

Adjustable Time Delay 10 seconds - 5 minutes. Suitable for 44 mm and 54 mm width Hotel Key Cards.



LXR C11 BC-N B



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 10A (6AX) On/Off with Blue LED Locator	1 gang 12-24V AC/DC +/-10% On/Off with Blue LED Locator (Suitable for KNX BUS System)
Bright Chrome	Piano Black	Black	Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: C11 Product Code	Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: CKNX Product Code
LXR C11 BC-N B	LXR CKNX BC-N B			

Concealed Fixing Power Sockets



LXR SS2 BC-N B



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 13A Double Pole Switched Socket	2 gang 13A Double Pole Switched Socket	1 gang 2A Unswitched Socket	1 gang 5A Unswitched Socket	Shaver Dual Voltage Unswitched Socket
Bright Chrome	Piano Black	Black	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SS1 Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SS2 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US2 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US5 Product Code	Nominal Plate Size: 91 x 150 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: SHS Product Code
LXR SS1 BC-N B	LXR SS2 BC-N B	LXR US2 BC-N B	LXR US5 BC-N B	LXR SHS BC-N B			

Concealed Fixing Power Sockets










LXR 5258 BC-N B







Frame Finish	Plate Finish	Insert Colour	1 gang 16A German Unswitched Socket	1 gang 15A American Unswitched Socket	2 gang 15A American Unswitched Socket
Bright Chrome	Piano Black	Black	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: 6126 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 5258 Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 5320 Product Code
LXR 6126 BC-N B	LXR 5258 BC-N B	LXR 5320 BC-N B			

Concealed Fixing Television Coaxial Sockets

						
LRX TV BC-N B	1 gang Non Isolated TV 1 In/1 Out Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TV Product Code	Isolated TV/FM Diplexer 1 In/2 Out Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVFM Product Code	1 gang Isolated TV 1 In/1 Out Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVI Product Code	2 gang Non Isolated TV + Satellite 2 In/2 Out Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: TVSAT Product Code	1 gang Non Isolated Satellite Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATN Product Code	1 gang Isolated Satellite Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATI Product Code
Bright Chrome Piano Black Black	LRX TV BC-N B	LRX TVFM BC-N B	LRX TVI BC-N B	LRX TVSAT BC-N B	LRX SATN BC-N B	LRX SATI BC-N B








Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible

			
LRX DTRID BC-N B	Non Isolated TV/FM/Satellite Triplexer 1 In/3 Out Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTRID Product Code	1 gang Non Isolated TV (Female) Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVF Product Code	1 gang Non Isolated TV (Male) Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTMV Product Code
Bright Chrome Piano Black Black	LRX DTRID BC-N B	LRX DTVF BC-N B	LRX DTMV BC-N B





Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible

			
LRX DSAT BC-N B	1 gang Non Isolated Satellite Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DSAT Product Code	Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DENT Product Code	Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out + TVF + TCS Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DSAT+ Product Code
Bright Chrome Piano Black Black	LRX DSAT BC-N B	LRX DENT BC-N B	LRX DSAT+ BC-N B

Concealed Fixing Telephone and Data Outlets

						
LRX TCM BC-N B	1 gang Telephone Master Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCM Product Code	1 gang Telephone Slave Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCS Product Code	1 gang RJ12 Outlet Unshielded Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J12 Product Code	2 gang RJ12 Outlet Unshielded Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J12 Product Code	1 gang RJ45 CAT 5E Outlet Unshielded Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J45 Product Code	2 gang RJ45 CAT 5E Outlet Unshielded Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J45 Product Code
Bright Chrome Piano Black Black	LRX TCM BC-N B	LRX TCS BC-N B	LRX J12 BC-N B	LRX 2J12 BC-N B	LRX J45 BC-N B	LRX 2J45 BC-N B

Concealed Fixing Double Pole Switches








			
LRX DPN BC-N B	1 gang 20AX Double Pole Rocker + Neon Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DPN Product Code	1 gang 45A Double Pole Red Rocker + Neon Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45N Product Code	45A Double Pole Red Rocker + Neon + 13A Switched Socket Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45SS1 Product Code
Bright Chrome Piano Black Black	LRX DPN BC-N B	LRX 45N BC-N B	LRX 45SS1 BC-N B

Concealed Fixing Connection Units

			
LRX SPN BC-N B	1 gang 13A Double Pole Fused Spur + Neon Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SPN Product Code	LRX FN BC-N R	1 gang 13A Fuse with Red Neon Halo Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: FN Product Code
Bright Chrome Piano Black Black	LRX SPN BC-N B	Bright Chrome Piano Black Red Halo	LRX FN BC-N R

Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

						
LRX 2X40 BC-N	1 gang 400W 2 way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X40 Product Code	2 gang 400W 2 way (Max. 300 watts per gang) Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2X40 Product Code	3 gang 400W 2 way Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3X40 Product Code	4 gang 400W 2 way (Max. 300 watts per gang) Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4X40 Product Code	1 gang 600W 2 way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X60 Product Code	1 gang 1000W 2 way Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X1K Product Code
Bright Chrome Piano Black	LRX 1X40 BC-N	LRX 2X40 BC-N	LRX 3X40 BC-N	LRX 4X40 BC-N	LRX 1X60 BC-N	LRX 1X1K BC-N

Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

		
LRX 1X2V BC-N	1 gang 200VA 2 way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X2V Product Code	1 gang 300VA 2 way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X3V Product Code
Bright Chrome Piano Black	LRX 1X2V BC-N	LRX 1X3V BC-N






Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

				
LRX 3XTE BC-N	1 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 1XTE Product Code	2 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 2XTE Product Code	3 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 3XTE Product Code	4 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 4XTE Product Code
Bright Chrome Piano Black	LRX 1XTE BC-N	LRX 2XTE BC-N	LRX 3XTE BC-N	LRX 4XTE BC-N






Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

				
LRX 1XTM BC-N B	1 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTM Product Code	2 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTM Product Code	3 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTM Product Code	4 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTM Product Code
Bright Chrome Piano Black Black	LRX 1XTM BC-N B	LRX 2XTM BC-N B	LRX 3XTM BC-N B	LRX 4XTM BC-N B






Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers. Note: Tungsten filament GU10 lamps must be branded and with a fused base.
Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%. Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

				
LRX 2XTS BC-N B	1 gang Multi-Way Touch Slave Controller Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTS Product Code	2 gang Multi-Way Touch Slave Controller Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTS Product Code	3 gang Multi-Way Touch Slave Controller Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTS Product Code	4 gang Multi-Way Touch Slave Controller Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTS Product Code
Bright Chrome Piano Black Black	LRX 1XTS BC-N B	LRX 2XTS BC-N B	LRX 3XTS BC-N B	LRX 4XTS BC-N B

Concealed Fixing EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.

				
LRX EURO1 BC-N	1 Module EuroFix Plate Plate Size: 91 x 91 mm Aperture: 25 x 50 mm Product Code	2 Module EuroFix Plate Plate Size: 91 x 91 mm Aperture: 50 x 50 mm Product Code	3 Module EuroFix Plate Plate Size: 150 x 91 mm Aperture: 75 x 50 mm Product Code	4 Module EuroFix Plate Plate Size: 150 x 91 mm Aperture: 100 x 50 mm Product Code
Bright Chrome Piano Black	LRX EURO1 BC-N	LRX EURO2 BC-N	LRX EURO3 BC-N	LRX EURO4 BC-N

Concealed Fixing Blank Plates



LRX BPD BC-N



Single Blank Plate
Nom. Plate Size:
91 x 91 mm
Product Code



Double Blank Plate
Nom. Plate Size:
150 x 91 mm
Product Code

Frame Finish	Plate Finish		
Bright Chrome	Piano Black	LRX BPS BC-N	LRX BPD BC-N

Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the GRID-IT insert fitted - please see the GRID-IT section for our complete range of inserts..



LRX 2GP BC-N



1 gang Aperture Grid Fix Plate
Nom. Plate Size:
91 x 91 mm
Product Code



2 gang Aperture Grid Fix Plate
Nom. Plate Size:
91 x 91 mm
Product Code



3 gang Aperture Grid Fix Plate
Nom. Plate Size:
150 x 91 mm
Product Code



4 gang Aperture Grid Fix Plate
Nom. Plate Size:
150 x 91 mm
Product Code


Frame Finish	Plate Finish				
Bright Chrome	Piano Black	LRX 1GP BC-N	LRX 2GP BC-N	LRX 3GP BC-N	LRX 4GP BC-N

Hamilton® Linea-Rondo cfx®


Modern and elegant with a smooth rounded frame

The Linea CFX® range comes in five different designs to suit either contemporary or classic interiors. Linea CFX® has a separate back frame and our patented four point face plate clipping system, allowing the option of matching or contrasting elements.


- Minimal depth and a modern look
- Seven stunning front plate finishes and six frame and insert finishes give a limitless choice of combinations
- Two-part frame and plate for 'mix and match'
- Concealed fixing
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)




Hamilton® *fashion, finish, function and flexibility*



LRX R23 BK-BS B



LRX R21 BC-SS W



LRX FN BC-PB R



LRX 1X40 BC-BK



LRX C11 BC-SS W



LRX SPN SN-SS W

Hamilton® Linea-Rondo cfx®

Select your choice of accessory finish from this Colourway Chart


Select the accessory required from the following pages overleaf

1. Select the required electrical accessory from the following pages. e.g. LRX R21 = Linea-Rondo CFX 1 gang 10AX 2 way Rocker Switch.
2. Using the Colour Chart above;
 - a. Select the required Frame Finish e.g. Bright Chrome = BC- - - -.
 - b. Select the required Front Plate Finish e.g. Satin Steel = - - - SS.
 - c. Select the required Insert Surround Colour e.g. White = - - - - - W.

Therefore a Linea-Rondo CFX 1 gang 10AX 2 way Rocker Switch as illustrated below = LRX R21 BC-SS W.

Frame and Insert Finish	Front Plate Finish						
	Polished Brass	Satin Brass	Antique Brass	Bright Steel	Satin Steel	Black Nickel	Piano Black
Bright Chrome Bright Chrome Frame, Matching Insert with White Surround							
	BC-PB W			BC-BS W	BC-SS W		
Bright Chrome Frame, Matching Insert with Black Surround							
	BC-PB B			BC-BS B	BC-SS B	BC-BK B	BC-N B
Polished Brass Polished Brass Frame, Matching Insert with White Surround							
	PB-PB W	PB-SB W	PB-AB W	PB-BS W	PB-SS W		
Polished Brass Frame, Matching Insert with Black Surround							
	PB-PB B	PB-SB B	PB-AB B	PB-BS B	PB-SS B		
Satin Brass Satin Brass Frame, Matching Insert with White Surround							
		SB-SB W			SB-SS W		
Satin Brass Frame, Matching Insert with Black Surround							
		SB-SB B			SB-SS B		
Antique Brass Antique Brass Frame, Matching Insert with Black Surround							
		AB-SB B	AB-AB B				
Satin Nickel Satin Nickel Frame, Matching Insert with White Surround							
				SN-BS W	SN-SS W		
Satin Nickel Frame, Matching Insert with Black Surround							
				SN-BS B	SN-SS B		
Black Nickel Black Nickel Frame, Matching Insert with Black Surround							
	BK-PB B			BK-BS B		BK-BK B	


Illustration of Product Code configuration to order a Linea-Rondo CFX LRX R21 BC-SS W



Linea-Rondo CFX R21 is a UK Registered Design Certificate No. 2106349
 Linea-Rondo CFX SS2 is a UK Registered Design Certificate No. 2106350
 Linea-Rondo CFX R21 is a Chinese Registered Design Certificate No. 269586
 Linea-Rondo CFX SS2 is a Chinese Registered Design Certificate No. 268626

Linea-Rondo CFX R21 is an Indian Registered Design Certificate No. 1162
 Linea-Rondo CFX SS2 is an Indian Registered Design Certificate No. 1161

Concealed Fixing Rocker Switches



LRX R23 BK-BS B



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 10AX 2 way Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R21 Product Code	2 gang 10AX 2 way Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R22 Product Code	3 gang 10AX 2 way Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R23 Product Code	4 gang 10AX 2 way Rocker Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R24 Product Code	6 gang 10AX 2 way Rocker Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R26 Product Code
Bright Chrome 	Bright Steel	White	LRX R21 BC-BS W	LRX R22 BC-BS W	LRX R23 BC-BS W	LRX R24 BC-BS W	LRX R26 BC-BS W
	Bright Steel	Black	LRX R21 BC-BS B	LRX R22 BC-BS B	LRX R23 BC-BS B	LRX R24 BC-BS B	LRX R26 BC-BS B
	Satin Steel	White	LRX R21 BC-SS W	LRX R22 BC-SS W	LRX R23 BC-SS W	LRX R24 BC-SS W	LRX R26 BC-SS W
	Satin Steel	Black	LRX R21 BC-SS B	LRX R22 BC-SS B	LRX R23 BC-SS B	LRX R24 BC-SS B	LRX R26 BC-SS B
	Polished Brass	White	LRX R21 BC-PB W	LRX R22 BC-PB W	LRX R23 BC-PB W	LRX R24 BC-PB W	LRX R26 BC-PB W
	Polished Brass	Black	LRX R21 BC-PB B	LRX R22 BC-PB B	LRX R23 BC-PB B	LRX R24 BC-PB B	LRX R26 BC-PB B
Polished Brass 	Polished Brass	White	LRX R21 PB-PB W	LRX R22 PB-PB W	LRX R23 PB-PB W	LRX R24 PB-PB W	LRX R26 PB-PB W
	Polished Brass	Black	LRX R21 PB-PB B	LRX R22 PB-PB B	LRX R23 PB-PB B	LRX R24 PB-PB B	LRX R26 PB-PB B
	Satin Brass	White	LRX R21 PB-SS W	LRX R22 PB-SS W	LRX R23 PB-SS W	LRX R24 PB-SS W	LRX R26 PB-SS W
	Satin Brass	Black	LRX R21 PB-SS B	LRX R22 PB-SS B	LRX R23 PB-SS B	LRX R24 PB-SS B	LRX R26 PB-SS B
	Antique Brass	White	LRX R21 PB-AB W	LRX R22 PB-AB W	LRX R23 PB-AB W	LRX R24 PB-AB W	LRX R26 PB-AB W
	Antique Brass	Black	LRX R21 PB-AB B	LRX R22 PB-AB B	LRX R23 PB-AB B	LRX R24 PB-AB B	LRX R26 PB-AB B
Satin Brass 	Satin Brass	White	LRX R21 PB-BS W	LRX R22 PB-BS W	LRX R23 PB-BS W	LRX R24 PB-BS W	LRX R26 PB-BS W
	Satin Brass	Black	LRX R21 PB-BS B	LRX R22 PB-BS B	LRX R23 PB-BS B	LRX R24 PB-BS B	LRX R26 PB-BS B
	Satin Steel	White	LRX R21 PB-SS W	LRX R22 PB-SS W	LRX R23 PB-SS W	LRX R24 PB-SS W	LRX R26 PB-SS W
	Satin Steel	Black	LRX R21 PB-SS B	LRX R22 PB-SS B	LRX R23 PB-SS B	LRX R24 PB-SS B	LRX R26 PB-SS B
	Satin Steel	White	LRX R21 SB-SS W	LRX R22 SB-SS W	LRX R23 SB-SS W	LRX R24 SB-SS W	LRX R26 SB-SS W
	Satin Steel	Black	LRX R21 SB-SS B	LRX R22 SB-SS B	LRX R23 SB-SS B	LRX R24 SB-SS B	LRX R26 SB-SS B
Antique Brass 	Antique Brass	Black	LRX R21 AB-AB B	LRX R22 AB-AB B	LRX R23 AB-AB B	LRX R24 AB-AB B	LRX R26 AB-AB B
	Satin Brass	Black	LRX R21 AB-SB B	LRX R22 AB-SB B	LRX R23 AB-SB B	LRX R24 AB-SB B	LRX R26 AB-SB B
	Antique Brass	White	LRX R21 SN-BS W	LRX R22 SN-BS W	LRX R23 SN-BS W	LRX R24 SN-BS W	LRX R26 SN-BS W
	Antique Brass	Black	LRX R21 SN-BS B	LRX R22 SN-BS B	LRX R23 SN-BS B	LRX R24 SN-BS B	LRX R26 SN-BS B
	Satin Steel	White	LRX R21 SN-SS W	LRX R22 SN-SS W	LRX R23 SN-SS W	LRX R24 SN-SS W	LRX R26 SN-SS W
	Satin Steel	Black	LRX R21 SN-SS B	LRX R22 SN-SS B	LRX R23 SN-SS B	LRX R24 SN-SS B	LRX R26 SN-SS B
Black Nickel 	Black Nickel	Black	LRX R21 BK-BK B	LRX R22 BK-BK B	LRX R23 BK-BK B	LRX R24 BK-BK B	LRX R26 BK-BK B
	Bright Steel	Black	LRX R21 BK-BS B	LRX R22 BK-BS B	LRX R23 BK-BS B	LRX R24 BK-BS B	LRX R26 BK-BS B
	Bright Steel	Black	LRX R21 BK-PB B	LRX R22 BK-PB B	LRX R23 BK-PB B	LRX R24 BK-PB B	LRX R26 BK-PB B
	Polished Brass	Black	LRX R21 BK-PB B	LRX R22 BK-PB B	LRX R23 BK-PB B	LRX R24 BK-PB B	LRX R26 BK-PB B

Concealed Fixing Rocker Switches




LRX R32 PB-BS W



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 10AX Intermediate Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R31 Product Code	2 gang 10AX Intermediate Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R32 Product Code	1 gang 10AX Push To Make/ Break Retractive Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: GRRT Product Code	1 gang 10A Triple Pole Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TP Product Code
Bright Chrome 	Bright Steel	White	LRX R31 BC-BS W	LRX R32 BC-BS W	LRX ART BC-BS W	LRX TP BC-BS W
	Bright Steel	Black	LRX R31 BC-BS B	LRX R32 BC-BS B	LRX ART BC-BS B	LRX TP BC-BS B
	Satin Steel	White	LRX R31 BC-SS W	LRX R32 BC-SS W	LRX ART BC-SS W	LRX TP BC-SS W
	Satin Steel	Black	LRX R31 BC-SS B	LRX R32 BC-SS B	LRX ART BC-SS B	LRX TP BC-SS B
	Polished Brass	White	LRX R31 BC-PB W	LRX R32 BC-PB W	LRX ART BC-PB W	LRX TP BC-PB W
	Polished Brass	Black	LRX R31 BC-PB B	LRX R32 BC-PB B	LRX ART BC-PB B	LRX TP BC-PB B
Polished Brass 	Polished Brass	White	LRX R31 BC-N B	LRX R32 BC-N B	LRX ART BC-N B	LRX TP BC-N B
	Polished Brass	Black	LRX R31 BC-N B	LRX R32 BC-N B	LRX ART BC-N B	LRX TP BC-N B
	Satin Brass	White	LRX R31 PB-PB W	LRX R32 PB-PB W	LRX ART PB-PB W	LRX TP PB-PB W
	Satin Brass	Black	LRX R31 PB-PB B	LRX R32 PB-PB B	LRX ART PB-PB B	LRX TP PB-PB B
	Antique Brass	White	LRX R31 PB-SS W	LRX R32 PB-SS W	LRX ART PB-SS W	LRX TP PB-SS W
	Antique Brass	Black	LRX R31 PB-SS B	LRX R32 PB-SS B	LRX ART PB-SS B	LRX TP PB-SS B
Satin Brass 	Satin Brass	White	LRX R31 PB-AB W	LRX R32 PB-AB W	LRX ART PB-AB W	LRX TP PB-AB W
	Satin Brass	Black	LRX R31 PB-AB B	LRX R32 PB-AB B	LRX ART PB-AB B	LRX TP PB-AB B
	Satin Steel	White	LRX R31 PB-BS W	LRX R32 PB-BS W	LRX ART PB-BS W	LRX TP PB-BS W
	Satin Steel	Black	LRX R31 PB-BS B	LRX R32 PB-BS B	LRX ART PB-BS B	LRX TP PB-BS B
	Satin Steel	White	LRX R31 PB-SS W	LRX R32 PB-SS W	LRX ART PB-SS W	LRX TP PB-SS W
	Satin Steel	Black	LRX R31 PB-SS B	LRX R32 PB-SS B	LRX ART PB-SS B	LRX TP PB-SS B
Antique Brass 	Antique Brass	Black	LRX R31 AB-AB B	LRX R32 AB-AB B	LRX ART AB-AB B	LRX TP AB-AB B
	Satin Brass	Black	LRX R31 AB-SB B	LRX R32 AB-SB B	LRX ART AB-SB B	LRX TP AB-SB B
	Antique Brass	White	LRX R31 SN-BS W	LRX R32 SN-BS W	LRX ART SN-BS W	LRX TP SN-BS W
	Antique Brass	Black	LRX R31 SN-BS B	LRX R32 SN-BS B	LRX ART SN-BS B	LRX TP SN-BS B
	Satin Steel	White	LRX R31 SN-SS W	LRX R32 SN-SS W	LRX ART SN-SS W	LRX TP SN-SS W
	Satin Steel	Black	LRX R31 SN-SS B	LRX R32 SN-SS B	LRX ART SN-SS B	LRX TP SN-SS B
Satin Nickel 	Bright Steel	White	LRX R31 SN-BS W	LRX R32 SN-BS W	LRX ART SN-BS W	LRX TP SN-BS W
	Bright Steel	Black	LRX R31 SN-BS B	LRX R32 SN-BS B	LRX ART SN-BS B	LRX TP SN-BS B
	Satin Steel	White	LRX R31 SN-SS W	LRX R32 SN-SS W	LRX ART SN-SS W	LRX TP SN-SS W
	Satin Steel	Black	LRX R31 SN-SS B	LRX R32 SN-SS B	LRX ART SN-SS B	LRX TP SN-SS B
	Black Nickel	Black	LRX R31 BK-BK B	LRX R32 BK-BK B	LRX ART BK-BK B	LRX TP BK-BK B
	Black Nickel	Black	LRX R31 BK-BS B	LRX R32 BK-BS B	LRX ART BK-BS B	LRX TP BK-BS B

Concealed Fixing Rocker Switches



LRX R242 PB-AB B

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 20AX 2 way Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R212 Product Code	2 gang 20AX 2 way Rocker Nominal Plate Size: 145 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R222 Product Code	3 gang 20AX 2 way Rocker Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R232 Product Code	4 gang 20AX 2 way Rocker Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R242 Product Code	1 gang 20AX Intermediate Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R312 Product Code	2 gang 20AX Intermediate Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R322 Product Code	
Bright Chrome	Bright Steel	White	LRX R212 BC-BS W	LRX R222 BC-BS W	LRX R232 BC-BS W	LRX R242 BC-BS W	LRX R312 BC-BS W	LRX R322 BC-BS W	
	Bright Steel	Black	LRX R212 BC-BS B	LRX R222 BC-BS B	LRX R232 BC-BS B	LRX R242 BC-BS B	LRX R312 BC-BS B	LRX R322 BC-BS B	
	Satin Steel	White	LRX R212 BC-SS W	LRX R222 BC-SS W	LRX R232 BC-SS W	LRX R242 BC-SS W	LRX R312 BC-SS W	LRX R322 BC-SS W	
	Satin Steel	Black	LRX R212 BC-SS B	LRX R222 BC-SS B	LRX R232 BC-SS B	LRX R242 BC-SS B	LRX R312 BC-SS B	LRX R322 BC-SS B	
Polished Brass	Polished Brass	White	LRX R212 BC-PB W	LRX R222 BC-PB W	LRX R232 BC-PB W	LRX R242 BC-PB W	LRX R312 BC-PB W	LRX R322 BC-PB W	
	Polished Brass	Black	LRX R212 BC-PB B	LRX R222 BC-PB B	LRX R232 BC-PB B	LRX R242 BC-PB B	LRX R312 BC-PB B	LRX R322 BC-PB B	
	Black Nickel	Black	LRX R212 BC-BK B	LRX R222 BC-BK B	LRX R232 BC-BK B	LRX R242 BC-BK B	LRX R312 BC-BK B	LRX R322 BC-BK B	
	Piano Black	Black	LRX R212 BC-N B	LRX R222 BC-N B	LRX R232 BC-N B	LRX R242 BC-N B	LRX R312 BC-N B	LRX R322 BC-N B	
Polished Brass	Polished Brass	White	LRX R212 PB-PB W	LRX R222 PB-PB W	LRX R232 PB-PB W	LRX R242 PB-PB W	LRX R312 PB-PB W	LRX R322 PB-PB W	
	Polished Brass	Black	LRX R212 PB-PB B	LRX R222 PB-PB B	LRX R232 PB-PB B	LRX R242 PB-PB B	LRX R312 PB-PB B	LRX R322 PB-PB B	
	Satin Brass	White	LRX R212 PB-SB W	LRX R222 PB-SB W	LRX R232 PB-SB W	LRX R242 PB-SB W	LRX R312 PB-SB W	LRX R322 PB-SB W	
	Satin Brass	Black	LRX R212 PB-SB B	LRX R222 PB-SB B	LRX R232 PB-SB B	LRX R242 PB-SB B	LRX R312 PB-SB B	LRX R322 PB-SB B	
Antique Brass	Antique Brass	White	LRX R212 PB-AB W	LRX R222 PB-AB W	LRX R232 PB-AB W	LRX R242 PB-AB W	LRX R312 PB-AB W	LRX R322 PB-AB W	
	Antique Brass	Black	LRX R212 PB-AB B	LRX R222 PB-AB B	LRX R232 PB-AB B	LRX R242 PB-AB B	LRX R312 PB-AB B	LRX R322 PB-AB B	
	Bright Steel	White	LRX R212 PB-BS W	LRX R222 PB-BS W	LRX R232 PB-BS W	LRX R242 PB-BS W	LRX R312 PB-BS W	LRX R322 PB-BS W	
	Bright Steel	Black	LRX R212 PB-BS B	LRX R222 PB-BS B	LRX R232 PB-BS B	LRX R242 PB-BS B	LRX R312 PB-BS B	LRX R322 PB-BS B	
Satin Steel	Satin Steel	White	LRX R212 PB-SS W	LRX R222 PB-SS W	LRX R232 PB-SS W	LRX R242 PB-SS W	LRX R312 PB-SS W	LRX R322 PB-SS W	
	Satin Steel	Black	LRX R212 PB-SS B	LRX R222 PB-SS B	LRX R232 PB-SS B	LRX R242 PB-SS B	LRX R312 PB-SS B	LRX R322 PB-SS B	
	Satin Brass	Satin Brass	White	LRX R212 SB-SB W	LRX R222 SB-SB W	LRX R232 SB-SB W	LRX R242 SB-SB W	LRX R312 SB-SB W	LRX R322 SB-SB W
		Satin Brass	Black	LRX R212 SB-SB B	LRX R222 SB-SB B	LRX R232 SB-SB B	LRX R242 SB-SB B	LRX R312 SB-SB B	LRX R322 SB-SB B
Satin Steel		White	LRX R212 SB-SS W	LRX R222 SB-SS W	LRX R232 SB-SS W	LRX R242 SB-SS W	LRX R312 SB-SS W	LRX R322 SB-SS W	
Satin Steel		Black	LRX R212 SB-SS B	LRX R222 SB-SS B	LRX R232 SB-SS B	LRX R242 SB-SS B	LRX R312 SB-SS B	LRX R322 SB-SS B	
Antique Brass	Antique Brass	Black	LRX R212 AB-AB B	LRX R222 AB-AB B	LRX R232 AB-AB B	LRX R242 AB-AB B	LRX R312 AB-AB B	LRX R322 AB-AB B	
	Satin Brass	Black	LRX R212 AB-SB B	LRX R222 AB-SB B	LRX R232 AB-SB B	LRX R242 AB-SB B	LRX R312 AB-SB B	LRX R322 AB-SB B	
Satin Nickel	Bright Steel	White	LRX R212 SN-BS W	LRX R222 SN-BS W	LRX R232 SN-BS W	LRX R242 SN-BS W	LRX R312 SN-BS W	LRX R322 SN-BS W	
	Bright Steel	Black	LRX R212 SN-BS B	LRX R222 SN-BS B	LRX R232 SN-BS B	LRX R242 SN-BS B	LRX R312 SN-BS B	LRX R322 SN-BS B	
	Satin Steel	White	LRX R212 SN-SS W	LRX R222 SN-SS W	LRX R232 SN-SS W	LRX R242 SN-SS W	LRX R312 SN-SS W	LRX R322 SN-SS W	
	Satin Steel	Black	LRX R212 SN-SS B	LRX R222 SN-SS B	LRX R232 SN-SS B	LRX R242 SN-SS B	LRX R312 SN-SS B	LRX R322 SN-SS B	
Black Nickel	Black Nickel	Black	LRX R212 BK-BK B	LRX R222 BK-BK B	LRX R232 BK-BK B	LRX R242 BK-BK B	LRX R312 BK-BK B	LRX R322 BK-BK B	
	Bright Steel	Black	LRX R212 BK-BS B	LRX R222 BK-BS B	LRX R232 BK-BS B	LRX R242 BK-BS B	LRX R312 BK-BS B	LRX R322 BK-BS B	
	Polished Brass	Black	LRX R212 BK-PB B	LRX R222 BK-PB B	LRX R232 BK-PB B	LRX R242 BK-PB B	LRX R312 BK-PB B	LRX R322 BK-PB B	

Concealed Fixing Toggle Switches



LRX T21 BC-BS

Frame and Insert Finish	Plate Finish	1 gang 20AX 2 way Toggle Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T21 Product Code	2 gang 20AX 2 way Toggle Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T22 Product Code	3 gang 20AX 2 way Toggle Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T23 Product Code	4 gang 20AX 2 way Toggle Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T24 Product Code	1 gang 20AX Intermediate Toggle Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T31 Product Code
Bright Chrome	Bright Steel	LRX T21 BC-BS	LRX T22 BC-BS	LRX T23 BC-BS	LRX T24 BC-BS	LRX T31 BC-BS
	Satin Steel	LRX T21 BC-SS	LRX T22 BC-SS	LRX T23 BC-SS	LRX T24 BC-SS	LRX T31 BC-SS
	Polished Brass	LRX T21 BC-PB	LRX T22 BC-PB	LRX T23 BC-PB	LRX T24 BC-PB	LRX T31 BC-PB
	Black Nickel	LRX T21 BC-BK	LRX T22 BC-BK	LRX T23 BC-BK	LRX T24 BC-BK	LRX T31 BC-BK
Polished Brass	Piano Black	LRX T21 BC-N	LRX T22 BC-N	LRX T23 BC-N	LRX T24 BC-N	LRX T31 BC-N
	Polished Brass	LRX T21 PB-PB	LRX T22 PB-PB	LRX T23 PB-PB	LRX T24 PB-PB	LRX T31 PB-PB
	Satin Brass	LRX T21 PB-SB	LRX T22 PB-SB	LRX T23 PB-SB	LRX T24 PB-SB	LRX T31 PB-SB
	Satin Steel	LRX T21 PB-SS	LRX T22 PB-SS	LRX T23 PB-SS	LRX T24 PB-SS	LRX T31 PB-SS
Satin Brass	Antique Brass	LRX T21 PB-AB	LRX T22 PB-AB	LRX T23 PB-AB	LRX T24 PB-AB	LRX T31 PB-AB
	Bright Steel	LRX T21 PB-BS	LRX T22 PB-BS	LRX T23 PB-BS	LRX T24 PB-BS	LRX T31 PB-BS
	Satin Steel	LRX T21 PB-SS	LRX T22 PB-SS	LRX T23 PB-SS	LRX T24 PB-SS	LRX T31 PB-SS
	Satin Steel	LRX T21 SB-SB	LRX T22 SB-SB	LRX T23 SB-SB	LRX T24 SB-SB	LRX T31 SB-SB
Antique Brass	Satin Steel	LRX T21 SB-SS	LRX T22 SB-SS	LRX T23 SB-SS	LRX T24 SB-SS	LRX T31 SB-SS
	Antique Brass	LRX T21 AB-AB	LRX T22 AB-AB	LRX T23 AB-AB	LRX T24 AB-AB	LRX T31 AB-AB
	Satin Brass	LRX T21 AB-SB	LRX T22 AB-SB	LRX T23 AB-SB	LRX T24 AB-SB	LRX T31 AB-SB
	Satin Nickel	Bright Steel	LRX T21 SN-BS	LRX T22 SN-BS	LRX T23 SN-BS	LRX T24 SN-BS
Black Nickel	Satin Steel	LRX T21 SN-SS	LRX T22 SN-SS	LRX T23 SN-SS	LRX T24 SN-SS	LRX T31 SN-SS
	Black Nickel	LRX T21 BK-BK	LRX T22 BK-BK	LRX T23 BK-BK	LRX T24 BK-BK	LRX T31 BK-BK
	Bright Steel	LRX T21 BK-BS	LRX T22 BK-BS	LRX T23 BK-BS	LRX T24 BK-BS	LRX T31 BK-BS
	Polished Brass	LRX T21 BK-PB	LRX T22 BK-PB	LRX T23 BK-PB	LRX T24 BK-PB	LRX T31 BK-PB

Concealed Fixing Key Switches



LRX KEL PB-PB W



1 gang 20AX 2 way Key Switch

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **K21**
Product Code



1 gang 20AX 2 way Key Switch "EMG LTG TEST"

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **KEL**
Product Code

Frame Finish	Plate Finish	Insert Colour			
 Bright Chrome	Bright Steel	White	LRX K21 BC-BS W	LRX KEL BC-BS W	
	Bright Steel	Black	LRX K21 BC-BS B	LRX KEL BC-BS B	
	Satin Steel	White	LRX K21 BC-SS W	LRX KEL BC-SS W	
	Satin Steel	Black	LRX K21 BC-SS B	LRX KEL BC-SS B	
	Polished Brass	White	LRX K21 BC-PB W	LRX KEL BC-PB W	
	Polished Brass	Black	LRX K21 BC-PB B	LRX KEL BC-PB B	
	Black Nickel	Black	LRX K21 BC-BK B	LRX KEL BC-BK B	
 Polished Brass	Polished Brass	White	LRX K21 PB-PB W	LRX KEL PB-PB W	
	Polished Brass	Black	LRX K21 PB-PB B	LRX KEL PB-PB B	
	Satin Brass	White	LRX K21 PB-SB W	LRX KEL PB-SB W	
	Satin Brass	Black	LRX K21 PB-SB B	LRX KEL PB-SB B	
	Antique Brass	White	LRX K21 PB-AB W	LRX KEL PB-AB W	
	Antique Brass	Black	LRX K21 PB-AB B	LRX KEL PB-AB B	
	Bright Steel	White	LRX K21 PB-BS W	LRX KEL PB-BS W	
Bright Steel	Black	LRX K21 PB-BS B	LRX KEL PB-BS B		
 Satin Steel	Satin Steel	White	LRX K21 PB-SS W	LRX KEL PB-SS W	
	Satin Steel	Black	LRX K21 PB-SS B	LRX KEL PB-SS B	
	 Satin Brass	Satin Brass	White	LRX K21 SB-SB W	LRX KEL SB-SB W
		Satin Brass	Black	LRX K21 SB-SB B	LRX KEL SB-SB B
Satin Steel		White	LRX K21 SB-SS W	LRX KEL SB-SS W	
Satin Steel		Black	LRX K21 SB-SS B	LRX KEL SB-SS B	
 Antique Brass	Antique Brass	Black	LRX K21 AB-AB B	LRX KEL AB-AB B	
	Satin Brass	Black	LRX K21 AB-SB B	LRX KEL AB-SB B	
 Satin Nickel	Bright Steel	White	LRX K21 SN-BS W	LRX KEL SN-BS W	
	Bright Steel	Black	LRX K21 SN-BS B	LRX KEL SN-BS B	
	Satin Steel	White	LRX K21 SN-SS W	LRX KEL SN-SS W	
	Satin Steel	Black	LRX K21 SN-SS B	LRX KEL SN-SS B	
 Black Nickel	Black Nickel	Black	LRX K21 BK-BK B	LRX KEL BK-BK B	
	Black Nickel	Black	LRX K21 BK-BS B	LRX KEL BK-BS B	
	Bright Steel	Black	LRX K21 BK-PB B	LRX KEL BK-PB B	

Concealed Fixing Hotel Card Switch with LED

Adjustable Time Delay 10 seconds - 5 minutes. Suitable for 44 mm and 54 mm width Hotel Key Cards.



LRX C11 BC-SS W










1 gang 10A (6AX) On/Off with Blue LED Locator

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **C11**
Product Code



1 gang 12-24V AC/DC +/-10% On/Off with Blue LED Locator (Suitable for KNX BUS System)

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **CKNX**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour			
 Bright Chrome	Bright Steel	White	LRX C11 BC-BS W	LRX CKNX BC-BS W	
	Bright Steel	Black	LRX C11 BC-BS B	LRX CKNX BC-BS B	
	Satin Steel	White	LRX C11 BC-SS W	LRX CKNX BC-SS W	
	Satin Steel	Black	LRX C11 BC-SS B	LRX CKNX BC-SS B	
	Polished Brass	White	LRX C11 BC-PB W	LRX CKNX BC-PB W	
	Polished Brass	Black	LRX C11 BC-PB B	LRX CKNX BC-PB B	
	Black Nickel	Black	LRX C11 BC-BK B	LRX CKNX BC-BK B	
 Polished Brass	Polished Brass	White	LRX C11 PB-PB W	LRX CKNX PB-PB W	
	Polished Brass	Black	LRX C11 PB-PB B	LRX CKNX PB-PB B	
	Satin Brass	White	LRX C11 PB-SB W	LRX CKNX PB-SB W	
	Satin Brass	Black	LRX C11 PB-SB B	LRX CKNX PB-SB B	
	Antique Brass	White	LRX C11 PB-AB W	LRX CKNX PB-AB W	
	Antique Brass	Black	LRX C11 PB-AB B	LRX CKNX PB-AB B	
	Bright Steel	White	LRX C11 PB-BS W	LRX CKNX PB-BS W	
Bright Steel	Black	LRX C11 PB-BS B	LRX CKNX PB-BS B		
 Satin Steel	Satin Steel	White	LRX C11 PB-SS W	LRX CKNX PB-SS W	
	Satin Steel	Black	LRX C11 PB-SS B	LRX CKNX PB-SS B	
	 Satin Brass	Satin Brass	White	LRX C11 SB-SB W	LRX CKNX SB-SB W
		Satin Brass	Black	LRX C11 SB-SB B	LRX CKNX SB-SB B
Satin Steel		White	LRX C11 SB-SS W	LRX CKNX SB-SS W	
Satin Steel		Black	LRX C11 SB-SS B	LRX CKNX SB-SS B	
 Antique Brass	Antique Brass	Black	LRX C11 AB-AB B	LRX CKNX AB-AB B	
	Satin Brass	Black	LRX C11 AB-SB B	LRX CKNX AB-SB B	
 Satin Nickel	Bright Steel	White	LRX C11 SN-BS W	LRX CKNX SN-BS W	
	Bright Steel	Black	LRX C11 SN-BS B	LRX CKNX SN-BS B	
	Satin Steel	White	LRX C11 SN-SS W	LRX CKNX SN-SS W	
	Satin Steel	Black	LRX C11 SN-SS B	LRX CKNX SN-SS B	
 Black Nickel	Black Nickel	Black	LRX C11 BK-BK B	LRX CKNX BK-BK B	
	Bright Steel	Black	LRX C11 BK-BS B	LRX CKNX BK-BS B	
	Polished Brass	Black	LRX C11 BK-PB B	LRX CKNX BK-PB B	

Hamilton® Linea-Rondo CFX®

Concealed Fixing Power Sockets



LRX SS2 SN-SS W



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 13A Double Pole Switched Socket Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SS1 Product Code	2 gang 13A Double Pole Switched Socket Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SS2 Product Code	1 gang 2A Unswitched Socket Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US2 Product Code	1 gang 5A Unswitched Socket Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US5 Product Code	Shaver Dual Voltage Unswitched Socket Nominal Plate Size: 91 x 150 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: SHS Product Code
Bright Chrome	Bright Steel Bright Steel Satin Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black	LRX SS1 BC-BS W LRX SS1 BC-BS B LRX SS1 BC-SS W LRX SS1 BC-SS B LRX SS1 BC-PB W LRX SS1 BC-PB B LRX SS1 BC-BK B LRX SS1 BC-N B	LRX SS2 BC-BS W LRX SS2 BC-BS B LRX SS2 BC-SS W LRX SS2 BC-SS B LRX SS2 BC-PB W LRX SS2 BC-PB B LRX SS2 BC-BK B LRX SS2 BC-N B	LRX US2 BC-BS W LRX US2 BC-BS B LRX US2 BC-SS W LRX US2 BC-SS B LRX US2 BC-PB W LRX US2 BC-PB B LRX US2 BC-BK B LRX US2 BC-N B	LRX US5 BC-BS W LRX US5 BC-BS B LRX US5 BC-SS W LRX US5 BC-SS B LRX US5 BC-PB W LRX US5 BC-PB B LRX US5 BC-BK B LRX US5 BC-N B	LRX SHS BC-BS W LRX SHS BC-BS B LRX SHS BC-SS W LRX SHS BC-SS B LRX SHS BC-PB W LRX SHS BC-PB B LRX SHS BC-BK B LRX SHS BC-N B
Polished Brass	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black White Black White Black White Black	LRX SS1 PB-PB W LRX SS1 PB-PB B LRX SS1 PB-SB W LRX SS1 PB-SB B LRX SS1 PB-AB W LRX SS1 PB-AB B LRX SS1 PB-BS W LRX SS1 PB-BS B LRX SS1 PB-SS W LRX SS1 PB-SS B	LRX SS2 PB-PB W LRX SS2 PB-PB B LRX SS2 PB-SB W LRX SS2 PB-SB B LRX SS2 PB-AB W LRX SS2 PB-AB B LRX SS2 PB-BS W LRX SS2 PB-BS B LRX SS2 PB-SS W LRX SS2 PB-SS B	LRX US2 PB-PB W LRX US2 PB-PB B LRX US2 PB-SB W LRX US2 PB-SB B LRX US2 PB-AB W LRX US2 PB-AB B LRX US2 PB-BS W LRX US2 PB-BS B LRX US2 PB-SS W LRX US2 PB-SS B	LRX US5 PB-PB W LRX US5 PB-PB B LRX US5 PB-SB W LRX US5 PB-SB B LRX US5 PB-AB W LRX US5 PB-AB B LRX US5 PB-BS W LRX US5 PB-BS B LRX US5 PB-SS W LRX US5 PB-SS B	LRX SHS PB-PB W LRX SHS PB-PB B LRX SHS PB-SB W LRX SHS PB-SB B LRX SHS PB-AB W LRX SHS PB-AB B LRX SHS PB-BS W LRX SHS PB-BS B LRX SHS PB-SS W LRX SHS PB-SS B
Satin Brass	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LRX SS1 SB-SB W LRX SS1 SB-SB B LRX SS1 SB-SS W LRX SS1 SB-SS B	LRX SS2 SB-SB W LRX SS2 SB-SB B LRX SS2 SB-SS W LRX SS2 SB-SS B	LRX US2 SB-SB W LRX US2 SB-SB B LRX US2 SB-SS W LRX US2 SB-SS B	LRX US5 SB-SB W LRX US5 SB-SB B LRX US5 SB-SS W LRX US5 SB-SS B	LRX SHS SB-SB W LRX SHS SB-SB B LRX SHS SB-SS W LRX SHS SB-SS B
Antique Brass	Antique Brass Satin Brass	Black Black	LRX SS1 AB-AB B LRX SS1 AB-SB B	LRX SS2 AB-AB B LRX SS2 AB-SB B	LRX US2 AB-AB B LRX US2 AB-SB B	LRX US5 AB-AB B LRX US5 AB-SB B	LRX SHS AB-AB B LRX SHS AB-SB B
Satin Nickel	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LRX SS1 SN-BS W LRX SS1 SN-BS B LRX SS1 SN-SS W LRX SS1 SN-SS B	LRX SS2 SN-BS W LRX SS2 SN-BS B LRX SS2 SN-SS W LRX SS2 SN-SS B	LRX US2 SN-BS W LRX US2 SN-BS B LRX US2 SN-SS W LRX US2 SN-SS B	LRX US5 SN-BS W LRX US5 SN-BS B LRX US5 SN-SS W LRX US5 SN-SS B	LRX SHS SN-BS W LRX SHS SN-BS B LRX SHS SN-SS W LRX SHS SN-SS B
Black Nickel	Black Nickel Bright Steel Polished Brass	Black Black Black	LRX SS1 BK-BK B LRX SS1 BK-BS B LRX SS1 BK-PB B	LRX SS2 BK-BK B LRX SS2 BK-BS B LRX SS2 BK-PB B	LRX US2 BK-BK B LRX US2 BK-BS B LRX US2 BK-PB B	LRX US5 BK-BK B LRX US5 BK-BS B LRX US5 BK-PB B	LRX SHS BK-BK B LRX SHS BK-BS B LRX SHS BK-PB B

Hamilton® Linea-Rondo CFX®

Concealed Fixing Power Sockets



LRX 5258 PB-AB B



Frame Finish	Plate Finish	Insert Colour	1 gang 16A German Unswitched Socket Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: 6126 Product Code	1 gang 15A American Unswitched Socket Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 5258 Product Code	2 gang 15A American Unswitched Socket Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 5320 Product Code
Bright Chrome	Bright Steel Bright Steel Satin Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black	LRX 6126 BC-BS W LRX 6126 BC-BS B LRX 6126 BC-SS W LRX 6126 BC-SS B LRX 6126 BC-PB W LRX 6126 BC-PB B LRX 6126 BC-BK B LRX 6126 BC-N B	LRX 5258 BC-BS W LRX 5258 BC-BS B LRX 5258 BC-SS W LRX 5258 BC-SS B LRX 5258 BC-PB W LRX 5258 BC-PB B LRX 5258 BC-BK B LRX 5258 BC-N B	LRX 5320 BC-BS W LRX 5320 BC-BS B LRX 5320 BC-SS W LRX 5320 BC-SS B LRX 5320 BC-PB W LRX 5320 BC-PB B LRX 5320 BC-BK B LRX 5320 BC-N B
Polished Brass	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black White Black White Black White Black	LRX 6126 PB-PB W LRX 6126 PB-PB B LRX 6126 PB-SB W LRX 6126 PB-SB B LRX 6126 PB-AB W LRX 6126 PB-AB B LRX 6126 PB-BS W LRX 6126 PB-BS B LRX 6126 PB-SS W LRX 6126 PB-SS B	LRX 5258 PB-PB W LRX 5258 PB-PB B LRX 5258 PB-SB W LRX 5258 PB-SB B LRX 5258 PB-AB W LRX 5258 PB-AB B LRX 5258 PB-BS W LRX 5258 PB-BS B LRX 5258 PB-SS W LRX 5258 PB-SS B	LRX 5320 PB-PB W LRX 5320 PB-PB B LRX 5320 PB-SB W LRX 5320 PB-SB B LRX 5320 PB-AB W LRX 5320 PB-AB B LRX 5320 PB-BS W LRX 5320 PB-BS B LRX 5320 PB-SS W LRX 5320 PB-SS B
Satin Brass	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LRX 6126 SB-SB W LRX 6126 SB-SB B LRX 6126 SB-SS W LRX 6126 SB-SS B	LRX 5258 SB-SB W LRX 5258 SB-SB B LRX 5258 SB-SS W LRX 5258 SB-SS B	LRX 5320 SB-SB W LRX 5320 SB-SB B LRX 5320 SB-SS W LRX 5320 SB-SS B
Antique Brass	Antique Brass Satin Brass	Black Black	LRX 6126 AB-AB B LRX 6126 AB-SB B	LRX 5258 AB-AB B LRX 5258 AB-SB B	LRX 5320 AB-AB B LRX 5320 AB-SB B
Satin Nickel	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LRX 6126 SN-BS W LRX 6126 SN-BS B LRX 6126 SN-SS W LRX 6126 SN-SS B	LRX 5258 SN-BS W LRX 5258 SN-BS B LRX 5258 SN-SS W LRX 5258 SN-SS B	LRX 5320 SN-BS W LRX 5320 SN-BS B LRX 5320 SN-SS W LRX 5320 SN-SS B
Black Nickel	Black Nickel Bright Steel Polished Brass	Black Black Black	LRX 6126 BK-BK B LRX 6126 BK-BS B LRX 6126 BK-PB B	LRX 5258 BK-BK B LRX 5258 BK-BS B LRX 5258 BK-PB B	LRX 5320 BK-BK B LRX 5320 BK-BS B LRX 5320 BK-PB B



LRX TVSAT PB-AB B

Frame Finish	Plate Finish	Insert Colour	1 gang Non Isolated TV 1 In/1 Out	Isolated TV/FM Diplexer 1 In/2 Out	1 gang Isolated TV 1 In/1 Out	2 gang Non Isolated TV + Satellite 2 In/2 Out	1 gang Non Isolated Satellite	1 gang Isolated Satellite
			Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TV Product Code	Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVFM Product Code	Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVI Product Code	Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: TVSAT Product Code	Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATN Product Code	Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATI Product Code
Bright Chrome	Bright Steel Bright Steel Satin Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black	LRX TV BC-BS W LRX TV BC-BS B LRX TV BC-SS W LRX TV BC-SS B LRX TV BC-PB W LRX TV BC-PB B LRX TV BC-BK B LRX TV BC-N B	LRX TVFM BC-BS W LRX TVFM BC-BS B LRX TVFM BC-SS W LRX TVFM BC-SS B LRX TVFM BC-PB W LRX TVFM BC-PB B LRX TVFM BC-BK B LRX TVFM BC-N B	LRX TVI BC-BS W LRX TVI BC-BS B LRX TVI BC-SS W LRX TVI BC-SS B LRX TVI BC-PB W LRX TVI BC-PB B LRX TVI BC-BK B LRX TVI BC-N B	LRX TVSAT BC-BS W LRX TVSAT BC-BS B LRX TVSAT BC-SS W LRX TVSAT BC-SS B LRX TVSAT BC-PB W LRX TVSAT BC-PB B LRX TVSAT BC-BK B LRX TVSAT BC-N B	LRX SATN BC-BS W LRX SATN BC-BS B LRX SATN BC-SS W LRX SATN BC-SS B LRX SATN BC-PB W LRX SATN BC-PB B LRX SATN BC-BK B LRX SATN BC-N B	LRX SATI BC-BS W LRX SATI BC-BS B LRX SATI BC-SS W LRX SATI BC-SS B LRX SATI BC-PB W LRX SATI BC-PB B LRX SATI BC-BK B LRX SATI BC-N B
Polished Brass	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black White Black White Black White Black	LRX TV PB-PB W LRX TV PB-PB B LRX TV PB-SB W LRX TV PB-SB B LRX TV PB-AB W LRX TV PB-AB B LRX TV PB-BS W LRX TV PB-BS B LRX TV PB-SS W LRX TV PB-SS B	LRX TVFM PB-PB W LRX TVFM PB-PB B LRX TVFM PB-SB W LRX TVFM PB-SB B LRX TVFM PB-AB W LRX TVFM PB-AB B LRX TVFM PB-BS W LRX TVFM PB-BS B LRX TVFM PB-SS W LRX TVFM PB-SS B	LRX TVI PB-PB W LRX TVI PB-PB B LRX TVI PB-SB W LRX TVI PB-SB B LRX TVI PB-AB W LRX TVI PB-AB B LRX TVI PB-BS W LRX TVI PB-BS B LRX TVI PB-SS W LRX TVI PB-SS B	LRX TVSAT PB-PB W LRX TVSAT PB-PB B LRX TVSAT PB-SB W LRX TVSAT PB-SB B LRX TVSAT PB-AB W LRX TVSAT PB-AB B LRX TVSAT PB-BS W LRX TVSAT PB-BS B LRX TVSAT PB-SS W LRX TVSAT PB-SS B	LRX SATN PB-PB W LRX SATN PB-PB B LRX SATN PB-SB W LRX SATN PB-SB B LRX SATN PB-AB W LRX SATN PB-AB B LRX SATN PB-BS W LRX SATN PB-BS B LRX SATN PB-SS W LRX SATN PB-SS B	LRX SATI PB-PB W LRX SATI PB-PB B LRX SATI PB-SB W LRX SATI PB-SB B LRX SATI PB-AB W LRX SATI PB-AB B LRX SATI PB-BS W LRX SATI PB-BS B LRX SATI PB-SS W LRX SATI PB-SS B
Satin Brass	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LRX TV SB-SB W LRX TV SB-SB B LRX TV SB-SS W LRX TV SB-SS B	LRX TVFM SB-SB W LRX TVFM SB-SB B LRX TVFM SB-SS W LRX TVFM SB-SS B	LRX TVI SB-SB W LRX TVI SB-SB B LRX TVI SB-SS W LRX TVI SB-SS B	LRX TVSAT SB-SB W LRX TVSAT SB-SB B LRX TVSAT SB-SS W LRX TVSAT SB-SS B	LRX SATN SB-SB W LRX SATN SB-SB B LRX SATN SB-SS W LRX SATN SB-SS B	LRX SATI SB-SB W LRX SATI SB-SB B LRX SATI SB-SS W LRX SATI SB-SS B
Antique Brass	Antique Brass Satin Brass	Black Black	LRX TV AB-AB B LRX TV AB-SB B	LRX TVFM AB-AB B LRX TVFM AB-SB B	LRX TVI AB-AB B LRX TVI AB-SB B	LRX TVSAT AB-AB B LRX TVSAT AB-SB B	LRX SATN AB-AB B LRX SATN AB-SB B	LRX SATI AB-AB B LRX SATI AB-SB B
Satin Nickel	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LRX TV SN-BS W LRX TV SN-BS B LRX TV SN-SS W LRX TV SN-SS B	LRX TVFM SN-BS W LRX TVFM SN-BS B LRX TVFM SN-SS W LRX TVFM SN-SS B	LRX TVI SN-BS W LRX TVI SN-BS B LRX TVI SN-SS W LRX TVI SN-SS B	LRX TVSAT SN-BS W LRX TVSAT SN-BS B LRX TVSAT SN-SS W LRX TVSAT SN-SS B	LRX SATN SN-BS W LRX SATN SN-BS B LRX SATN SN-SS W LRX SATN SN-SS B	LRX SATI SN-BS W LRX SATI SN-BS B LRX SATI SN-SS W LRX SATI SN-SS B
Black Nickel	Black Nickel Bright Steel Polished Brass	Black Black Black	LRX TV BK-BK B LRX TV BK-BS B LRX TV BK-PB B	LRX TVFM BK-BK B LRX TVFM BK-BS B LRX TVFM BK-PB B	LRX TVI BK-BK B LRX TVI BK-BS B LRX TVI BK-PB B	LRX TVSAT BK-BK B LRX TVSAT BK-BS B LRX TVSAT BK-PB B	LRX SATN BK-BK B LRX SATN BK-BS B LRX SATN BK-PB B	LRX SATI BK-BK B LRX SATI BK-BS B LRX SATI BK-PB B



LRX DTRID SN-BS W

Frame Finish	Plate Finish	Insert Colour	Non Isolated TV/FM/Satellite Triplexer 1 In/3 Out	1 gang Non Isolated TV (Female)	1 gang Non Isolated TV (Male)
			Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTRID Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVF Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTMV Product Code
Bright Chrome	Bright Steel Bright Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black	LRX DTRID BC-BS W LRX DTRID BC-BS B LRX DTRID BC-SS W LRX DTRID BC-SS B LRX DTRID BC-PB W LRX DTRID BC-PB B LRX DTRID BC-BK B LRX DTRID BC-N B	LRX DTVF BC-BS W LRX DTVF BC-BS B LRX DTVF BC-SS W LRX DTVF BC-SS B LRX DTVF BC-PB W LRX DTVF BC-PB B LRX DTVF BC-BK B LRX DTVF BC-N B	LRX DTMV BC-BS W LRX DTMV BC-BS B LRX DTMV BC-SS W LRX DTMV BC-SS B LRX DTMV BC-PB W LRX DTMV BC-PB B LRX DTMV BC-BK B LRX DTMV BC-N B
Polished Brass	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black White Black White Black White Black	LRX DTRID PB-PB W LRX DTRID PB-PB B LRX DTRID PB-SB W LRX DTRID PB-SB B LRX DTRID PB-AB W LRX DTRID PB-AB B LRX DTRID PB-BS W LRX DTRID PB-BS B LRX DTRID PB-SS W LRX DTRID PB-SS B	LRX DTVF PB-PB W LRX DTVF PB-PB B LRX DTVF PB-SB W LRX DTVF PB-SB B LRX DTVF PB-AB W LRX DTVF PB-AB B LRX DTVF PB-BS W LRX DTVF PB-BS B LRX DTVF PB-SS W LRX DTVF PB-SS B	LRX DTMV PB-PB W LRX DTMV PB-PB B LRX DTMV PB-SB W LRX DTMV PB-SB B LRX DTMV PB-AB W LRX DTMV PB-AB B LRX DTMV PB-BS W LRX DTMV PB-BS B LRX DTMV PB-SS W LRX DTMV PB-SS B
Satin Brass	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LRX DTRID SB-SB W LRX DTRID SB-SB B LRX DTRID SB-SS W LRX DTRID SB-SS B	LRX DTVF SB-SB W LRX DTVF SB-SB B LRX DTVF SB-SS W LRX DTVF SB-SS B	LRX DTMV SB-SB W LRX DTMV SB-SB B LRX DTMV SB-SS W LRX DTMV SB-SS B
Antique Brass	Antique Brass Satin Brass	Black Black	LRX DTRID AB-AB B LRX DTRID AB-SB B	LRX DTVF AB-AB B LRX DTVF AB-SB B	LRX DTMV AB-AB B LRX DTMV AB-SB B
Satin Nickel	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LRX DTRID SN-BS W LRX DTRID SN-BS B LRX DTRID SN-SS W LRX DTRID SN-SS B	LRX DTVF SN-BS W LRX DTVF SN-BS B LRX DTVF SN-SS W LRX DTVF SN-SS B	LRX DTMV SN-BS W LRX DTMV SN-BS B LRX DTMV SN-SS W LRX DTMV SN-SS B
Black Nickel	Black Nickel Bright Steel Polished Brass	Black Black Black	LRX DTRID BK-BK B LRX DTRID BK-BS B LRX DTRID BK-PB B	LRX DTVF BK-BK B LRX DTVF BK-BS B LRX DTVF BK-PB B	LRX DTMV BK-BK B LRX DTMV BK-BS B LRX DTMV BK-PB B

Hamilton® Linea-Rondo cfx®

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



LRX DSAT BC-BS W



**1 gang
Non Isolated
Satellite**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **DSAT**
Product Code



**Non Isolated
TV/FM/Satellite 1/
Satellite 2 Quadplexer
2 In/4 Out**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **DENT**
Product Code



**Non Isolated
TV/FM/Satellite 1/
Satellite 2 Quadplexer
2 In/4 Out
+ TVF + TCS**

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **DSAT+**
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code
Bright Chrome 	Bright Steel	White	LRX DSAT BC-BS W	LRX DENT BC-BS W	LRX DSAT+ BC-BS W
	Bright Steel	Black	LRX DSAT BC-BS B	LRX DENT BC-BS B	LRX DSAT+ BC-BS B
	Satin Steel	White	LRX DSAT BC-SS W	LRX DENT BC-SS W	LRX DSAT+ BC-SS W
	Satin Steel	Black	LRX DSAT BC-SS B	LRX DENT BC-SS B	LRX DSAT+ BC-SS B
	Polished Brass	White	LRX DSAT BC-PB W	LRX DENT BC-PB W	LRX DSAT+ BC-PB W
	Polished Brass	Black	LRX DSAT BC-PB B	LRX DENT BC-PB B	LRX DSAT+ BC-PB B
	Black Nickel	Black	LRX DSAT BC-BK B	LRX DENT BC-BK B	LRX DSAT+ BC-BK B
Polished Brass 	Piano Black	Black	LRX DSAT BC-N B	LRX DENT BC-N B	LRX DSAT+ BC-N B
	Polished Brass	White	LRX DSAT PB-PB W	LRX DENT PB-PB W	LRX DSAT+ PB-PB W
	Polished Brass	Black	LRX DSAT PB-PB B	LRX DENT PB-PB B	LRX DSAT+ PB-PB B
	Satin Brass	White	LRX DSAT PB-SB W	LRX DENT PB-SB W	LRX DSAT+ PB-SB W
	Satin Brass	Black	LRX DSAT PB-SB B	LRX DENT PB-SB B	LRX DSAT+ PB-SB B
	Antique Brass	White	LRX DSAT PB-AB W	LRX DENT PB-AB W	LRX DSAT+ PB-AB W
	Antique Brass	Black	LRX DSAT PB-AB B	LRX DENT PB-AB B	LRX DSAT+ PB-AB B
Satin Brass 	Bright Steel	White	LRX DSAT PB-BS W	LRX DENT PB-BS W	LRX DSAT+ PB-BS W
	Bright Steel	Black	LRX DSAT PB-BS B	LRX DENT PB-BS B	LRX DSAT+ PB-BS B
	Satin Steel	White	LRX DSAT PB-SS W	LRX DENT PB-SS W	LRX DSAT+ PB-SS W
	Satin Steel	Black	LRX DSAT PB-SS B	LRX DENT PB-SS B	LRX DSAT+ PB-SS B
	Satin Steel	White	LRX DSAT SB-SB W	LRX DENT SB-SB W	LRX DSAT+ SB-SB W
	Satin Steel	Black	LRX DSAT SB-SB B	LRX DENT SB-SB B	LRX DSAT+ SB-SB B
	Satin Steel	White	LRX DSAT SB-SS W	LRX DENT SB-SS W	LRX DSAT+ SB-SS W
Antique Brass 	Satin Steel	Black	LRX DSAT SB-SS B	LRX DENT SB-SS B	LRX DSAT+ SB-SS B
	Antique Brass	Black	LRX DSAT AB-AB W	LRX DENT AB-AB B	LRX DSAT+ AB-AB B
Satin Nickel 	Antique Brass	Black	LRX DSAT AB-SB B	LRX DENT AB-SB B	LRX DSAT+ AB-SB B
	Bright Steel	White	LRX DSAT SN-BS W	LRX DENT SN-BS W	LRX DSAT+ SN-BS W
	Bright Steel	Black	LRX DSAT SN-BS B	LRX DENT SN-BS B	LRX DSAT+ SN-BS B
Black Nickel 	Satin Steel	White	LRX DSAT SN-SS W	LRX DENT SN-SS W	LRX DSAT+ SN-SS W
	Satin Steel	Black	LRX DSAT SN-SS B	LRX DENT SN-SS B	LRX DSAT+ SN-SS B
	Polished Brass	Black	LRX DSAT BK-BK B	LRX DENT BK-BK B	LRX DSAT+ BK-BK B
	Bright Steel	Black	LRX DSAT BK-BS B	LRX DENT BK-BS B	LRX DSAT+ BK-BS B
	Polished Brass	Black	LRX DSAT BK-PB B	LRX DENT BK-PB B	LRX DSAT+ BK-PB B

Hamilton® Linea-Rondo cfx®

Concealed Fixing Telephone and Data Outlets



LRX J45 SB-AB B



**1 gang
Telephone
Master**

Nom. Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TCM**
Product Code



**1 gang
Telephone
Slave**

Nom. Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TCS**
Product Code



**1 gang
RJ12 Outlet
Unshielded**

Nom. Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **J12**
Product Code



**2 gang
RJ12 Outlet
Unshielded**

Nom. Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **2J12**
Product Code



**1 gang
RJ45 CAT 5E
Outlet Unshielded**

Nom. Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **J45**
Product Code



**2 gang
RJ45 CAT 5E
Outlet Unshielded**

Nom. Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **2J45**
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
Bright Chrome 	Bright Steel	White	LRX TCM BC-BS W	LRX TCS BC-BS W	LRX J12 BC-BS W	LRX 2J12 BC-BS W	LRX J45 BC-BS W	LRX 2J45 BC-BS W	LRX J45 BC-BS B
	Bright Steel	Black	LRX TCM BC-BS B	LRX TCS BC-BS B	LRX J12 BC-BS B	LRX 2J12 BC-BS B	LRX J45 BC-BS B	LRX 2J45 BC-BS B	LRX J45 BC-SS W
	Satin Steel	White	LRX TCM BC-SS W	LRX TCS BC-SS W	LRX J12 BC-SS W	LRX 2J12 BC-SS W	LRX J45 BC-SS W	LRX 2J45 BC-SS W	LRX J45 BC-SS B
	Satin Steel	Black	LRX TCM BC-SS B	LRX TCS BC-SS B	LRX J12 BC-SS B	LRX 2J12 BC-SS B	LRX J45 BC-SS B	LRX 2J45 BC-SS B	LRX J45 BC-PB W
	Polished Brass	White	LRX TCM BC-PB W	LRX TCS BC-PB W	LRX J12 BC-PB W	LRX 2J12 BC-PB W	LRX J45 BC-PB W	LRX 2J45 BC-PB W	LRX J45 BC-PB B
	Polished Brass	Black	LRX TCM BC-PB B	LRX TCS BC-PB B	LRX J12 BC-PB B	LRX 2J12 BC-PB B	LRX J45 BC-PB B	LRX 2J45 BC-PB B	LRX J45 BC-N B
	Black Nickel	Black	LRX TCM BC-N B	LRX TCS BC-N B	LRX J12 BC-N B	LRX 2J12 BC-N B	LRX J45 BC-N B	LRX 2J45 BC-N B	
Polished Brass 	Piano Black	Black	LRX TCM PB-PB W	LRX TCS PB-PB W	LRX J12 PB-PB W	LRX 2J12 PB-PB W	LRX J45 PB-PB W	LRX 2J45 PB-PB W	LRX J45 PB-PB B
	Polished Brass	Black	LRX TCM PB-PB B	LRX TCS PB-PB B	LRX J12 PB-PB B	LRX 2J12 PB-PB B	LRX J45 PB-PB B	LRX 2J45 PB-PB B	LRX J45 PB-SS W
	Satin Brass	White	LRX TCM PB-SB W	LRX TCS PB-SB W	LRX J12 PB-SB W	LRX 2J12 PB-SB W	LRX J45 PB-SB W	LRX 2J45 PB-SB W	LRX J45 PB-SS B
	Satin Brass	Black	LRX TCM PB-SB B	LRX TCS PB-SB B	LRX J12 PB-SB B	LRX 2J12 PB-SB B	LRX J45 PB-SB B	LRX 2J45 PB-SB B	LRX J45 PB-AB W
	Antique Brass	White	LRX TCM PB-AB W	LRX TCS PB-AB W	LRX J12 PB-AB W	LRX 2J12 PB-AB W	LRX J45 PB-AB W	LRX 2J45 PB-AB W	LRX J45 PB-AB B
	Antique Brass	Black	LRX TCM PB-AB B	LRX TCS PB-AB B	LRX J12 PB-AB B	LRX 2J12 PB-AB B	LRX J45 PB-AB B	LRX 2J45 PB-AB B	LRX J45 PB-BS W
	Bright Steel	White	LRX TCM PB-BS W	LRX TCS PB-BS W	LRX J12 PB-BS W	LRX 2J12 PB-BS W	LRX J45 PB-BS W	LRX 2J45 PB-BS W	LRX J45 PB-BS B
Satin Brass 	Bright Steel	Black	LRX TCM PB-BS B	LRX TCS PB-BS B	LRX J12 PB-BS B	LRX 2J12 PB-BS B	LRX J45 PB-BS B	LRX 2J45 PB-BS B	LRX J45 PB-SS W
	Satin Steel	White	LRX TCM PB-SS W	LRX TCS PB-SS W	LRX J12 PB-SS W	LRX 2J12 PB-SS W	LRX J45 PB-SS W	LRX 2J45 PB-SS W	LRX J45 PB-SS B
	Satin Steel	Black	LRX TCM PB-SS B	LRX TCS PB-SS B	LRX J12 PB-SS B	LRX 2J12 PB-SS B	LRX J45 PB-SS B	LRX 2J45 PB-SS B	
	Satin Steel	White	LRX TCM SB-SB W	LRX TCS SB-SB W	LRX J12 SB-SB W	LRX 2J12 SB-SB W	LRX J45 SB-SB W	LRX 2J45 SB-SB W	LRX J45 SB-SS W
	Satin Steel	Black	LRX TCM SB-SB B	LRX TCS SB-SB B	LRX J12 SB-SB B	LRX 2J12 SB-SB B	LRX J45 SB-SB B	LRX 2J45 SB-SB B	LRX J45 SB-SS B
	Satin Steel	White	LRX TCM SB-SS W	LRX TCS SB-SS W	LRX J12 SB-SS W	LRX 2J12 SB-SS W	LRX J45 SB-SS W	LRX 2J45 SB-SS W	
	Satin Steel	Black	LRX TCM SB-SS B	LRX TCS SB-SS B	LRX J12 SB-SS B	LRX 2J12 SB-SS B	LRX J45 SB-SS B	LRX 2J45 SB-SS B	
Antique Brass 	Antique Brass	Black	LRX TCM AB-AB W	LRX TCS AB-AB W	LRX J12 AB-AB W	LRX 2J12 AB-AB W	LRX J45 AB-AB W	LRX 2J45 AB-AB W	
	Satin Brass	Black	LRX TCM AB-SB B	LRX TCS AB-SB B	LRX J12 AB-SB B	LRX 2J12 AB-SB B	LRX J45 AB-SB B	LRX 2J45 AB-SB B	
Satin Nickel 	Antique Brass	Black	LRX TCM SN-BS W	LRX TCS SN-BS W	LRX J12 SN-BS W	LRX 2J12 SN-BS W	LRX J45 SN-BS W	LRX 2J45 SN-BS W	
	Bright Steel	White	LRX TCM SN-BS B	LRX TCS SN-BS B	LRX J12 SN-BS B	LRX 2J12 SN-BS B	LRX J45 SN-BS B	LRX 2J45 SN-BS B	
	Bright Steel	Black	LRX TCM SN-SS W	LRX TCS SN-SS W	LRX J12 SN-SS W	LRX 2J12 SN-SS W	LRX J45 SN-SS W	LRX 2J45 SN-SS W	
Black Nickel 	Satin Steel	White	LRX TCM SN-SS B	LRX TCS SN-SS B	LRX J12 SN-SS B	LRX 2J12 SN-SS B	LRX J45 SN-SS B	LRX 2J45 SN-SS B	
	Black Nickel	Black	LRX TCM BK-BK B	LRX TCS BK-BK B	LRX J12 BK-BK B	LRX 2J12 BK-BK B	LRX J45 BK-BK B	LRX 2J45 BK-BK B	
	Bright Steel	Black	LRX TCM BK-BS B	LRX TCS BK-BS B	LRX J12 BK-BS B	LRX 2J12 BK-BS B	LRX J45 BK-BS B	LRX 2J45 BK-BS B	
	Polished Brass	Black	LRX TCM BK-PB B	LRX TCS BK-PB B	LRX J12 BK-PB B	LRX 2J12 BK-PB B	LRX J45 BK-PB B	LRX 2J45 BK-PB B	

Hamilton® Linea-Rondo CFX®

Concealed Fixing Double Pole Switches



LRX 45SS1 BC-N B



**1 gang 20AX
Double Pole
Rocker + Neon**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DPN**
Product Code



**1 gang 45A
Double Pole
Red Rocker + Neon**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **45N**
Product Code









**45A Double Pole
Red Rocker + Neon +
13A Switched Socket**

Nominal Plate Size:
150 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **45SS1**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Technical Insert Reference: DPN Product Code	Technical Insert Reference: 45N Product Code	Technical Insert Reference: 45SS1 Product Code
Bright Chrome 	Bright Steel Bright Steel Satin Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black	LRX DPN BC-BS W LRX DPN BC-BS B LRX DPN BC-SS W LRX DPN BC-SS B LRX DPN BC-PB W LRX DPN BC-PB B LRX DPN BC-BK B LRX DPN BC-N B	LRX 45N BC-BS W LRX 45N BC-BS B LRX 45N BC-SS W LRX 45N BC-SS B LRX 45N BC-PB W LRX 45N BC-PB B LRX 45N BC-BK B LRX 45N BC-N B	LRX 45SS1 BC-BS W LRX 45SS1 BC-BS B LRX 45SS1 BC-SS W LRX 45SS1 BC-SS B LRX 45SS1 BC-PB W LRX 45SS1 BC-PB B LRX 45SS1 BC-BK B LRX 45SS1 BC-N B
Polished Brass 	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black White Black White Black White Black	LRX DPN PB-PB W LRX DPN PB-PB B LRX DPN PB-SS W LRX DPN PB-SS B LRX DPN PB-AB W LRX DPN PB-AB B LRX DPN PB-BS W LRX DPN PB-BS B LRX DPN PB-SS W LRX DPN PB-SS B	LRX 45N PB-PB W LRX 45N PB-PB B LRX 45N PB-SS W LRX 45N PB-SS B LRX 45N PB-AB W LRX 45N PB-AB B LRX 45N PB-BS W LRX 45N PB-BS B LRX 45N PB-SS W LRX 45N PB-SS B	LRX 45SS1 PB-PB W LRX 45SS1 PB-PB B LRX 45SS1 PB-SS W LRX 45SS1 PB-SS B LRX 45SS1 PB-AB W LRX 45SS1 PB-AB B LRX 45SS1 PB-BS W LRX 45SS1 PB-BS B LRX 45SS1 PB-SS W LRX 45SS1 PB-SS B
Satin Brass 	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LRX DPN SB-SB W LRX DPN SB-SB B LRX DPN SB-SS W LRX DPN SB-SS B	LRX 45N SB-SB W LRX 45N SB-SB B LRX 45N SB-SS W LRX 45N SB-SS B	LRX 45SS1 SB-SB W LRX 45SS1 SB-SB B LRX 45SS1 SB-SS W LRX 45SS1 SB-SS B
Antique Brass 	Antique Brass Satin Brass	Black Black	LRX DPN AB-AB B LRX DPN AB-SB B	LRX 45N AB-AB B LRX 45N AB-SB B	LRX 45SS1 AB-AB B LRX 45SS1 AB-SB B
Satin Nickel 	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LRX DPN SN-BS W LRX DPN SN-BS B LRX DPN SN-SS W LRX DPN SN-SS B	LRX 45N SN-BS W LRX 45N SN-BS B LRX 45N SN-SS W LRX 45N SN-SS B	LRX 45SS1 SN-BS W LRX 45SS1 SN-BS B LRX 45SS1 SN-SS W LRX 45SS1 SN-SS B
Black Nickel 	Black Nickel Bright Steel Polished Brass	Black Black Black	LRX DPN BK-BK B LRX DPN BK-BS B LRX DPN BK-PB B	LRX 45N BK-BK B LRX 45N BK-BS B LRX 45N BK-PB B	LRX 45SS1 BK-BK B LRX 45SS1 BK-BS B LRX 45SS1 BK-PB B

Hamilton® Linea-Rondo CFX®

Concealed Fixing Connection Units



LRX SPN SB-SB W









**1 gang 13A
Double Pole
Fused Spur + Neon**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **SPN**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Technical Insert Reference: SPN Product Code
Bright Chrome 	Bright Steel Bright Steel Satin Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black	LRX SPN BC-BS W LRX SPN BC-BS B LRX SPN BC-SS W LRX SPN BC-SS B LRX SPN BC-PB W LRX SPN BC-PB B LRX SPN BC-BK B LRX SPN BC-N B
Polished Brass 	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black White Black White Black White Black	LRX SPN PB-PB W LRX SPN PB-PB B LRX SPN PB-SS W LRX SPN PB-SS B LRX SPN PB-AB W LRX SPN PB-AB B LRX SPN PB-BS W LRX SPN PB-BS B LRX SPN PB-SS W LRX SPN PB-SS B
Satin Brass 	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LRX SPN SB-SB W LRX SPN SB-SB B LRX SPN SB-SS W LRX SPN SB-SS B
Antique Brass 	Antique Brass Satin Brass	Black Black	LRX SPN AB-AB B LRX SPN AB-SB B
Satin Nickel 	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LRX SPN SN-BS W LRX SPN SN-BS B LRX SPN SN-SS W LRX SPN SN-SS B
Black Nickel 	Black Nickel Bright Steel Polished Brass	Black Black Black	LRX SPN BK-BK B LRX SPN BK-BS B LRX SPN BK-PB B



LRX FN BC-PB R









**1 gang 13A
Fuse with
Red Neon Halo**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **FN**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Technical Insert Reference: FN Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	Red Halo Red Halo Red Halo Red Halo Red Halo	LRX FN BC-BS R LRX FN BC-SS R LRX FN BC-PB R LRX FN BC-BK R LRX FN BC-N R
Polished Brass 	Polished Brass Satin Brass Antique Brass Satin Steel	Red Halo Red Halo Red Halo Red Halo	LRX FN PB-PB R LRX FN PB-SS R LRX FN PB-AB R LRX FN PB-BS R LRX FN PB-SS R
Satin Brass 	Satin Brass Satin Steel	Red Halo Red Halo	LRX FN SB-SB R LRX FN SB-SS R
Antique Brass 	Antique Brass Satin Brass	Red Halo Red Halo	LRX FN AB-AB R LRX FN AB-SB R
Satin Nickel 	Bright Steel Satin Steel	Red Halo Red Halo	LRX FN SN-BS R LRX FN SN-SS R
Black Nickel 	Black Nickel Bright Steel Polished Brass	Red Halo Red Halo Red Halo	LRX FN BK-BK R LRX FN BK-BS R LRX FN BK-PB R

Hamilton® Linea-Rondo cfx®

Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LRX 2X40 BC-N

	1 gang 400W 2 way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X40 Product Code	2 gang 400W 2 way (Max. 300 watts per gang) Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2X40 Product Code	3 gang 400W 2 way Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3X40 Product Code	4 gang 400W 2 way (Max. 300 watts per gang) Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4X40 Product Code	1 gang 600W 2 way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X60 Product Code	1 gang 1000W 2 way Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X1K Product Code	
Frame and Insert Finish	Plate Finish						
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LRX 1X40 BC-BS LRX 1X40 BC-SS LRX 1X40 BC-PB LRX 1X40 BC-BK LRX 1X40 BC-N	LRX 2X40 BC-BS LRX 2X40 BC-SS LRX 2X40 BC-PB LRX 2X40 BC-BK LRX 2X40 BC-N	LRX 3X40 BC-BS LRX 3X40 BC-SS LRX 3X40 BC-PB LRX 3X40 BC-BK LRX 3X40 BC-N	LRX 4X40 BC-BS LRX 4X40 BC-SS LRX 4X40 BC-PB LRX 4X40 BC-BK LRX 4X40 BC-N	LRX 1X60 BC-BS LRX 1X60 BC-SS LRX 1X60 BC-PB LRX 1X60 BC-BK LRX 1X60 BC-N	LRX 1X1K BC-BS LRX 1X1K BC-SS LRX 1X1K BC-PB LRX 1X1K BC-BK LRX 1X1K BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LRX 1X40 PB-PB LRX 1X40 PB-SB LRX 1X40 PB-AB LRX 1X40 PB-BS LRX 1X40 PB-SS	LRX 2X40 PB-PB LRX 2X40 PB-SB LRX 2X40 PB-AB LRX 2X40 PB-BS LRX 2X40 PB-SS	LRX 3X40 PB-PB LRX 3X40 PB-SB LRX 3X40 PB-AB LRX 3X40 PB-BS LRX 3X40 PB-SS	LRX 4X40 PB-PB LRX 4X40 PB-SB LRX 4X40 PB-AB LRX 4X40 PB-BS LRX 4X40 PB-SS	LRX 1X60 PB-PB LRX 1X60 PB-SB LRX 1X60 PB-AB LRX 1X60 PB-BS LRX 1X60 PB-SS	LRX 1X1K PB-PB LRX 1X1K PB-SB LRX 1X1K PB-AB LRX 1X1K PB-BS LRX 1X1K PB-SS
Satin Brass 	Satin Brass Satin Steel	LRX 1X40 SB-SB LRX 1X40 SB-SS	LRX 2X40 SB-SB LRX 2X40 SB-SS	LRX 3X40 SB-SB LRX 3X40 SB-SS	LRX 4X40 SB-SB LRX 4X40 SB-SS	LRX 1X60 SB-SB LRX 1X60 SB-SS	LRX 1X1K SB-SB LRX 1X1K SB-SS
Antique Brass 	Antique Brass Satin Brass	LRX 1X40 AB-AB LRX 1X40 AB-SB	LRX 2X40 AB-AB LRX 2X40 AB-SB	LRX 3X40 AB-AB LRX 3X40 AB-SB	LRX 4X40 AB-AB LRX 4X40 AB-SB	LRX 1X60 AB-AB LRX 1X60 AB-SB	LRX 1X1K AB-AB LRX 1X1K AB-SB
Satin Nickel 	Bright Steel Satin Steel	LRX 1X40 SN-BS LRX 1X40 SN-SS	LRX 2X40 SN-BS LRX 2X40 SN-SS	LRX 3X40 SN-BS LRX 3X40 SN-SS	LRX 4X40 SN-BS LRX 4X40 SN-SS	LRX 1X60 SN-BS LRX 1X60 SN-SS	LRX 1X1K SN-BS LRX 1X1K SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LRX 1X40 BK-BK LRX 1X40 BK-BS LRX 1X40 BK-PB	LRX 2X40 BK-BK LRX 2X40 BK-BS LRX 2X40 BK-PB	LRX 3X40 BK-BK LRX 3X40 BK-BS LRX 3X40 BK-PB	LRX 4X40 BK-BK LRX 4X40 BK-BS LRX 4X40 BK-PB	LRX 1X60 BK-BK LRX 1X60 BK-BS LRX 1X60 BK-PB	LRX 1X1K BK-BK LRX 1X1K BK-BS LRX 1X1K BK-PB

Hamilton® Linea-Rondo cfx®

Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LRX 1X2V PB-SB

	1 gang 200VA 2 way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X2V Product Code	1 gang 300VA 2 way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X3V Product Code	
Frame and Insert Finish	Plate Finish		
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LRX 1X2V BC-BS LRX 1X2V BC-SS LRX 1X2V BC-PB LRX 1X2V BC-BK LRX 1X2V BC-N	LRX 1X3V BC-BS LRX 1X3V BC-SS LRX 1X3V BC-PB LRX 1X3V BC-BK LRX 1X3V BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LRX 1X2V PB-PB LRX 1X2V PB-SB LRX 1X2V PB-AB LRX 1X2V PB-BS LRX 1X2V PB-SS	LRX 1X3V PB-PB LRX 1X3V PB-SB LRX 1X3V PB-AB LRX 1X3V PB-BS LRX 1X3V PB-SS
Satin Brass 	Satin Brass Satin Steel	LRX 1X2V SB-SB LRX 1X2V SB-SS	LRX 1X3V SB-SB LRX 1X3V SB-SS
Antique Brass 	Antique Brass Satin Brass	LRX 1X2V AB-AB LRX 1X2V AB-SB	LRX 1X3V AB-AB LRX 1X3V AB-SB
Satin Nickel 	Bright Steel Satin Steel	LRX 1X2V SN-BS LRX 1X2V SN-SS	LRX 1X3V SN-BS LRX 1X3V SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LRX 1X2V BK-BK LRX 1X2V BK-BS LRX 1X2V BK-PB	LRX 1X3V BK-BK LRX 1X3V BK-BS LRX 1X3V BK-PB

Hamilton® Linea-Rondo CFX®

Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LRX 4XTE BK-BS




<p>1 gang 250W/210VA Trailing Edge Multi-Way Dimmer</p> <p>Nominal Plate Size: 91 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 1XTE Product Code</p>	<p>2 gang 250W/210VA Trailing Edge Multi-Way Dimmer</p> <p>Nominal Plate Size: 91 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 2XTE Product Code</p>	<p>3 gang 250W/210VA Trailing Edge Multi-Way Dimmer</p> <p>Nominal Plate Size: 150 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 3XTE Product Code</p>	<p>4 gang 250W/210VA Trailing Edge Multi-Way Dimmer</p> <p>Nominal Plate Size: 150 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 4XTE Product Code</p>
--	--	---	---

Frame and Insert Finish	Plate Finish	1 gang 250W/210VA Trailing Edge Multi-Way Dimmer	2 gang 250W/210VA Trailing Edge Multi-Way Dimmer	3 gang 250W/210VA Trailing Edge Multi-Way Dimmer	4 gang 250W/210VA Trailing Edge Multi-Way Dimmer
Bright Chrome	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LRX 1XTE BC-BS LRX 1XTE BC-SS LRX 1XTE BC-PB LRX 1XTE BC-BK LRX 1XTE BC-N	LRX 2XTE BC-BS LRX 2XTE BC-SS LRX 2XTE BC-PB LRX 2XTE BC-BK LRX 2XTE BC-N	LRX 3XTE BC-BS LRX 3XTE BC-SS LRX 3XTE BC-PB LRX 3XTE BC-BK LRX 3XTE BC-N	LRX 4XTE BC-BS LRX 4XTE BC-SS LRX 4XTE BC-PB LRX 4XTE BC-BK LRX 4XTE BC-N
Polished Brass	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LRX 1XTE PB-PB LRX 1XTE PB-SB LRX 1XTE PB-AB LRX 1XTE PB-BS LRX 1XTE PB-SS	LRX 2XTE PB-PB LRX 2XTE PB-SB LRX 2XTE PB-AB LRX 2XTE PB-BS LRX 2XTE PB-SS	LRX 3XTE PB-PB LRX 3XTE PB-SB LRX 3XTE PB-AB LRX 3XTE PB-BS LRX 3XTE PB-SS	LRX 4XTE PB-PB LRX 4XTE PB-SB LRX 4XTE PB-AB LRX 4XTE PB-BS LRX 4XTE PB-SS
Satin Brass	Satin Brass Satin Steel	LRX 1XTE SB-SB LRX 1XTE SB-SS	LRX 2XTE SB-SB LRX 2XTE SB-SS	LRX 3XTE SB-SB LRX 3XTE SB-SS	LRX 4XTE SB-SB LRX 4XTE SB-SS
Antique Brass	Antique Brass Satin Brass	LRX 1XTE AB-AB LRX 1XTE AB-SB	LRX 2XTE AB-AB LRX 2XTE AB-SB	LRX 3XTE AB-AB LRX 3XTE AB-SB	LRX 4XTE AB-AB LRX 4XTE AB-SB
Satin Nickel	Bright Steel Satin Steel	LRX 1XTE SN-BS LRX 1XTE SN-SS	LRX 2XTE SN-BS LRX 2XTE SN-SS	LRX 3XTE SN-BS LRX 3XTE SN-SS	LRX 4XTE SN-BS LRX 4XTE SN-SS
Black Nickel	Black Nickel Bright Steel Polished Brass	LRX 1XTE BK-BK LRX 1XTE BK-BS LRX 1XTE BK-PB	LRX 2XTE BK-BK LRX 2XTE BK-BS LRX 2XTE BK-PB	LRX 3XTE BK-BK LRX 3XTE BK-BS LRX 3XTE BK-PB	LRX 4XTE BK-BK LRX 4XTE BK-BS LRX 4XTE BK-PB

Hamilton® Linea-Rondo CFX®

Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LRX 2XTM PB-PB B



<p>1 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer</p> <p>Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTM Product Code</p>	<p>2 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer</p> <p>Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTM Product Code</p>	<p>3 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer</p> <p>Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTM Product Code</p>	<p>4 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer</p> <p>Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTM Product Code</p>
--	--	---	---

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer	2 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer	3 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer	4 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer
Bright Chrome	Bright Steel Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	White Black White Black White Black Black	LRX 1XTM BC-BS W LRX 1XTM BC-BS B LRX 1XTM BC-SS W LRX 1XTM BC-SS B LRX 1XTM BC-PB W LRX 1XTM BC-PB B LRX 1XTM BC-BK B LRX 1XTM BC-N B	LRX 2XTM BC-BS W LRX 2XTM BC-BS B LRX 2XTM BC-SS W LRX 2XTM BC-SS B LRX 2XTM BC-PB W LRX 2XTM BC-PB B LRX 2XTM BC-BK B LRX 2XTM BC-N B	LRX 3XTM BC-BS W LRX 3XTM BC-BS B LRX 3XTM BC-SS W LRX 3XTM BC-SS B LRX 3XTM BC-PB W LRX 3XTM BC-PB B LRX 3XTM BC-BK B LRX 3XTM BC-N B	LRX 4XTM BC-BS W LRX 4XTM BC-BS B LRX 4XTM BC-SS W LRX 4XTM BC-SS B LRX 4XTM BC-PB W LRX 4XTM BC-PB B LRX 4XTM BC-BK B LRX 4XTM BC-N B
Polished Brass	Polished Brass Polished Brass Satin Brass Antique Brass Antique Brass Bright Steel Satin Steel	White Black White Black White Black White Black	LRX 1XTM PB-PB W LRX 1XTM PB-PB B LRX 1XTM PB-SB W LRX 1XTM PB-SB B LRX 1XTM PB-AB W LRX 1XTM PB-AB B LRX 1XTM PB-BS W LRX 1XTM PB-BS B LRX 1XTM PB-SS W LRX 1XTM PB-SS B	LRX 2XTM PB-PB W LRX 2XTM PB-PB B LRX 2XTM PB-SB W LRX 2XTM PB-SB B LRX 2XTM PB-AB W LRX 2XTM PB-AB B LRX 2XTM PB-BS W LRX 2XTM PB-BS B LRX 2XTM PB-SS W LRX 2XTM PB-SS B	LRX 3XTM PB-PB W LRX 3XTM PB-PB B LRX 3XTM PB-SB W LRX 3XTM PB-SB B LRX 3XTM PB-AB W LRX 3XTM PB-AB B LRX 3XTM PB-BS W LRX 3XTM PB-BS B LRX 3XTM PB-SS W LRX 3XTM PB-SS B	LRX 4XTM PB-PB W LRX 4XTM PB-PB B LRX 4XTM PB-SB W LRX 4XTM PB-SB B LRX 4XTM PB-AB W LRX 4XTM PB-AB B LRX 4XTM PB-BS W LRX 4XTM PB-BS B LRX 4XTM PB-SS W LRX 4XTM PB-SS B
Satin Brass	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LRX 1XTM SB-SB W LRX 1XTM SB-SB B LRX 1XTM SB-SS W LRX 1XTM SB-SS B	LRX 2XTM SB-SB W LRX 2XTM SB-SB B LRX 2XTM SB-SS W LRX 2XTM SB-SS B	LRX 3XTM SB-SB W LRX 3XTM SB-SB B LRX 3XTM SB-SS W LRX 3XTM SB-SS B	LRX 4XTM SB-SB W LRX 4XTM SB-SB B LRX 4XTM SB-SS W LRX 4XTM SB-SS B
Antique Brass	Antique Brass Satin Brass	Black Black	LRX 1XTM AB-AB B LRX 1XTM AB-SB B	LRX 2XTM AB-AB B LRX 2XTM AB-SB B	LRX 3XTM AB-AB B LRX 3XTM AB-SB B	LRX 4XTM AB-AB B LRX 4XTM AB-SB B
Satin Nickel	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LRX 1XTM SN-BS W LRX 1XTM SN-BS B LRX 1XTM SN-SS W LRX 1XTM SN-SS B	LRX 2XTM SN-BS W LRX 2XTM SN-BS B LRX 2XTM SN-SS W LRX 2XTM SN-SS B	LRX 3XTM SN-BS W LRX 3XTM SN-BS B LRX 3XTM SN-SS W LRX 3XTM SN-SS B	LRX 4XTM SN-BS W LRX 4XTM SN-BS B LRX 4XTM SN-SS W LRX 4XTM SN-SS B
Black Nickel	Black Nickel Bright Steel Polished Brass	Black Black Black	LRX 1XTM BK-BK B LRX 1XTM BK-BS B LRX 1XTM BK-PB B	LRX 2XTM BK-BK B LRX 2XTM BK-BS B LRX 2XTM BK-PB B	LRX 3XTM BK-BK B LRX 3XTM BK-BS B LRX 3XTM BK-PB B	LRX 4XTM BK-BK B LRX 4XTM BK-BS B LRX 4XTM BK-PB B

Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers. Note: Tungsten filament GU10 lamps must be branded and with a fused base.
 Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%. Note: When using mains voltage halogen load transformers - maximum rating is 210VA.



LRX 1XTS PB-BS W



1 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 91 x 91 mm
 Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **1XTS**
 Product Code



2 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 91 x 91 mm
 Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **2XTS**
 Product Code



3 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 150 x 91 mm
 Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **3XTS**
 Product Code



4 gang Multi-Way Touch Slave Controller


Nominal Plate Size: 150 x 91 mm
 Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **4XTS**
 Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang Multi-Way Touch Slave Controller	2 gang Multi-Way Touch Slave Controller	3 gang Multi-Way Touch Slave Controller	4 gang Multi-Way Touch Slave Controller
Bright Chrome	Bright Steel Bright Steel Satin Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black	LRX 1XTS BC-BS W LRX 1XTS BC-BS B LRX 1XTS BC-SS W LRX 1XTS BC-SS B LRX 1XTS BC-PB W LRX 1XTS BC-PB B LRX 1XTS BC-BK B LRX 1XTS BC-N B	LRX 2XTS BC-BS W LRX 2XTS BC-BS B LRX 2XTS BC-SS W LRX 2XTS BC-SS B LRX 2XTS BC-PB W LRX 2XTS BC-PB B LRX 2XTS BC-BK B LRX 2XTS BC-N B	LRX 3XTS BC-BS W LRX 3XTS BC-BS B LRX 3XTS BC-SS W LRX 3XTS BC-SS B LRX 3XTS BC-PB W LRX 3XTS BC-PB B LRX 3XTS BC-BK B LRX 3XTS BC-N B	LRX 4XTS BC-BS W LRX 4XTS BC-BS B LRX 4XTS BC-SS W LRX 4XTS BC-SS B LRX 4XTS BC-PB W LRX 4XTS BC-PB B LRX 4XTS BC-BK B LRX 4XTS BC-N B
Polished Brass	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black White Black White Black White Black	LRX 1XTS PB-PB W LRX 1XTS PB-PB B LRX 1XTS PB-SB W LRX 1XTS PB-SB B LRX 1XTS PB-AB W LRX 1XTS PB-AB B LRX 1XTS PB-BS W LRX 1XTS PB-BS B LRX 1XTS PB-SS W LRX 1XTS PB-SS B	LRX 2XTS PB-PB W LRX 2XTS PB-PB B LRX 2XTS PB-SB W LRX 2XTS PB-SB B LRX 2XTS PB-AB W LRX 2XTS PB-AB B LRX 2XTS PB-BS W LRX 2XTS PB-BS B LRX 2XTS PB-SS W LRX 2XTS PB-SS B	LRX 3XTS PB-PB W LRX 3XTS PB-PB B LRX 3XTS PB-SB W LRX 3XTS PB-SB B LRX 3XTS PB-AB W LRX 3XTS PB-AB B LRX 3XTS PB-BS W LRX 3XTS PB-BS B LRX 3XTS PB-SS W LRX 3XTS PB-SS B	LRX 4XTS PB-PB W LRX 4XTS PB-PB B LRX 4XTS PB-SB W LRX 4XTS PB-SB B LRX 4XTS PB-AB W LRX 4XTS PB-AB B LRX 4XTS PB-BS W LRX 4XTS PB-BS B LRX 4XTS PB-SS W LRX 4XTS PB-SS B
Satin Brass	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LRX 1XTS SB-SB W LRX 1XTS SB-SB B LRX 1XTS SB-SS W LRX 1XTS SB-SS B	LRX 2XTS SB-SB W LRX 2XTS SB-SB B LRX 2XTS SB-SS W LRX 2XTS SB-SS B	LRX 3XTS SB-SB W LRX 3XTS SB-SB B LRX 3XTS SB-SS W LRX 3XTS SB-SS B	LRX 4XTS SB-SB W LRX 4XTS SB-SB B LRX 4XTS SB-SS W LRX 4XTS SB-SS B
Antique Brass	Antique Brass Satin Brass	Black Black	LRX 1XTS AB-AB B LRX 1XTS AB-SB B	LRX 2XTS AB-AB B LRX 2XTS AB-SB B	LRX 3XTS AB-AB B LRX 3XTS AB-SB B	LRX 4XTS AB-AB B LRX 4XTS AB-SB B
Satin Nickel	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LRX 1XTS SN-BS W LRX 1XTS SN-BS B LRX 1XTS SN-SS W LRX 1XTS SN-SS B	LRX 2XTS SN-BS W LRX 2XTS SN-BS B LRX 2XTS SN-SS W LRX 2XTS SN-SS B	LRX 3XTS SN-BS W LRX 3XTS SN-BS B LRX 3XTS SN-SS W LRX 3XTS SN-SS B	LRX 4XTS SN-BS W LRX 4XTS SN-BS B LRX 4XTS SN-SS W LRX 4XTS SN-SS B
Black Nickel	Black Nickel Bright Steel Polished Brass	Black Black Black	LRX 1XTS BK-BK B LRX 1XTS BK-BS B LRX 1XTS BK-PB B	LRX 2XTS BK-BK B LRX 2XTS BK-BS B LRX 2XTS BK-PB B	LRX 3XTS BK-BK B LRX 3XTS BK-BS B LRX 3XTS BK-PB B	LRX 4XTS BK-BK B LRX 4XTS BK-BS B LRX 4XTS BK-PB B

Concealed Fixing EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



LRX EURO2 PB-PB



1 Module EuroFix Plate

Plate Size: 91 x 91 mm
 Aperture: 25 x 50 mm

Product Code



2 Module EuroFix Plate

Plate Size: 91 x 91 mm
 Aperture: 50 x 50 mm

Product Code



3 Module EuroFix Plate

Plate Size: 150 x 91 mm
 Aperture: 75 x 50 mm

Product Code



4 Module EuroFix Plate

Plate Size: 150 x 91 mm
 Aperture: 100 x 50 mm

Product Code

Frame Finish	Plate Finish	1 Module EuroFix Plate	2 Module EuroFix Plate	3 Module EuroFix Plate	4 Module EuroFix Plate
Bright Chrome	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LRX EURO1 BC-BS LRX EURO1 BC-SS LRX EURO1 BC-PB LRX EURO1 BC-BK LRX EURO1 BC-N	LRX EURO2 BC-BS LRX EURO2 BC-SS LRX EURO2 BC-PB LRX EURO2 BC-BK LRX EURO2 BC-N	LRX EURO3 BC-BS LRX EURO3 BC-SS LRX EURO3 BC-PB LRX EURO3 BC-BK LRX EURO3 BC-N	LRX EURO4 BC-BS LRX EURO4 BC-SS LRX EURO4 BC-PB LRX EURO4 BC-BK LRX EURO4 BC-N
Polished Brass	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LRX EURO1 PB-PB LRX EURO1 PB-SB LRX EURO1 PB-AB LRX EURO1 PB-BS LRX EURO1 PB-SS	LRX EURO2 PB-PB LRX EURO2 PB-SB LRX EURO2 PB-AB LRX EURO2 PB-BS LRX EURO2 PB-SS	LRX EURO3 PB-PB LRX EURO3 PB-SB LRX EURO3 PB-AB LRX EURO3 PB-BS LRX EURO3 PB-SS	LRX EURO4 PB-PB LRX EURO4 PB-SB LRX EURO4 PB-AB LRX EURO4 PB-BS LRX EURO4 PB-SS
Satin Brass	Satin Brass Satin Steel	LRX EURO1 SB-SB LRX EURO1 SB-SS	LRX EURO2 SB-SB LRX EURO2 SB-SS	LRX EURO3 SB-SB LRX EURO3 SB-SS	LRX EURO4 SB-SB LRX EURO4 SB-SS
Antique Brass	Antique Brass Satin Brass	LRX EURO1 AB-AB LRX EURO1 AB-SB	LRX EURO2 AB-AB LRX EURO2 AB-SB	LRX EURO3 AB-AB LRX EURO3 AB-SB	LRX EURO4 AB-AB LRX EURO4 AB-SB
Satin Nickel	Bright Steel Satin Steel	LRX EURO1 SN-BS LRX EURO1 SN-SS	LRX EURO2 SN-BS LRX EURO2 SN-SS	LRX EURO3 SN-BS LRX EURO3 SN-SS	LRX EURO4 SN-BS LRX EURO4 SN-SS
Black Nickel	Black Nickel Bright Steel Polished Brass	LRX EURO1 BK-BK LRX EURO1 BK-BS LRX EURO1 BK-PB	LRX EURO2 BK-BK LRX EURO2 BK-BS LRX EURO2 BK-PB	LRX EURO3 BK-BK LRX EURO3 BK-BS LRX EURO3 BK-PB	LRX EURO4 BK-BK LRX EURO4 BK-BS LRX EURO4 BK-PB

Hamilton® Linea-Rondo CFX®

Concealed Fixing Blank Plates



LRX BPD BC-N



Frame Finish	Plate Finish	Single Blank Plate Nom. Plate Size: 91 x 91 mm Product Code	Double Blank Plate Nom. Plate Size: 150 x 91 mm Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LRX BPS BC-BS LRX BPS BC-SS LRX BPS BC-PB LRX BPS BC-BK LRX BPS BC-N	LRX BPD BC-BS LRX BPD BC-SS LRX BPD BC-PB LRX BPD BC-BK LRX BPD BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LRX BPS PB-PB LRX BPS PB-SB LRX BPS PB-AB LRX BPS PB-BS LRX BPS PB-SS	LRX BPD PB-PB LRX BPD PB-SB LRX BPD PB-AB LRX BPD PB-BS LRX BPD PB-SS
Satin Brass 	Satin Brass Satin Steel	LRX BPS SB-SB LRX BPS SB-SS	LRX BPD SB-SB LRX BPD SB-SS
Antique Brass 	Antique Brass Satin Brass	LRX BPS AB-AB LRX BPS AB-SB	LRX BPD AB-AB LRX BPD AB-SB
Satin Nickel 	Bright Steel Satin Steel	LRX BPS SN-BS LRX BPS SN-SS	LRX BPD SN-BS LRX BPD SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LRX BPS BK-BK LRX BPS BK-BS LRX BPS BK-PB	LRX BPD BK-BK LRX BPD BK-BS LRX BPD BK-PB

Hamilton® Linea-Rondo CFX®






Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the GRID-IT insert fitted - please see the GRID-IT section for our complete range of inserts.



LRX 4GP SN-SS




Frame Finish	Plate Finish	1 gang Aperture Grid Fix Plate Nom. Plate Size: 91 x 91 mm Product Code	2 gang Aperture Grid Fix Plate Nom. Plate Size: 91 x 91 mm Product Code	3 gang Aperture Grid Fix Plate Nom. Plate Size: 150 x 91 mm Product Code	4 gang Aperture Grid Fix Plate Nom. Plate Size: 150 x 91 mm Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LRX 1GP BC-BS LRX 1GP BC-SS LRX 1GP BC-PB LRX 1GP BC-BK LRX 1GP BC-N	LRX 2GP BC-BS LRX 2GP BC-SS LRX 2GP BC-PB LRX 2GP BC-BK LRX 2GP BC-N	LRX 3GP BC-BS LRX 3GP BC-SS LRX 3GP BC-PB LRX 3GP BC-BK LRX 3GP BC-N	LRX 4GP BC-BS LRX 4GP BC-SS LRX 4GP BC-PB LRX 4GP BC-BK LRX 4GP BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LRX 1GP PB-PB LRX 1GP PB-SB LRX 1GP PB-AB LRX 1GP PB-BS LRX 1GP PB-SS	LRX 2GP PB-PB LRX 2GP PB-SB LRX 2GP PB-AB LRX 2GP PB-BS LRX 2GP PB-SS	LRX 3GP PB-PB LRX 3GP PB-SB LRX 3GP PB-AB LRX 3GP PB-BS LRX 3GP PB-SS	LRX 4GP PB-PB LRX 4GP PB-SB LRX 4GP PB-AB LRX 4GP PB-BS LRX 4GP PB-SS
Satin Brass 	Satin Brass Satin Steel	LRX 1GP SB-SB LRX 1GP SB-SS	LRX 2GP SB-SB LRX 2GP SB-SS	LRX 3GP SB-SB LRX 3GP SB-SS	LRX 4GP SB-SB LRX 4GP SB-SS
Antique Brass 	Antique Brass Satin Brass	LRX 1GP AB-AB LRX 1GP AB-SB	LRX 2GP AB-AB LRX 2GP AB-SB	LRX 3GP AB-AB LRX 3GP AB-SB	LRX 4GP AB-AB LRX 4GP AB-SB
Satin Nickel 	Bright Steel Satin Steel	LRX 1GP SN-BS LRX 1GP SN-SS	LRX 2GP SN-BS LRX 2GP SN-SS	LRX 3GP SN-BS LRX 3GP SN-SS	LRX 4GP SN-BS LRX 4GP SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LRX 1GP BK-BK LRX 1GP BK-BS LRX 1GP BK-PB	LRX 2GP BK-BK LRX 2GP BK-BS LRX 2GP BK-PB	LRX 3GP BK-BK LRX 3GP BK-BS LRX 3GP BK-PB	LRX 4GP BK-BK LRX 4GP BK-BS LRX 4GP BK-PB

Hamilton® Linea-Duo CFX®


Simple and elegant with a minimalist straight frame design

The Linea CFX® range comes in five different designs to suit either contemporary or classic interiors. Linea CFX® has a separate back frame and our patented four point face plate clipping system, allowing the option of matching or contrasting elements.


- Minimal depth and a modern look
- Seven stunning front plate finishes and six frame and insert finishes give a limitless choice of combinations
- Two-part frame and plate for 'mix and match'
- Concealed fixing
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)



Hamilton® *fashion, finish, function and flexibility*



LD 2X40 PB-BS



LD R21 BC-SS W




LD T22 PB-AB



LD SPN BC-BS W



LD C11 BC-SS W



LD R21 BK-N B

Hamilton® Linea-Duo CFX®

Select your choice of accessory finish from this Colourway Chart


Select the accessory required from the following pages overleaf

1. Select the required electrical accessory from the following pages. e.g. LD R21 = Linea-Duo CFX 1 gang 10AX 2 way Rocker Switch.
2. Using the Colour Chart above;
 - a. Select the required Frame Finish e.g. Bright Chrome = BC- - - -.
 - b. Select the required Front Plate Finish e.g. Satin Steel = - - -SS.
 - c. Select the required Insert Surround Colour e.g. White = - - - - - W.

Therefore a Linea-Duo CFX 1 gang 10AX 2 way Rocker Switch as illustrated below = LD R21 BC-SS W.

Frame and Insert Finish	Front Plate Finish						
	Polished Brass	Satin Brass	Antique Brass	Bright Steel	Satin Steel	Black Nickel	Piano Black
Bright Chrome Bright Chrome Frame, Matching Insert with White Surround							
Bright Chrome Frame, Matching Insert with Black Surround							
Polished Brass Polished Brass Frame, Matching Insert with White Surround							
Polished Brass Frame, Matching Insert with Black Surround							
Satin Brass Satin Brass Frame, Matching Insert with White Surround							
Satin Brass Frame, Matching Insert with Black Surround							
Antique Brass Antique Brass Frame, Matching Insert with Black Surround							
Satin Nickel Satin Nickel Frame, Matching Insert with White Surround							
Satin Nickel Frame, Matching Insert with Black Surround							
Black Nickel Black Nickel Frame, Matching Insert with Black Surround							

Illustration of Product Code configuration to order a Linea-Duo CFX LD R21 BC-SS W



Linea-Duo CFX R21 is a UK Registered Design Certificate No. 3021173.
Linea-Duo CFX SS2 is a UK Registered Design Certificate No. 3021174.
Linea-Duo CFX R21 is a Chinese Registered Design Certificate No. 542090.
Linea-Duo CFX SS2 is a Chinese Registered Design Certificate No. 569781.

Linea-Duo CFX R21 is an Indian Registered Design Certificate No. 465.
Linea-Duo CFX SS2 is an Indian Registered Design Certificate No. 464.


Concealed Fixing Rocker Switches



LD R24 BC-SS W

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Nominal Plate Size: 86 x 86 mm					
			1 gang 10AX 2 way Rocker	2 gang 10AX 2 way Rocker	3 gang 10AX 2 way Rocker	4 gang 10AX 2 way Rocker	6 gang 10AX 2 way Rocker	
			Min. Wall Box Depth: 25 mm	Min. Wall Box Depth: 25 mm	Min. Wall Box Depth: 25 mm	Min. Wall Box Depth: 25 mm	Min. Wall Box Depth: 25 mm	
			Technical Insert Reference: R21 Product Code	Technical Insert Reference: R22 Product Code	Technical Insert Reference: R23 Product Code	Technical Insert Reference: R24 Product Code	Technical Insert Reference: R26 Product Code	
Bright Chrome	Bright Steel	White	LD R21 BC-BS W	LD R22 BC-BS W	LD R23 BC-BS W	LD R24 BC-BS W	LD R26 BC-BS W	
	Bright Steel	Black	LD R21 BC-BS B	LD R22 BC-BS B	LD R23 BC-BS B	LD R24 BC-BS B	LD R26 BC-BS B	
	Satin Steel	White	LD R21 BC-SS W	LD R22 BC-SS W	LD R23 BC-SS W	LD R24 BC-SS W	LD R26 BC-SS W	
	Satin Steel	Black	LD R21 BC-SS B	LD R22 BC-SS B	LD R23 BC-SS B	LD R24 BC-SS B	LD R26 BC-SS B	
	Polished Brass	White	LD R21 BC-PB W	LD R22 BC-PB W	LD R23 BC-PB W	LD R24 BC-PB W	LD R26 BC-PB W	
	Polished Brass	Black	LD R21 BC-PB B	LD R22 BC-PB B	LD R23 BC-PB B	LD R24 BC-PB B	LD R26 BC-PB B	
	Black Nickel	Black	LD R21 BC-BK B	LD R22 BC-BK B	LD R23 BC-BK B	LD R24 BC-BK B	LD R26 BC-BK B	
Polished Brass	Piano Black	Black	LD R21 BC-N B	LD R22 BC-N B	LD R23 BC-N B	LD R24 BC-N B	LD R26 BC-N B	
	Polished Brass	White	LD R21 PB-PB W	LD R22 PB-PB W	LD R23 PB-PB W	LD R24 PB-PB W	LD R26 PB-PB W	
	Polished Brass	Black	LD R21 PB-PB B	LD R22 PB-PB B	LD R23 PB-PB B	LD R24 PB-PB B	LD R26 PB-PB B	
	Satin Brass	White	LD R21 PB-SB W	LD R22 PB-SB W	LD R23 PB-SB W	LD R24 PB-SB W	LD R26 PB-SB W	
	Satin Brass	Black	LD R21 PB-SB B	LD R22 PB-SB B	LD R23 PB-SB B	LD R24 PB-SB B	LD R26 PB-SB B	
	Antique Brass	White	LD R21 PB-AB W	LD R22 PB-AB W	LD R23 PB-AB W	LD R24 PB-AB W	LD R26 PB-AB W	
	Antique Brass	Black	LD R21 PB-AB B	LD R22 PB-AB B	LD R23 PB-AB B	LD R24 PB-AB B	LD R26 PB-AB B	
Satin Brass	Bright Steel	White	LD R21 PB-BS W	LD R22 PB-BS W	LD R23 PB-BS W	LD R24 PB-BS W	LD R26 PB-BS W	
	Bright Steel	Black	LD R21 PB-BS B	LD R22 PB-BS B	LD R23 PB-BS B	LD R24 PB-BS B	LD R26 PB-BS B	
	Satin Steel	White	LD R21 PB-SS W	LD R22 PB-SS W	LD R23 PB-SS W	LD R24 PB-SS W	LD R26 PB-SS W	
	Satin Steel	Black	LD R21 PB-SS B	LD R22 PB-SS B	LD R23 PB-SS B	LD R24 PB-SS B	LD R26 PB-SS B	
	Satin Brass	White	LD R21 SB-SB W	LD R22 SB-SB W	LD R23 SB-SB W	LD R24 SB-SB W	LD R26 SB-SB W	
	Satin Brass	Black	LD R21 SB-SB B	LD R22 SB-SB B	LD R23 SB-SB B	LD R24 SB-SB B	LD R26 SB-SB B	
	Satin Steel	White	LD R21 SB-SS W	LD R22 SB-SS W	LD R23 SB-SS W	LD R24 SB-SS W	LD R26 SB-SS W	
Antique Brass	Satin Steel	Black	LD R21 SB-SS B	LD R22 SB-SS B	LD R23 SB-SS B	LD R24 SB-SS B	LD R26 SB-SS B	
	Antique Brass	Black	LD R21 AB-AB B	LD R22 AB-AB B	LD R23 AB-AB B	LD R24 AB-AB B	LD R26 AB-AB B	
	Satin Brass	Black	LD R21 AB-SB B	LD R22 AB-SB B	LD R23 AB-SB B	LD R24 AB-SB B	LD R26 AB-SB B	
Satin Nickel	Bright Steel	White	LD R21 SN-BS W	LD R22 SN-BS W	LD R23 SN-BS W	LD R24 SN-BS W	LD R26 SN-BS W	
	Bright Steel	Black	LD R21 SN-BS B	LD R22 SN-BS B	LD R23 SN-BS B	LD R24 SN-BS B	LD R26 SN-BS B	
	Satin Steel	White	LD R21 SN-SS W	LD R22 SN-SS W	LD R23 SN-SS W	LD R24 SN-SS W	LD R26 SN-SS W	
	Satin Steel	Black	LD R21 SN-SS B	LD R22 SN-SS B	LD R23 SN-SS B	LD R24 SN-SS B	LD R26 SN-SS B	
Black Nickel	Black Nickel	Black	LD R21 BK-BK B	LD R22 BK-BK B	LD R23 BK-BK B	LD R24 BK-BK B	LD R26 BK-BK B	
	Bright Steel	Black	LD R21 BK-BS B	LD R22 BK-BS B	LD R23 BK-BS B	LD R24 BK-BS B	LD R26 BK-BS B	
	Polished Brass	Black	LD R21 BK-PB B	LD R22 BK-PB B	LD R23 BK-PB B	LD R24 BK-PB B	LD R26 BK-PB B	

Concealed Fixing Rocker Switches



LD TP PB-AB B

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Nominal Plate Size: 86 x 86 mm			
			1 gang 10AX Intermediate Rocker	2 gang 10AX Intermediate Rocker	1 gang 10AX Push To Make/Break Retractive Rocker	1 gang 10A Triple Pole Rocker
			Min. Wall Box Depth: 25 mm	Min. Wall Box Depth: 25 mm	Min. Wall Box Depth: 25 mm	Min. Wall Box Depth: 25 mm
			Technical Insert Reference: R31 Product Code	Technical Insert Reference: R32 Product Code	Technical Insert Reference: GRRT Product Code	Technical Insert Reference: TP Product Code
Bright Chrome	Bright Steel	White	LD R31 BC-BS W	LD R32 BC-BS W	LD RRT BC-BS W	LD TP BC-BS W
	Bright Steel	Black	LD R31 BC-BS B	LD R32 BC-BS B	LD RRT BC-BS B	LD TP BC-BS B
	Satin Steel	White	LD R31 BC-SS W	LD R32 BC-SS W	LD RRT BC-SS W	LD TP BC-SS W
	Satin Steel	Black	LD R31 BC-SS B	LD R32 BC-SS B	LD RRT BC-SS B	LD TP BC-SS B
	Polished Brass	White	LD R31 BC-PB W	LD R32 BC-PB W	LD RRT BC-PB W	LD TP BC-PB W
	Polished Brass	Black	LD R31 BC-PB B	LD R32 BC-PB B	LD RRT BC-PB B	LD TP BC-PB B
	Black Nickel	Black	LD R31 BC-BK B	LD R32 BC-BK B	LD RRT BC-BK B	LD TP BC-BK B
Polished Brass	Piano Black	Black	LD R31 BC-N B	LD R32 BC-N B	LD RRT BC-N B	LD TP BC-N B
	Polished Brass	White	LD R31 PB-PB W	LD R32 PB-PB W	LD RRT PB-PB W	LD TP PB-PB W
	Polished Brass	Black	LD R31 PB-PB B	LD R32 PB-PB B	LD RRT PB-PB B	LD TP PB-PB B
	Satin Brass	White	LD R31 PB-SB W	LD R32 PB-SB W	LD RRT PB-SB W	LD TP PB-SB W
	Satin Brass	Black	LD R31 PB-SB B	LD R32 PB-SB B	LD RRT PB-SB B	LD TP PB-SB B
	Antique Brass	White	LD R31 PB-AB W	LD R32 PB-AB W	LD RRT PB-AB W	LD TP PB-AB W
	Antique Brass	Black	LD R31 PB-AB B	LD R32 PB-AB B	LD RRT PB-AB B	LD TP PB-AB B
Satin Brass	Bright Steel	White	LD R31 PB-BS W	LD R32 PB-BS W	LD RRT PB-BS W	LD TP PB-BS W
	Bright Steel	Black	LD R31 PB-BS B	LD R32 PB-BS B	LD RRT PB-BS B	LD TP PB-BS B
	Satin Steel	White	LD R31 PB-SS W	LD R32 PB-SS W	LD RRT PB-SS W	LD TP PB-SS W
	Satin Steel	Black	LD R31 PB-SS B	LD R32 PB-SS B	LD RRT PB-SS B	LD TP PB-SS B
	Satin Brass	White	LD R31 SB-SB W	LD R32 SB-SB W	LD RRT SB-SB W	LD TP SB-SB W
	Satin Brass	Black	LD R31 SB-SB B	LD R32 SB-SB B	LD RRT SB-SB B	LD TP SB-SB B
	Satin Steel	White	LD R31 SB-SS W	LD R32 SB-SS W	LD RRT SB-SS W	LD TP SB-SS W
Antique Brass	Satin Steel	Black	LD R31 SB-SS B	LD R32 SB-SS B	LD RRT SB-SS B	LD TP SB-SS B
	Antique Brass	Black	LD R31 AB-AB B	LD R32 AB-AB B	LD RRT AB-AB B	LD TP AB-AB B
	Satin Brass	Black	LD R31 AB-SB B	LD R32 AB-SB B	LD RRT AB-SB B	LD TP AB-SB B
Satin Nickel	Bright Steel	White	LD R31 SN-BS W	LD R32 SN-BS W	LD RRT SN-BS W	LD TP SN-BS W
	Bright Steel	Black	LD R31 SN-BS B	LD R32 SN-BS B	LD RRT SN-BS B	LD TP SN-BS B
	Satin Steel	White	LD R31 SN-SS W	LD R32 SN-SS W	LD RRT SN-SS W	LD TP SN-SS W
	Satin Steel	Black	LD R31 SN-SS B	LD R32 SN-SS B	LD RRT SN-SS B	LD TP SN-SS B
Black Nickel	Black Nickel	Black	LD R31 BK-BK B	LD R32 BK-BK B	LD RRT BK-BK B	LD TP BK-BK B
	Bright Steel	Black	LD R31 BK-BS B	LD R32 BK-BS B	LD RRT BK-BS B	LD TP BK-BS B
	Polished Brass	Black	LD R31 BK-PB B	LD R32 BK-PB B	LD RRT BK-PB B	LD TP BK-PB B

Hamilton® Linea-Duo CFX®

Concealed Fixing Rocker Switches



LD R222 PB-BS W



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 20AX 2 way Rocker		2 gang 20AX 2 way Rocker		3 gang 20AX 2 way Rocker		4 gang 20AX 2 way Rocker		1 gang 20AX Intermediate Rocker		2 gang 20AX Intermediate Rocker	
			Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R212 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R222 Product Code	Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R232 Product Code	Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R242 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R312 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R322 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R312 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R322 Product Code				
Bright Chrome	Bright Steel	White	LD R212 BC-BS W	LD R222 BC-BS W	LD R232 BC-BS W	LD R242 BC-BS W	LD R312 BC-BS W	LD R322 BC-BS W	LD R212 BC-BS B	LD R222 BC-BS B	LD R232 BC-BS B	LD R242 BC-BS B	LD R312 BC-BS B	LD R322 BC-BS B
	Bright Steel	Black	LD R212 BC-SS W	LD R222 BC-SS W	LD R232 BC-SS W	LD R242 BC-SS W	LD R312 BC-SS W	LD R322 BC-SS W	LD R212 BC-PB W	LD R222 BC-PB W	LD R232 BC-PB W	LD R242 BC-PB W	LD R312 BC-PB W	LD R322 BC-PB W
	Satin Steel	White	LD R212 BC-SS B	LD R222 BC-SS B	LD R232 BC-SS B	LD R242 BC-SS B	LD R312 BC-SS B	LD R322 BC-SS B	LD R212 BC-PB B	LD R222 BC-PB B	LD R232 BC-PB B	LD R242 BC-PB B	LD R312 BC-PB B	LD R322 BC-PB B
	Satin Steel	Black	LD R212 BC-SB W	LD R222 BC-SB W	LD R232 BC-SB W	LD R242 BC-SB W	LD R312 BC-SB W	LD R322 BC-SB W	LD R212 BC-PB B	LD R222 BC-PB B	LD R232 BC-PB B	LD R242 BC-PB B	LD R312 BC-PB B	LD R322 BC-PB B
Polished Brass	Polished Brass	White	LD R212 BC-SB B	LD R222 BC-SB B	LD R232 BC-SB B	LD R242 BC-SB B	LD R312 BC-SB B	LD R322 BC-SB B	LD R212 BC-N B	LD R222 BC-N B	LD R232 BC-N B	LD R242 BC-N B	LD R312 BC-N B	LD R322 BC-N B
	Polished Brass	Black	LD R212 PB-PB W	LD R222 PB-PB W	LD R232 PB-PB W	LD R242 PB-PB W	LD R312 PB-PB W	LD R322 PB-PB W	LD R212 PB-PB B	LD R222 PB-PB B	LD R232 PB-PB B	LD R242 PB-PB B	LD R312 PB-PB B	LD R322 PB-PB B
	Satin Brass	White	LD R212 PB-SB W	LD R222 PB-SB W	LD R232 PB-SB W	LD R242 PB-SB W	LD R312 PB-SB W	LD R322 PB-SB W	LD R212 PB-AB W	LD R222 PB-AB W	LD R232 PB-AB W	LD R242 PB-AB W	LD R312 PB-AB W	LD R322 PB-AB W
	Satin Brass	Black	LD R212 PB-SB B	LD R222 PB-SB B	LD R232 PB-SB B	LD R242 PB-SB B	LD R312 PB-SB B	LD R322 PB-SB B	LD R212 PB-AB B	LD R222 PB-AB B	LD R232 PB-AB B	LD R242 PB-AB B	LD R312 PB-AB B	LD R322 PB-AB B
Satin Brass	Antique Brass	White	LD R212 PB-AB W	LD R222 PB-AB W	LD R232 PB-AB W	LD R242 PB-AB W	LD R312 PB-AB W	LD R322 PB-AB W	LD R212 PB-BS W	LD R222 PB-BS W	LD R232 PB-BS W	LD R242 PB-BS W	LD R312 PB-BS W	LD R322 PB-BS W
	Antique Brass	Black	LD R212 PB-AB B	LD R222 PB-AB B	LD R232 PB-AB B	LD R242 PB-AB B	LD R312 PB-AB B	LD R322 PB-AB B	LD R212 PB-BS B	LD R222 PB-BS B	LD R232 PB-BS B	LD R242 PB-BS B	LD R312 PB-BS B	LD R322 PB-BS B
	Bright Steel	White	LD R212 PB-SS W	LD R222 PB-SS W	LD R232 PB-SS W	LD R242 PB-SS W	LD R312 PB-SS W	LD R322 PB-SS W	LD R212 PB-SB W	LD R222 PB-SB W	LD R232 PB-SB W	LD R242 PB-SB W	LD R312 PB-SB W	LD R322 PB-SB W
	Bright Steel	Black	LD R212 PB-SS B	LD R222 PB-SS B	LD R232 PB-SS B	LD R242 PB-SS B	LD R312 PB-SS B	LD R322 PB-SS B	LD R212 SB-SB W	LD R222 SB-SB W	LD R232 SB-SB W	LD R242 SB-SB W	LD R312 SB-SB W	LD R322 SB-SB W
Satin Nickel	Satin Steel	White	LD R212 SB-SB B	LD R222 SB-SB B	LD R232 SB-SB B	LD R242 SB-SB B	LD R312 SB-SB B	LD R322 SB-SB B	LD R212 SB-SS W	LD R222 SB-SS W	LD R232 SB-SS W	LD R242 SB-SS W	LD R312 SB-SS W	LD R322 SB-SS W
	Satin Steel	Black	LD R212 SB-SS B	LD R222 SB-SS B	LD R232 SB-SS B	LD R242 SB-SS B	LD R312 SB-SS B	LD R322 SB-SS B	LD R212 SB-SS W	LD R222 SB-SS W	LD R232 SB-SS W	LD R242 SB-SS W	LD R312 SB-SS W	LD R322 SB-SS W
	Antique Brass	White	LD R212 AB-AB W	LD R222 AB-AB W	LD R232 AB-AB W	LD R242 AB-AB W	LD R312 AB-AB W	LD R322 AB-AB W	LD R212 SB-SS B	LD R222 SB-SS B	LD R232 SB-SS B	LD R242 SB-SS B	LD R312 SB-SS B	LD R322 SB-SS B
	Antique Brass	Black	LD R212 AB-AB B	LD R222 AB-AB B	LD R232 AB-AB B	LD R242 AB-AB B	LD R312 AB-AB B	LD R322 AB-AB B	LD R212 SN-BS W	LD R222 SN-BS W	LD R232 SN-BS W	LD R242 SN-BS W	LD R312 SN-BS W	LD R322 SN-BS W
Satin Nickel	Satin Steel	White	LD R212 AB-SS W	LD R222 AB-SS W	LD R232 AB-SS W	LD R242 AB-SS W	LD R312 AB-SS W	LD R322 AB-SS W	LD R212 SN-BS B	LD R222 SN-BS B	LD R232 SN-BS B	LD R242 SN-BS B	LD R312 SN-BS B	LD R322 SN-BS B
	Satin Steel	Black	LD R212 AB-SS B	LD R222 AB-SS B	LD R232 AB-SS B	LD R242 AB-SS B	LD R312 AB-SS B	LD R322 AB-SS B	LD R212 SN-SS W	LD R222 SN-SS W	LD R232 SN-SS W	LD R242 SN-SS W	LD R312 SN-SS W	LD R322 SN-SS W
	Antique Brass	White	LD R212 SN-BS W	LD R222 SN-BS W	LD R232 SN-BS W	LD R242 SN-BS W	LD R312 SN-BS W	LD R322 SN-BS W	LD R212 SN-SS B	LD R222 SN-SS B	LD R232 SN-SS B	LD R242 SN-SS B	LD R312 SN-SS B	LD R322 SN-SS B
	Antique Brass	Black	LD R212 SN-BS B	LD R222 SN-BS B	LD R232 SN-BS B	LD R242 SN-BS B	LD R312 SN-BS B	LD R322 SN-BS B	LD R212 SN-SS W	LD R222 SN-SS W	LD R232 SN-SS W	LD R242 SN-SS W	LD R312 SN-SS W	LD R322 SN-SS W
Black Nickel	Bright Steel	White	LD R212 SN-SS W	LD R222 SN-SS W	LD R232 SN-SS W	LD R242 SN-SS W	LD R312 SN-SS W	LD R322 SN-SS W	LD R212 BK-BK B	LD R222 BK-BK B	LD R232 BK-BK B	LD R242 BK-BK B	LD R312 BK-BK B	LD R322 BK-BK B
	Bright Steel	Black	LD R212 SN-SS B	LD R222 SN-SS B	LD R232 SN-SS B	LD R242 SN-SS B	LD R312 SN-SS B	LD R322 SN-SS B	LD R212 BK-BS B	LD R222 BK-BS B	LD R232 BK-BS B	LD R242 BK-BS B	LD R312 BK-BS B	LD R322 BK-BS B
	Satin Steel	White	LD R212 BK-BK W	LD R222 BK-BK W	LD R232 BK-BK W	LD R242 BK-BK W	LD R312 BK-BK W	LD R322 BK-BK W	LD R212 BK-PB B	LD R222 BK-PB B	LD R232 BK-PB B	LD R242 BK-PB B	LD R312 BK-PB B	LD R322 BK-PB B
	Satin Steel	Black	LD R212 BK-BK B	LD R222 BK-BK B	LD R232 BK-BK B	LD R242 BK-BK B	LD R312 BK-BK B	LD R322 BK-BK B	LD R212 BK-PB W	LD R222 BK-PB W	LD R232 BK-PB W	LD R242 BK-PB W	LD R312 BK-PB W	LD R322 BK-PB W

Hamilton® Linea-Duo CFX®

Concealed Fixing Toggle Switches



LD T22 PB-AB



Frame and Insert Finish	Plate Finish	1 gang 20AX 2 way Toggle		2 gang 20AX 2 way Toggle		3 gang 20AX 2 way Toggle		4 gang 20AX 2 way Toggle		1 gang 20AX Intermediate Toggle	
		Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T21 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T22 Product Code	Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T23 Product Code	Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T24 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T31 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T31 Product Code				
Bright Chrome	Bright Steel	LD T21 BC-BS	LD T22 BC-BS	LD T23 BC-BS	LD T24 BC-BS	LD T31 BC-BS	LD T31 BC-SS	LD T21 BC-PB	LD T22 BC-PB	LD T23 BC-PB	LD T24 BC-PB
	Satin Steel	LD T21 BC-SS	LD T22 BC-SS	LD T23 BC-SS	LD T24 BC-SS	LD T31 BC-SS	LD T31 BC-SB	LD T21 BC-BK	LD T22 BC-BK	LD T23 BC-BK	LD T24 BC-BK
	Polished Brass	LD T21 BC-N	LD T22 BC-N	LD T23 BC-N	LD T24 BC-N	LD T31 BC-N	LD T31 BK-BS	LD T21 BC-N	LD T22 BC-N	LD T23 BC-N	LD T24 BC-N
	Black Nickel	LD T21 BC-N	LD T22 BC-N	LD T23 BC-N	LD T24 BC-N	LD T31 BC-N	LD T31 BK-SS	LD T21 BC-N	LD T22 BC-N	LD T23 BC-N	LD T24 BC-N
Polished Brass	Polished Brass	LD T21 PB-PB	LD T22 PB-PB	LD T23 PB-PB	LD T24 PB-PB	LD T31 PB-PB	LD T31 PB-SS	LD T21 PB-SB	LD T22 PB-SB	LD T23 PB-SB	LD T24 PB-SB
	Satin Brass	LD T21 PB-SB	LD T22 PB-SB	LD T23 PB-SB	LD T24 PB-SB	LD T31 PB-SB	LD T31 PB-AB	LD T21 PB-AB	LD T22 PB-AB	LD T23 PB-AB	LD T24 PB-AB
	Antique Brass	LD T21 PB-AB	LD T22 PB-AB	LD T23 PB-AB	LD T24 PB-AB	LD T31 PB-AB	LD T31 PB-BS	LD T21 PB-BS	LD T22 PB-BS	LD T23 PB-BS	LD T24 PB-BS
	Bright Steel	LD T21 PB-BS	LD T22 PB-BS	LD T23 PB-BS	LD T24 PB-BS	LD T31 PB-BS	LD T31 PB-SS	LD T21 PB-SS	LD T22 PB-SS	LD T23 PB-SS	LD T24 PB-SS
Satin Brass	Satin Steel	LD T21 PB-SS	LD T22 PB-SS	LD T23 PB-SS	LD T24 PB-SS	LD T31 PB-SS	LD T31 SB-BS	LD T21 SB-SB	LD T22 SB-SB	LD T23 SB-SB	LD T24 SB-SB
	Satin Steel	LD T21 SB-SS	LD T22 SB-SS	LD T23 SB-SS	LD T24 SB-SS	LD T31 SB-SS	LD T31 SB-SS	LD T21 SB-SS	LD T22 SB-SS	LD T23 SB-SS	LD T24 SB-SS
	Antique Brass	LD T21 AB-AB	LD T22 AB-AB	LD T23 AB-AB	LD T24 AB-AB	LD T31 AB-AB	LD T31 AB-SS	LD T21 AB-AB	LD T22 AB-AB	LD T23 AB-AB	LD T24 AB-AB
	Antique Brass	LD T21 AB-SB	LD T22 AB-SB	LD T23 AB-SB	LD T24 AB-SB	LD T31 AB-SB	LD T31 SN-BS	LD T21 SN-BS	LD T22 SN-BS	LD T23 SN-BS	LD T24 SN-BS
Satin Nickel	Bright Steel	LD T21 SN-BS	LD T22 SN-BS	LD T23 SN-BS	LD T24 SN-BS	LD T31 SN-BS	LD T31 SN-SS	LD T21 SN-SS	LD T22 SN-SS	LD T23 SN-SS	LD T24 SN-SS
	Satin Steel	LD T21 SN-SS	LD T22 SN-SS	LD T23 SN-SS	LD T24 SN-SS	LD T31 SN-SS	LD T31 BK-BS	LD T21 BK-BS	LD T22 BK-BS	LD T23 BK-BS	LD T24 BK-BS
	Satin Steel	LD T21 BK-BK	LD T22 BK-BK	LD T23 BK-BK	LD T24 BK-BK	LD T31 BK-BK	LD T31 BK-PB	LD T21 BK-PB	LD T22 BK-PB	LD T23 BK-PB	LD T24 BK-PB
	Satin Steel	LD T21 BK-PB	LD T22 BK-PB	LD T23 BK-PB	LD T24 BK-PB	LD T31 BK-PB					

Concealed Fixing Key Switches



LD KEL BC-BC B










**1 gang
20AX 2 way
Key Switch**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **K21**
Product Code



**1 gang 20AX
2 way Key Switch
"EMG LTG TEST"**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **KEL**
Product Code

Frame Finish	Plate Finish	Insert Colour		
 Bright Chrome	Bright Steel	White	LD K21 BC-BS W	LD KEL BC-BS W
	Bright Steel	Black	LD K21 BC-BS B	LD KEL BC-BS B
	Satin Steel	White	LD K21 BC-SS W	LD KEL BC-SS W
	Satin Steel	Black	LD K21 BC-SS B	LD KEL BC-SS B
	Polished Brass	White	LD K21 BC-PB W	LD KEL BC-PB W
	Polished Brass	Black	LD K21 BC-PB B	LD KEL BC-PB B
	Black Nickel	Black	LD K21 BC-BK B	LD KEL BC-BK B
 Polished Brass	Piano Black	Black	LD K21 BC-N B	LD KEL BC-N B
	Polished Brass	White	LD K21 PB-PB W	LD KEL PB-PB W
	Polished Brass	Black	LD K21 PB-PB B	LD KEL PB-PB B
	Satin Brass	White	LD K21 PB-SB W	LD KEL PB-SB W
	Satin Brass	Black	LD K21 PB-SB B	LD KEL PB-SB B
	Antique Brass	White	LD K21 PB-AB W	LD KEL PB-AB W
	Antique Brass	Black	LD K21 PB-AB B	LD KEL PB-AB B
Bright Steel	White	LD K21 PB-BS W	LD KEL PB-BS W	
Bright Steel	Black	LD K21 PB-BS B	LD KEL PB-BS B	
 Satin Steel	Satin Steel	White	LD K21 PB-SS W	LD KEL PB-SS W
	Satin Steel	Black	LD K21 PB-SS B	LD KEL PB-SS B
	Satin Brass	White	LD K21 SB-SB W	LD KEL SB-SB W
	Satin Brass	Black	LD K21 SB-SB B	LD KEL SB-SB B
 Satin Brass	Satin Steel	White	LD K21 SB-SS W	LD KEL SB-SS W
	Satin Steel	Black	LD K21 SB-SS B	LD KEL SB-SS B
	Antique Brass	Black	LD K21 AB-AB B	LD KEL AB-AB B
	Satin Brass	Black	LD K21 AB-SB B	LD KEL AB-SB B
 Antique Brass	Satin Steel	White	LD K21 SN-BS W	LD KEL SN-BS W
	Bright Steel	Black	LD K21 SN-BS B	LD KEL SN-BS B
	Bright Steel	White	LD K21 SN-SS W	LD KEL SN-SS W
	Satin Steel	Black	LD K21 SN-SS B	LD KEL SN-SS B
 Satin Nickel	Bright Steel	White	LD K21 BK-BK B	LD KEL BK-BK B
	Bright Steel	Black	LD K21 BK-BS B	LD KEL BK-BS B
	Polished Brass	Black	LD K21 BK-PB B	LD KEL BK-PB B
 Black Nickel	Black Nickel	Black		
	Bright Steel	Black		
	Polished Brass	Black		

Concealed Fixing Hotel Card Switch with LED

Adjustable Time Delay 10 seconds - 5 minutes. Suitable for 44 mm and 54 mm width Hotel Key Cards.



LD C11 BC-SS W










**1 gang
10A (6AX)
On/Off with
Blue LED
Locator**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **C11**
Product Code



**1 gang
12-24V AC/DC +/-10%
On/Off with Blue LED
Locator (Suitable for
KNX BUS System)**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **CKNX**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour		
 Bright Chrome	Bright Steel	White	LD C11 BC-BS W	LD CKNX BC-BS W
	Bright Steel	Black	LD C11 BC-BS B	LD CKNX BC-BS B
	Satin Steel	White	LD C11 BC-SS W	LD CKNX BC-SS W
	Satin Steel	Black	LD C11 BC-SS B	LD CKNX BC-SS B
	Polished Brass	White	LD C11 BC-PB W	LD CKNX BC-PB W
	Polished Brass	Black	LD C11 BC-PB B	LD CKNX BC-PB B
	Piano Black	Black	LD C11 BC-N B	LD CKNX BC-N B
 Polished Brass	Polished Brass	White	LD C11 PB-PB W	LD CKNX PB-PB W
	Polished Brass	Black	LD C11 PB-PB B	LD CKNX PB-PB B
	Satin Brass	White	LD C11 PB-SB W	LD CKNX PB-SB W
	Satin Brass	Black	LD C11 PB-SB B	LD CKNX PB-SB B
	Antique Brass	White	LD C11 PB-AB W	LD CKNX PB-AB W
	Antique Brass	Black	LD C11 PB-AB B	LD CKNX PB-AB B
	Bright Steel	White	LD C11 PB-BS W	LD CKNX PB-BS W
Bright Steel	Black	LD C11 PB-BS B	LD CKNX PB-BS B	
 Satin Steel	Satin Steel	White	LD C11 PB-SS W	LD CKNX PB-SS W
	Satin Steel	Black	LD C11 PB-SS B	LD CKNX PB-SS B
	Satin Brass	White	LD C11 SB-SB W	LD CKNX SB-SB W
	Satin Brass	Black	LD C11 SB-SB B	LD CKNX SB-SB B
 Satin Brass	Satin Steel	White	LD C11 SB-SS W	LD CKNX SB-SS W
	Satin Steel	Black	LD C11 SB-SS B	LD CKNX SB-SS B
	Antique Brass	Black	LD C11 AB-AB B	LD CKNX AB-AB B
	Satin Brass	Black	LD C11 AB-SB B	LD CKNX AB-SB B
 Antique Brass	Satin Steel	White	LD C11 SN-BS W	LD CKNX SN-BS W
	Bright Steel	Black	LD C11 SN-BS B	LD CKNX SN-BS B
	Satin Steel	White	LD C11 SN-SS W	LD CKNX SN-SS W
	Satin Steel	Black	LD C11 SN-SS B	LD CKNX SN-SS B
 Satin Nickel	Bright Steel	White		
	Bright Steel	Black		
	Satin Steel	Black		
 Black Nickel	Black Nickel	Black	LD C11 BK-BK B	LD CKNX BK-BK B
	Bright Steel	Black	LD C11 BK-BS B	LD CKNX BK-BS B
	Polished Brass	Black	LD C11 BK-PB B	LD CKNX BK-PB B

Concealed Fixing Power Sockets



LD SS1 PB-PB B



1 gang 13A Double Pole Switched Socket

Nominal Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
Product Code



2 gang 13A Double Pole Switched Socket

Nominal Plate Size: 145 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS2**
Product Code



1 gang 2A Unswitched Socket

Nominal Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US2**
Product Code



1 gang 5A Unswitched Socket

Nominal Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US5**
Product Code



Shaver Dual Voltage Unswitched Socket

Nominal Plate Size: 86 x 145 mm
Min. Wall Box Depth: 47 mm
Technical Insert Reference: **SHS**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Product Code	Product Code	Product Code	Product Code	Product Code	
	Bright Steel	White	LD SS1 BC-BS W	LD SS2 BC-BS W	LD US2 BC-BS W	LD US5 BC-BS W	LD SHS BC-BS W	
	Bright Steel	Black	LD SS1 BC-BS B	LD SS2 BC-BS B	LD US2 BC-BS B	LD US5 BC-BS B	LD SHS BC-BS B	
	Satin Steel	White	LD SS1 BC-SS W	LD SS2 BC-SS W	LD US2 BC-SS W	LD US5 BC-SS W	LD SHS BC-SS W	
	Satin Steel	Black	LD SS1 BC-SS B	LD SS2 BC-SS B	LD US2 BC-SS B	LD US5 BC-SS B	LD SHS BC-SS B	
	Polished Brass	White	LD SS1 BC-PB W	LD SS2 BC-PB W	LD US2 BC-PB W	LD US5 BC-PB W	LD SHS BC-PB W	
	Polished Brass	Black	LD SS1 BC-PB B	LD SS2 BC-PB B	LD US2 BC-PB B	LD US5 BC-PB B	LD SHS BC-PB B	
	Black Nickel	Black	LD SS1 BC-BK B	LD SS2 BC-BK B	LD US2 BC-BK B	LD US5 BC-BK B	LD SHS BC-BK B	
	Piano Black	Black	LD SS1 BC-N B	LD SS2 BC-N B	LD US2 BC-N B	LD US5 BC-N B	LD SHS BC-N B	
		Polished Brass	White	LD SS1 PB-PB W	LD SS2 PB-PB W	LD US2 PB-PB W	LD US5 PB-PB W	LD SHS PB-PB W
		Polished Brass	Black	LD SS1 PB-PB B	LD SS2 PB-PB B	LD US2 PB-PB B	LD US5 PB-PB B	LD SHS PB-PB B
		Satin Brass	White	LD SS1 PB-SB W	LD SS2 PB-SB W	LD US2 PB-SB W	LD US5 PB-SB W	LD SHS PB-SB W
		Satin Brass	Black	LD SS1 PB-SB B	LD SS2 PB-SB B	LD US2 PB-SB B	LD US5 PB-SB B	LD SHS PB-SB B
Antique Brass		White	LD SS1 PB-AB W	LD SS2 PB-AB W	LD US2 PB-AB W	LD US5 PB-AB W	LD SHS PB-AB W	
Antique Brass		Black	LD SS1 PB-AB B	LD SS2 PB-AB B	LD US2 PB-AB B	LD US5 PB-AB B	LD SHS PB-AB B	
	Bright Steel	White	LD SS1 PB-BS W	LD SS2 PB-BS W	LD US2 PB-BS W	LD US5 PB-BS W	LD SHS PB-BS W	
	Bright Steel	Black	LD SS1 PB-BS B	LD SS2 PB-BS B	LD US2 PB-BS B	LD US5 PB-BS B	LD SHS PB-BS B	
	Satin Steel	White	LD SS1 PB-SS W	LD SS2 PB-SS W	LD US2 PB-SS W	LD US5 PB-SS W	LD SHS PB-SS W	
	Satin Steel	Black	LD SS1 PB-SS B	LD SS2 PB-SS B	LD US2 PB-SS B	LD US5 PB-SS B	LD SHS PB-SS B	
		Satin Brass	White	LD SS1 SB-SB W	LD SS2 SB-SB W	LD US2 SB-SB W	LD US5 SB-SB W	LD SHS SB-SB W
		Satin Brass	Black	LD SS1 SB-SB B	LD SS2 SB-SB B	LD US2 SB-SB B	LD US5 SB-SB B	LD SHS SB-SB B
Satin Steel		White	LD SS1 SB-SS W	LD SS2 SB-SS W	LD US2 SB-SS W	LD US5 SB-SS W	LD SHS SB-SS W	
Satin Steel		Black	LD SS1 SB-SS B	LD SS2 SB-SS B	LD US2 SB-SS B	LD US5 SB-SS B	LD SHS SB-SS B	
		Antique Brass	Black	LD SS1 AB-AB B	LD SS2 AB-AB B	LD US2 AB-AB B	LD US5 AB-AB B	LD SHS AB-AB B
		Satin Brass	Black	LD SS1 AB-SB B	LD SS2 AB-SB B	LD US2 AB-SB B	LD US5 AB-SB B	LD SHS AB-SB B
		Bright Steel	White	LD SS1 SN-BS W	LD SS2 SN-BS W	LD US2 SN-BS W	LD US5 SN-BS W	LD SHS SN-BS W
		Bright Steel	Black	LD SS1 SN-BS B	LD SS2 SN-BS B	LD US2 SN-BS B	LD US5 SN-BS B	LD SHS SN-BS B
		Satin Steel	White	LD SS1 SN-SS W	LD SS2 SN-SS W	LD US2 SN-SS W	LD US5 SN-SS W	LD SHS SN-SS W
		Satin Steel	Black	LD SS1 SN-SS B	LD SS2 SN-SS B	LD US2 SN-SS B	LD US5 SN-SS B	LD SHS SN-SS B
		Black Nickel	Black	LD SS1 BK-BK B	LD SS2 BK-BK B	LD US2 BK-BK B	LD US5 BK-BK B	LD SHS BK-BK B
		Bright Steel	Black	LD SS1 BK-BS B	LD SS2 BK-BS B	LD US2 BK-BS B	LD US5 BK-BS B	LD SHS BK-BS B
	Polished Brass	Black	LD SS1 BK-PB B	LD SS2 BK-PB B	LD US2 BK-PB B	LD US5 BK-PB B	LD SHS BK-PB B	

Concealed Fixing Power Sockets



LD 5320 BC-SS W



1 gang 16A German Unswitched Socket

Nominal Plate Size: 86 x 86 mm
Min. Wall Box Depth: 47 mm
Technical Insert Reference: **6126**
Product Code



1 gang 15A American Unswitched Socket

Nominal Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **5258**
Product Code



2 gang 15A American Unswitched Socket

Nominal Plate Size: 145 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **5320**
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	
	Bright Steel	White	LD 6126 BC-BS W	LD 5258 BC-BS W	LD 5320 BC-BS W	
	Bright Steel	Black	LD 6126 BC-BS B	LD 5258 BC-BS B	LD 5320 BC-BS B	
	Satin Steel	White	LD 6126 BC-SS W	LD 5258 BC-SS W	LD 5320 BC-SS W	
	Satin Steel	Black	LD 6126 BC-SS B	LD 5258 BC-SS B	LD 5320 BC-SS B	
	Polished Brass	White	LD 6126 BC-PB W	LD 5258 BC-PB W	LD 5320 BC-PB W	
	Polished Brass	Black	LD 6126 BC-PB B	LD 5258 BC-PB B	LD 5320 BC-PB B	
	Black Nickel	Black	LD 6126 BC-BK B	LD 5258 BC-BK B	LD 5320 BC-BK B	
	Piano Black	Black	LD 6126 BC-N B	LD 5258 BC-N B	LD 5320 BC-N B	
		Polished Brass	White	LD 6126 PB-PB W	LD 5258 PB-PB W	LD 5320 PB-PB W
		Polished Brass	Black	LD 6126 PB-PB B	LD 5258 PB-PB B	LD 5320 PB-PB B
		Satin Brass	White	LD 6126 PB-SB W	LD 5258 PB-SB W	LD 5320 PB-SB W
		Satin Brass	Black	LD 6126 PB-SB B	LD 5258 PB-SB B	LD 5320 PB-SB B
Antique Brass		White	LD 6126 PB-AB W	LD 5258 PB-AB W	LD 5320 PB-AB W	
Antique Brass		Black	LD 6126 PB-AB B	LD 5258 PB-AB B	LD 5320 PB-AB B	
	Bright Steel	White	LD 6126 PB-BS W	LD 5258 PB-BS W	LD 5320 PB-BS W	
	Bright Steel	Black	LD 6126 PB-BS B	LD 5258 PB-BS B	LD 5320 PB-BS B	
	Satin Steel	White	LD 6126 PB-SS W	LD 5258 PB-SS W	LD 5320 PB-SS W	
	Satin Steel	Black	LD 6126 PB-SS B	LD 5258 PB-SS B	LD 5320 PB-SS B	
		Satin Brass	White	LD 6126 SB-SB W	LD 5258 SB-SB W	LD 5320 SB-SB W
		Satin Brass	Black	LD 6126 SB-SB B	LD 5258 SB-SB B	LD 5320 SB-SB B
Satin Steel		White	LD 6126 SB-SS W	LD 5258 SB-SS W	LD 5320 SB-SS W	
Satin Steel		Black	LD 6126 SB-SS B	LD 5258 SB-SS B	LD 5320 SB-SS B	
		Antique Brass	Black	LD 6126 AB-AB B	LD 5258 AB-AB B	LD 5320 AB-AB B
		Satin Brass	Black	LD 6126 AB-SB B	LD 5258 AB-SB B	LD 5320 AB-SB B
		Bright Steel	White	LD 6126 SN-BS W	LD 5258 SN-BS W	LD 5320 SN-BS W
		Bright Steel	Black	LD 6126 SN-BS B	LD 5258 SN-BS B	LD 5320 SN-BS B
		Satin Steel	White	LD 6126 SN-SS W	LD 5258 SN-SS W	LD 5320 SN-SS W
		Satin Steel	Black	LD 6126 SN-SS B	LD 5258 SN-SS B	LD 5320 SN-SS B
		Black Nickel	Black	LD 6126 BK-BK B	LD 5258 BK-BK B	LD 5320 BK-BK B
		Bright Steel	Black	LD 6126 BK-BS B	LD 5258 BK-BS B	LD 5320 BK-BS B
	Polished Brass	Black	LD 6126 BK-PB B	LD 5258 BK-PB B	LD 5320 BK-PB B	



LD TVSAT BC-BK B



1 gang Non Isolated TV 1 In/1 Out
Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: TV
Product Code



Isolated TV/FM Diplexer 1 In/2 Out
Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: TVFM
Product Code



1 gang Isolated TV 1 In/1 Out
Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: TVI
Product Code



2 gang Non Isolated TV + Satellite 2 In/2 Out
Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: TVSAT
Product Code



1 gang Non Isolated Satellite
Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: SATN
Product Code



1 gang Isolated Satellite
Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: SATI
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	
	Bright Steel	White	LD TV BC-BS W	LD TVFM BC-BS W	LD TVI BC-BS W	LD TVSAT BC-BS W	LD SATN BC-BS W	LD SATI BC-BS W	
	Bright Steel	Black	LD TV BC-BS B	LD TVFM BC-BS B	LD TVI BC-BS B	LD TVSAT BC-BS B	LD SATN BC-BS B	LD SATI BC-BS B	
	Satin Steel	White	LD TV BC-SS W	LD TVFM BC-SS W	LD TVI BC-SS W	LD TVSAT BC-SS W	LD SATN BC-SS W	LD SATI BC-SS W	
	Satin Steel	Black	LD TV BC-SS B	LD TVFM BC-SS B	LD TVI BC-SS B	LD TVSAT BC-SS B	LD SATN BC-SS B	LD SATI BC-SS B	
	Polished Brass	White	LD TV BC-PB W	LD TVFM BC-PB W	LD TVI BC-PB W	LD TVSAT BC-PB W	LD SATN BC-PB W	LD SATI BC-PB W	
	Polished Brass	Black	LD TV BC-PB B	LD TVFM BC-PB B	LD TVI BC-PB B	LD TVSAT BC-PB B	LD SATN BC-PB B	LD SATI BC-PB B	
	Black Nickel	Black	LD TV BC-BK B	LD TVFM BC-BK B	LD TVI BC-BK B	LD TVSAT BC-BK B	LD SATN BC-BK B	LD SATI BC-BK B	
	Polished Brass	Black	LD TV BC-N B	LD TVFM BC-N B	LD TVI BC-N B	LD TVSAT BC-N B	LD SATN BC-N B	LD SATI BC-N B	
		Polished Brass	White	LD TV PB-PB W	LD TVFM PB-PB W	LD TVI PB-PB W	LD TVSAT PB-PB W	LD SATN PB-PB W	LD SATI PB-PB W
		Polished Brass	Black	LD TV PB-PB B	LD TVFM PB-PB B	LD TVI PB-PB B	LD TVSAT PB-PB B	LD SATN PB-PB B	LD SATI PB-PB B
Satin Brass		White	LD TV PB-SB W	LD TVFM PB-SB W	LD TVI PB-SB W	LD TVSAT PB-SB W	LD SATN PB-SB W	LD SATI PB-SB W	
Satin Brass		Black	LD TV PB-SB B	LD TVFM PB-SB B	LD TVI PB-SB B	LD TVSAT PB-SB B	LD SATN PB-SB B	LD SATI PB-SB B	
Antique Brass		White	LD TV PB-AB W	LD TVFM PB-AB W	LD TVI PB-AB W	LD TVSAT PB-AB W	LD SATN PB-AB W	LD SATI PB-AB W	
Antique Brass		Black	LD TV PB-AB B	LD TVFM PB-AB B	LD TVI PB-AB B	LD TVSAT PB-AB B	LD SATN PB-AB B	LD SATI PB-AB B	
Bright Steel		White	LD TV PB-BS W	LD TVFM PB-BS W	LD TVI PB-BS W	LD TVSAT PB-BS W	LD SATN PB-BS W	LD SATI PB-BS W	
Bright Steel		Black	LD TV PB-BS B	LD TVFM PB-BS B	LD TVI PB-BS B	LD TVSAT PB-BS B	LD SATN PB-BS B	LD SATI PB-BS B	
Satin Steel		White	LD TV PB-SS W	LD TVFM PB-SS W	LD TVI PB-SS W	LD TVSAT PB-SS W	LD SATN PB-SS W	LD SATI PB-SS W	
Satin Steel		Black	LD TV PB-SS B	LD TVFM PB-SS B	LD TVI PB-SS B	LD TVSAT PB-SS B	LD SATN PB-SS B	LD SATI PB-SS B	
	Satin Brass	White	LD TV SB-SB W	LD TVFM SB-SB W	LD TVI SB-SB W	LD TVSAT SB-SB W	LD SATN SB-SB W	LD SATI SB-SB W	
	Satin Brass	Black	LD TV SB-SB B	LD TVFM SB-SB B	LD TVI SB-SB B	LD TVSAT SB-SB B	LD SATN SB-SB B	LD SATI SB-SB B	
	Satin Steel	White	LD TV SB-SS W	LD TVFM SB-SS W	LD TVI SB-SS W	LD TVSAT SB-SS W	LD SATN SB-SS W	LD SATI SB-SS W	
	Satin Steel	Black	LD TV SB-SS B	LD TVFM SB-SS B	LD TVI SB-SS B	LD TVSAT SB-SS B	LD SATN SB-SS B	LD SATI SB-SS B	
	Antique Brass	Black	LD TV AB-AB B	LD TVFM AB-AB B	LD TVI AB-AB B	LD TVSAT AB-AB B	LD SATN AB-AB B	LD SATI AB-AB B	
	Satin Brass	Black	LD TV AB-SB B	LD TVFM AB-SB B	LD TVI AB-SB B	LD TVSAT AB-SB B	LD SATN AB-SB B	LD SATI AB-SB B	
	Bright Steel	White	LD TV SN-BS W	LD TVFM SN-BS W	LD TVI SN-BS W	LD TVSAT SN-BS W	LD SATN SN-BS W	LD SATI SN-BS W	
	Bright Steel	Black	LD TV SN-BS B	LD TVFM SN-BS B	LD TVI SN-BS B	LD TVSAT SN-BS B	LD SATN SN-BS B	LD SATI SN-BS B	
	Satin Steel	White	LD TV SN-SS W	LD TVFM SN-SS W	LD TVI SN-SS W	LD TVSAT SN-SS W	LD SATN SN-SS W	LD SATI SN-SS W	
	Satin Steel	Black	LD TV SN-SS B	LD TVFM SN-SS B	LD TVI SN-SS B	LD TVSAT SN-SS B	LD SATN SN-SS B	LD SATI SN-SS B	
	Black Nickel	Black	LD TV BK-BK B	LD TVFM BK-BK B	LD TVI BK-BK B	LD TVSAT BK-BK B	LD SATN BK-BK B	LD SATI BK-BK B	
	Bright Steel	Black	LD TV BK-BS B	LD TVFM BK-BS B	LD TVI BK-BS B	LD TVSAT BK-BS B	LD SATN BK-BS B	LD SATI BK-BS B	
	Polished Brass	Black	LD TV BK-PB B	LD TVFM BK-PB B	LD TVI BK-PB B	LD TVSAT BK-PB B	LD SATN BK-PB B	LD SATI BK-PB B	



LD DTRID BC-SS W



Non Isolated TV/FM/Satellite Triplexer 1In/3 Out
Nominal Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: DTRID
Product Code



1 gang Non Isolated TV (Female)
Nominal Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: DTVF
Product Code



1 gang Non Isolated TV (Male)
Nominal Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: DTMV
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	
	Bright Steel	White	LD DTRID BC-BS W	LD DTVF BC-BS W	LD DTMV BC-BS W	
	Bright Steel	Black	LD DTRID BC-BS B	LD DTVF BC-BS B	LD DTMV BC-BS B	
	Satin Steel	White	LD DTRID BC-SS W	LD DTVF BC-SS W	LD DTMV BC-SS W	
	Satin Steel	Black	LD DTRID BC-SS B	LD DTVF BC-SS B	LD DTMV BC-SS B	
	Polished Brass	White	LD DTRID BC-PB W	LD DTVF BC-PB W	LD DTMV BC-PB W	
	Polished Brass	Black	LD DTRID BC-PB B	LD DTVF BC-PB B	LD DTMV BC-PB B	
	Black Nickel	Black	LD DTRID BC-BK B	LD DTVF BC-BK B	LD DTMV BC-BK B	
	Polished Brass	Black	LD DTRID BC-N B	LD DTVF BC-N B	LD DTMV BC-N B	
		Polished Brass	White	LD DTRID PB-PB W	LD DTVF PB-PB W	LD DTMV PB-PB W
		Polished Brass	Black	LD DTRID PB-PB B	LD DTVF PB-PB B	LD DTMV PB-PB B
Satin Brass		White	LD DTRID PB-SB W	LD DTVF PB-SB W	LD DTMV PB-SB W	
Satin Brass		Black	LD DTRID PB-SB B	LD DTVF PB-SB B	LD DTMV PB-SB B	
Antique Brass		White	LD DTRID PB-AB W	LD DTVF PB-AB W	LD DTMV PB-AB W	
Antique Brass		Black	LD DTRID PB-AB B	LD DTVF PB-AB B	LD DTMV PB-AB B	
Bright Steel		White	LD DTRID PB-BS W	LD DTVF PB-BS W	LD DTMV PB-BS W	
Bright Steel		Black	LD DTRID PB-BS B	LD DTVF PB-BS B	LD DTMV PB-BS B	
Satin Steel		White	LD DTRID PB-SS W	LD DTVF PB-SS W	LD DTMV PB-SS W	
Satin Steel		Black	LD DTRID PB-SS B	LD DTVF PB-SS B	LD DTMV PB-SS B	
	Satin Brass	White	LD DTRID SB-SB W	LD DTVF SB-SB W	LD DTMV SB-SB W	
	Satin Brass	Black	LD DTRID SB-SB B	LD DTVF SB-SB B	LD DTMV SB-SB B	
	Satin Steel	White	LD DTRID SB-SS W	LD DTVF SB-SS W	LD DTMV SB-SS W	
	Antique Brass	Black	LD DTRID SB-SS B	LD DTVF SB-SS B	LD DTMV SB-SS B	
	Satin Steel	Black	LD DTRID SB-SS B	LD DTVF SB-SS B	LD DTMV SB-SS B	
	Bright Steel	White	LD DTRID SN-BS W	LD DTVF SN-BS W	LD DTMV SN-BS W	
	Bright Steel	Black	LD DTRID SN-BS B	LD DTVF SN-BS B	LD DTMV SN-BS B	
	Satin Steel	White	LD DTRID SN-SS W	LD DTVF SN-SS W	LD DTMV SN-SS W	
	Satin Steel	Black	LD DTRID SN-SS B	LD DTVF SN-SS B	LD DTMV SN-SS B	
	Black Nickel	Black	LD DTRID BK-BK B	LD DTVF BK-BK B	LD DTMV BK-BK B	
	Bright Steel	Black	LD DTRID BK-BS B	LD DTVF BK-BS B	LD DTMV BK-BS B	
	Polished Brass	Black	LD DTRID BK-PB B	LD DTVF BK-PB B	LD DTMV BK-PB B	

Hamilton Linea-Duo CFX®

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



LD DSAT BC-SS B



1 gang Non Isolated Satellite

Nominal Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **DSAT**

Product Code



Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out

Nominal Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **DENT**

Product Code



Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer + TVF + TCS


Nominal Plate Size: 145 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **DSAT+**

Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code
Bright Chrome 	Bright Steel	White	LD DSAT BC-BS W	LD DENT BC-BS W	LD DSAT+ BC-BS W
	Bright Steel	Black	LD DSAT BC-BS B	LD DENT BC-BS B	LD DSAT+ BC-BS B
	Satin Steel	White	LD DSAT BC-SS W	LD DENT BC-SS W	LD DSAT+ BC-SS W
	Satin Steel	Black	LD DSAT BC-SS B	LD DENT BC-SS B	LD DSAT+ BC-SS B
Polished Brass 	Polished Brass	White	LD DSAT BC-PB W	LD DENT BC-PB W	LD DSAT+ BC-PB W
	Polished Brass	Black	LD DSAT BC-PB B	LD DENT BC-PB B	LD DSAT+ BC-PB B
	Satin Brass	White	LD DSAT BC-BK W	LD DENT BC-BK W	LD DSAT+ BC-BK W
	Satin Brass	Black	LD DSAT BC-BK B	LD DENT BC-BK B	LD DSAT+ BC-BK B
Satin Brass 	Satin Brass	White	LD DSAT BC-N B	LD DENT BC-N B	LD DSAT+ BC-N B
	Satin Brass	Black			
	Satin Steel	White			
	Satin Steel	Black			
Antique Brass 	Antique Brass	White	LD DSAT PB-PB W	LD DENT PB-PB W	LD DSAT+ PB-PB W
	Antique Brass	Black	LD DSAT PB-PB B	LD DENT PB-PB B	LD DSAT+ PB-PB B
	Satin Brass	White	LD DSAT PB-SB W	LD DENT PB-SB W	LD DSAT+ PB-SB W
	Satin Brass	Black	LD DSAT PB-SB B	LD DENT PB-SB B	LD DSAT+ PB-SB B
Satin Nickel 	Satin Brass	White	LD DSAT PB-AB W	LD DENT PB-AB W	LD DSAT+ PB-AB W
	Satin Brass	Black	LD DSAT PB-AB B	LD DENT PB-AB B	LD DSAT+ PB-AB B
	Satin Steel	White	LD DSAT PB-BS W	LD DENT PB-BS W	LD DSAT+ PB-BS W
	Satin Steel	Black	LD DSAT PB-BS B	LD DENT PB-BS B	LD DSAT+ PB-BS B
Black Nickel 	Antique Brass	White	LD DSAT PB-SS W	LD DENT PB-SS W	LD DSAT+ PB-SS W
	Antique Brass	Black	LD DSAT PB-SS B	LD DENT PB-SS B	LD DSAT+ PB-SS B
	Satin Steel	White			
	Satin Steel	Black			
Black Nickel 	Antique Brass	White	LD DSAT SB-SB W	LD DENT SB-SB W	LD DSAT+ SB-SB W
	Antique Brass	Black	LD DSAT SB-SB B	LD DENT SB-SB B	LD DSAT+ SB-SB B
	Satin Steel	White	LD DSAT SB-SS W	LD DENT SB-SS W	LD DSAT+ SB-SS W
	Satin Steel	Black	LD DSAT SB-SS B	LD DENT SB-SS B	LD DSAT+ SB-SS B
Black Nickel 	Antique Brass	White	LD DSAT AB-AB W	LD DENT AB-AB B	LD DSAT+ AB-AB B
	Antique Brass	Black	LD DSAT AB-AB B	LD DENT AB-AB B	LD DSAT+ AB-AB B
	Satin Steel	White			
	Satin Steel	Black			
Black Nickel 	Antique Brass	White	LD DSAT SN-BS W	LD DENT SN-BS W	LD DSAT+ SN-BS W
	Antique Brass	Black	LD DSAT SN-BS B	LD DENT SN-BS B	LD DSAT+ SN-BS B
	Satin Steel	White	LD DSAT SN-SS W	LD DENT SN-SS W	LD DSAT+ SN-SS W
	Satin Steel	Black	LD DSAT SN-SS B	LD DENT SN-SS B	LD DSAT+ SN-SS B
Black Nickel 	Antique Brass	White	LD DSATN BK-PB B	LD DENT BK-PB B	LD DSAT+ BK-PB B
	Antique Brass	Black			
	Satin Steel	White			
	Satin Steel	Black			

Hamilton Linea-Duo CFX®

Concealed Fixing Telephone and Data Outlets



LD 2J12 PB-BS B



1 gang Telephone Master
Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **TCM**

Product Code



1 gang Telephone Slave
Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **TCS**

Product Code



1 gang RJ12 Outlet Unshielded
Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **J12**

Product Code



2 gang RJ12 Outlet Unshielded
Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **2J12**

Product Code



1 gang RJ45 CAT 5E Outlet Unshielded
Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **J45**

Product Code



2 gang RJ45 CAT 5E Outlet Unshielded
Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **2J45**

Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
Bright Chrome 	Bright Steel	White	LD TCM BC-BS W	LD TCS BC-BS W	LD J12 BC-BS W	LD 2J12 BC-BS W	LD J45 BC-BS W	LD 2J45 BC-BS W	LD 2J45 BC-BS W
	Bright Steel	Black	LD TCM BC-BS B	LD TCS BC-BS B	LD J12 BC-BS B	LD 2J12 BC-BS B	LD J45 BC-BS B	LD 2J45 BC-BS B	LD 2J45 BC-BS B
	Satin Steel	White	LD TCM BC-SS W	LD TCS BC-SS W	LD J12 BC-SS W	LD 2J12 BC-SS W	LD J45 BC-SS W	LD 2J45 BC-SS W	LD 2J45 BC-SS W
	Satin Steel	Black	LD TCM BC-SS B	LD TCS BC-SS B	LD J12 BC-SS B	LD 2J12 BC-SS B	LD J45 BC-SS B	LD 2J45 BC-SS B	LD 2J45 BC-SS B
Polished Brass 	Polished Brass	White	LD TCM BC-PB W	LD TCS BC-PB W	LD J12 BC-PB W	LD 2J12 BC-PB W	LD J45 BC-PB W	LD 2J45 BC-PB W	LD 2J45 BC-PB W
	Polished Brass	Black	LD TCM BC-PB B	LD TCS BC-PB B	LD J12 BC-PB B	LD 2J12 BC-PB B	LD J45 BC-PB B	LD 2J45 BC-PB B	LD 2J45 BC-PB B
	Satin Brass	White	LD TCM BC-BK W	LD TCS BC-BK W	LD J12 BC-BK W	LD 2J12 BC-BK W	LD J45 BC-BK W	LD 2J45 BC-BK W	LD 2J45 BC-BK W
	Satin Brass	Black	LD TCM BC-BK B	LD TCS BC-BK B	LD J12 BC-BK B	LD 2J12 BC-BK B	LD J45 BC-BK B	LD 2J45 BC-BK B	LD 2J45 BC-BK B
Satin Brass 	Polished Brass	White	LD TCM BC-N B	LD TCS BC-N B	LD J12 BC-N B	LD 2J12 BC-N B	LD J45 BC-N B	LD 2J45 BC-N B	LD 2J45 BC-N B
	Polished Brass	Black							
	Satin Brass	White							
	Satin Brass	Black							
Antique Brass 	Polished Brass	White	LD TCM PB-PB W	LD TCS PB-PB W	LD J12 PB-PB W	LD 2J12 PB-PB W	LD J45 PB-PB W	LD 2J45 PB-PB W	LD 2J45 PB-PB W
	Polished Brass	Black	LD TCM PB-PB B	LD TCS PB-PB B	LD J12 PB-PB B	LD 2J12 PB-PB B	LD J45 PB-PB B	LD 2J45 PB-PB B	LD 2J45 PB-PB B
	Satin Brass	White	LD TCM PB-SB W	LD TCS PB-SB W	LD J12 PB-SB W	LD 2J12 PB-SB W	LD J45 PB-SB W	LD 2J45 PB-SB W	LD 2J45 PB-SB W
	Satin Brass	Black	LD TCM PB-SB B	LD TCS PB-SB B	LD J12 PB-SB B	LD 2J12 PB-SB B	LD J45 PB-SB B	LD 2J45 PB-SB B	LD 2J45 PB-SB B
Satin Nickel 	Antique Brass	White	LD TCM PB-AB W	LD TCS PB-AB W	LD J12 PB-AB W	LD 2J12 PB-AB W	LD J45 PB-AB W	LD 2J45 PB-AB W	LD 2J45 PB-AB W
	Antique Brass	Black	LD TCM PB-AB B	LD TCS PB-AB B	LD J12 PB-AB B	LD 2J12 PB-AB B	LD J45 PB-AB B	LD 2J45 PB-AB B	LD 2J45 PB-AB B
	Satin Brass	White	LD TCM PB-BS W	LD TCS PB-BS W	LD J12 PB-BS W	LD 2J12 PB-BS W	LD J45 PB-BS W	LD 2J45 PB-BS W	LD 2J45 PB-BS W
	Satin Brass	Black	LD TCM PB-BS B	LD TCS PB-BS B	LD J12 PB-BS B	LD 2J12 PB-BS B	LD J45 PB-BS B	LD 2J45 PB-BS B	LD 2J45 PB-BS B
Black Nickel 	Antique Brass	White	LD TCM PB-SS W	LD TCS PB-SS W	LD J12 PB-SS W	LD 2J12 PB-SS W	LD J45 PB-SS W	LD 2J45 PB-SS W	LD 2J45 PB-SS W
	Antique Brass	Black	LD TCM PB-SS B	LD TCS PB-SS B	LD J12 PB-SS B	LD 2J12 PB-SS B	LD J45 PB-SS B	LD 2J45 PB-SS B	LD 2J45 PB-SS B
	Satin Steel	White							
	Satin Steel	Black							
Black Nickel 	Antique Brass	White	LD TCM SB-SB W	LD TCS SB-SB W	LD J12 SB-SB W	LD 2J12 SB-SB W	LD J45 SB-SB W	LD 2J45 SB-SB W	LD 2J45 SB-SB W
	Antique Brass	Black	LD TCM SB-SB B	LD TCS SB-SB B	LD J12 SB-SB B	LD 2J12 SB-SB B	LD J45 SB-SB B	LD 2J45 SB-SB B	LD 2J45 SB-SB B
	Satin Steel	White	LD TCM SB-SS W	LD TCS SB-SS W	LD J12 SB-SS W	LD 2J12 SB-SS W	LD J45 SB-SS W	LD 2J45 SB-SS W	LD 2J45 SB-SS W
	Satin Steel	Black	LD TCM SB-SS B	LD TCS SB-SS B	LD J12 SB-SS B	LD 2J12 SB-SS B	LD J45 SB-SS B	LD 2J45 SB-SS B	LD 2J45 SB-SS B
Black Nickel 	Antique Brass	White	LD TCM AB-AB W	LD TCS AB-AB W	LD J12 AB-AB W	LD 2J12 AB-AB W	LD J45 AB-AB W	LD 2J45 AB-AB W	LD 2J45 AB-AB W
	Antique Brass	Black	LD TCM AB-AB B	LD TCS AB-AB B	LD J12 AB-AB B	LD 2J12 AB-AB B	LD J45 AB-AB B	LD 2J45 AB-AB B	LD 2J45 AB-AB B
	Satin Steel	White							
	Satin Steel	Black							
Black Nickel 	Antique Brass	White	LD TCM SN-BS W	LD TCS SN-BS W	LD J12 SN-BS W	LD 2J12 SN-BS W	LD J45 SN-BS W	LD 2J45 SN-BS W	LD 2J45 SN-BS W
	Antique Brass	Black	LD TCM SN-BS B	LD TCS SN-BS B	LD J12 SN-BS B	LD 2J12 SN-BS B	LD J45 SN-BS B	LD 2J45 SN-BS B	LD 2J45 SN-BS B
	Satin Steel	White	LD TCM SN-SS W	LD TCS SN-SS W	LD J12 SN-SS W	LD 2J12 SN-SS W	LD J45 SN-SS W	LD 2J45 SN-SS W	LD 2J45 SN-SS W
	Satin Steel	Black	LD TCM SN-SS B	LD TCS SN-SS B	LD J12 SN-SS B	LD 2J12 SN-SS B	LD J45 SN-SS B	LD 2J45 SN-SS B	LD 2J45 SN-SS B
Black Nickel 	Antique Brass	White	LD TCM BK-BK W	LD TCS BK-BK W	LD J12 BK-BK W	LD 2J12 BK-BK W	LD J45 BK-BK W	LD 2J45 BK-BK W	LD 2J45 BK-BK W
	Antique Brass	Black	LD TCM BK-BK B	LD TCS BK-BK B	LD J12 BK-BK B	LD 2J12 BK-BK B	LD J45 BK-BK B	LD 2J45 BK-BK B	LD 2J45 BK-BK B
	Satin Steel	White							
	Satin Steel	Black							

Hamilton® Linea-Duo cfx®

Concealed Fixing Double Pole Switches



LD 45SS1 BC-N B



**1 gang 20AX
Double Pole
Rocker + Neon**

Nominal Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DPN**
Product Code



**1 gang 45A
Double Pole
Red Rocker + Neon**

Nominal Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **45N**
Product Code



**45A Double Pole
Red Rocker + Neon +
13A Switched Socket**

Nominal Plate Size:
145 x 86 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **45SS1**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Technical Insert Reference: DPN Product Code	Technical Insert Reference: 45N Product Code	Technical Insert Reference: 45SS1 Product Code
	Bright Steel	White	LD DPN BC-BS W	LD 45N BC-BS W	LD 45SS1 BC-BS W
	Bright Steel	Black	LD DPN BC-BS B	LD 45N BC-BS B	LD 45SS1 BC-BS B
	Satin Steel	White	LD DPN BC-SS W	LD 45N BC-SS W	LD 45SS1 BC-SS W
	Satin Steel	Black	LD DPN BC-SS B	LD 45N BC-SS B	LD 45SS1 BC-SS B
	Polished Brass	White	LD DPN BC-PB W	LD 45N BC-PB W	LD 45SS1 BC-PB W
	Polished Brass	Black	LD DPN BC-PB B	LD 45N BC-PB B	LD 45SS1 BC-PB B
	Black Nickel	Black	LD DPN BC-BK B	LD 45N BC-BK B	LD 45SS1 BC-BK B
	Piano Black	Black	LD DPN BC-N B	LD 45N BC-N B	LD 45SS1 BC-N B
	Polished Brass	White	LD DPN PB-PB W	LD 45N PB-PB W	LD 45SS1 PB-PB W
	Polished Brass	Black	LD DPN PB-PB B	LD 45N PB-PB B	LD 45SS1 PB-PB B
	Satin Brass	White	LD DPN PB-SB W	LD 45N PB-SB W	LD 45SS1 PB-SB W
	Satin Brass	Black	LD DPN PB-SB B	LD 45N PB-SB B	LD 45SS1 PB-SB B
	Antique Brass	White	LD DPN PB-AB W	LD 45N PB-AB W	LD 45SS1 PB-AB W
	Antique Brass	Black	LD DPN PB-AB B	LD 45N PB-AB B	LD 45SS1 PB-AB B
Bright Steel	White	LD DPN PB-BS W	LD 45N PB-BS W	LD 45SS1 PB-BS W	
	Bright Steel	Black	LD DPN PB-BS B	LD 45N PB-BS B	LD 45SS1 PB-BS B
	Satin Steel	White	LD DPN PB-SS W	LD 45N PB-SS W	LD 45SS1 PB-SS W
	Satin Steel	Black	LD DPN PB-SS B	LD 45N PB-SS B	LD 45SS1 PB-SS B
	Satin Brass	White	LD DPN SB-SB W	LD 45N SB-SB W	LD 45SS1 SB-SB W
	Satin Brass	Black	LD DPN SB-SB B	LD 45N SB-SB B	LD 45SS1 SB-SB B
	Satin Steel	White	LD DPN SB-SS W	LD 45N SB-SS W	LD 45SS1 SB-SS W
	Satin Steel	Black	LD DPN SB-SS B	LD 45N SB-SS B	LD 45SS1 SB-SS B
	Antique Brass	Black	LD DPN AB-AB B	LD 45N AB-AB B	LD 45SS1 AB-AB B
	Satin Brass	Black	LD DPN AB-SB B	LD 45N AB-SB B	LD 45SS1 AB-SB B
	Bright Steel	White	LD DPN SN-BS W	LD 45N SN-BS W	LD 45SS1 SN-BS W
	Bright Steel	Black	LD DPN SN-BS B	LD 45N SN-BS B	LD 45SS1 SN-BS B
	Satin Steel	White	LD DPN SN-SS W	LD 45N SN-SS W	LD 45SS1 SN-SS W
	Satin Steel	Black	LD DPN SN-SS B	LD 45N SN-SS B	LD 45SS1 SN-SS B
	Black Nickel	Black	LD DPN BK-BK B	LD 45N BK-BK B	LD 45SS1 BK-BK B
	Bright Steel	Black	LD DPN BK-BS B	LD 45N BK-BS B	LD 45SS1 BK-BS B
	Polished Brass	Black	LD DPN BK-PB B	LD 45N BK-PB B	LD 45SS1 BK-PB B

Hamilton® Linea-Duo cfx®

Concealed Fixing Connection Units



LD SPN BC-SS W



**1 gang 13A
Double Pole
Fused Spur + Neon**

Nominal Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **SPN**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Technical Insert Reference: SPN Product Code
	Bright Steel	White	LD SPN BC-BS W
	Bright Steel	Black	LD SPN BC-BS B
	Satin Steel	White	LD SPN BC-SS W
	Satin Steel	Black	LD SPN BC-SS B
	Polished Brass	White	LD SPN BC-PB W
	Polished Brass	Black	LD SPN BC-PB B
	Black Nickel	Black	LD SPN BC-BK B
	Piano Black	Black	LD SPN BC-N B
	Polished Brass	White	LD SPN PB-PB W
	Polished Brass	Black	LD SPN PB-PB B
	Satin Brass	White	LD SPN PB-SB W
	Satin Brass	Black	LD SPN PB-SB B
	Antique Brass	White	LD SPN PB-AB W
	Antique Brass	Black	LD SPN PB-AB B
Bright Steel	White	LD SPN PB-BS W	
	Bright Steel	Black	LD SPN PB-BS B
	Satin Steel	White	LD SPN PB-SS W
	Satin Steel	Black	LD SPN PB-SS B
	Satin Brass	White	LD SPN SB-SB W
	Satin Brass	Black	LD SPN SB-SB B
	Satin Steel	White	LD SPN SB-SS W
	Satin Steel	Black	LD SPN SB-SS B
	Antique Brass	Black	LD SPN AB-AB B
	Satin Brass	Black	LD SPN AB-SB B
	Bright Steel	White	LD SPN SN-BS W
	Bright Steel	Black	LD SPN SN-BS B
	Satin Steel	White	LD SPN SN-SS W
	Satin Steel	Black	LD SPN SN-SS B
	Black Nickel	Black	LD SPN BK-BK B
	Bright Steel	Black	LD SPN BK-BS B
	Polished Brass	Black	LD SPN BK-PB B



LD FN BC-PB R



**1 gang 13A
Fuse with
Red Neon Halo**

Nominal Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **FN**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Technical Insert Reference: FN Product Code
	Bright Steel	Red Halo	LD FN BC-BS R
	Satin Steel	Red Halo	LD FN BC-SS R
	Polished Brass	Red Halo	LD FN BC-PB R
	Black Nickel	Red Halo	LD FN BC-BK R
	Piano Black	Red Halo	LD FN BC-N R
	Polished Brass	Red Halo	LD FN PB-PB R
	Satin Brass	Red Halo	LD FN PB-SB R
	Antique Brass	Red Halo	LD FN PB-AB R
	Bright Steel	Red Halo	LD FN PB-BS R
	Satin Steel	Red Halo	LD FN PB-SS R
	Satin Brass	Red Halo	LD FN SB-SB R
	Satin Steel	Red Halo	LD FN SB-SS R
	Antique Brass	Red Halo	LD FN AB-AB R
	Satin Brass	Red Halo	LD FN AB-SB R
	Bright Steel	Red Halo	LD FN SN-BS R
	Satin Steel	Red Halo	LD FN SN-SS R
	Black Nickel	Red Halo	LD FN BK-BK R
	Bright Steel	Red Halo	LD FN BK-BS R
	Polished Brass	Red Halo	LD FN BK-PB R

Hamilton® Linea-Duo CFX®

Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LD 2X40 PB-BS



Frame and Insert Finish	Plate Finish	1 gang 400W 2 way Dimmer Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X40 Product Code	2 gang 400W 2 way (Max. 300 watts per gang) Dimmer Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2X40 Product Code	3 gang 400W 2 way Dimmer Nominal Plate Size: 145 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3X40 Product Code	4 gang 400W 2 way (Max. 300 watts per gang) Dimmer Nominal Plate Size: 145 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4X40 Product Code	1 gang 600W 2 way Dimmer Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X60 Product Code	1 gang 1000W 2 way Dimmer Nominal Plate Size: 145 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X1K Product Code
Bright Chrome	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LD 1X40 BC-BS LD 1X40 BC-SS LD 1X40 BC-PB LD 1X40 BC-BK LD 1X40 BC-N	LD 2X40 BC-BS LD 2X40 BC-SS LD 2X40 BC-PB LD 2X40 BC-BK LD 2X40 BC-N	LD 3X40 BC-BS LD 3X40 BC-SS LD 3X40 BC-PB LD 3X40 BC-BK LD 3X40 BC-N	LD 4X40 BC-BS LD 4X40 BC-SS LD 4X40 BC-PB LD 4X40 BC-BK LD 4X40 BC-N	LD 1X60 BC-BS LD 1X60 BC-SS LD 1X60 BC-PB LD 1X60 BC-BK LD 1X60 BC-N	LD 1X1K BC-BS LD 1X1K BC-SS LD 1X1K BC-PB LD 1X1K BC-BK LD 1X1K BC-N
Polished Brass	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LD 1X40 PB-PB LD 1X40 PB-SS LD 1X40 PB-AB LD 1X40 PB-BS LD 1X40 PB-SS	LD 2X40 PB-PB LD 2X40 PB-SS LD 2X40 PB-AB LD 2X40 PB-BS LD 2X40 PB-SS	LD 3X40 PB-PB LD 3X40 PB-SS LD 3X40 PB-AB LD 3X40 PB-BS LD 3X40 PB-SS	LD 4X40 PB-PB LD 4X40 PB-SS LD 4X40 PB-AB LD 4X40 PB-BS LD 4X40 PB-SS	LD 1X60 PB-PB LD 1X60 PB-SS LD 1X60 PB-AB LD 1X60 PB-BS LD 1X60 PB-SS	LD 1X1K PB-PB LD 1X1K PB-SS LD 1X1K PB-AB LD 1X1K PB-BS LD 1X1K PB-SS
Satin Brass	Satin Brass Satin Steel	LD 1X40 SB-SB LD 1X40 SB-SS	LD 2X40 SB-SB LD 2X40 SB-SS	LD 3X40 SB-SB LD 3X40 SB-SS	LD 4X40 SB-SB LD 4X40 SB-SS	LD 1X60 SB-SB LD 1X60 SB-SS	LD 1X1K SB-SB LD 1X1K SB-SS
Antique Brass	Antique Brass Satin Brass	LD 1X40 AB-AB LD 1X40 AB-SB	LD 2X40 AB-AB LD 2X40 AB-SB	LD 3X40 AB-AB LD 3X40 AB-SB	LD 4X40 AB-AB LD 4X40 AB-SB	LD 1X60 AB-AB LD 1X60 AB-SB	LD 1X1K AB-AB LD 1X1K AB-SB
Satin Nickel	Bright Steel Satin Steel	LD 1X40 SN-BS LD 1X40 SN-SS	LD 2X40 SN-BS LD 2X40 SN-SS	LD 3X40 SN-BS LD 3X40 SN-SS	LD 4X40 SN-BS LD 4X40 SN-SS	LD 1X60 SN-BS LD 1X60 SN-SS	LD 1X1K SN-BS LD 1X1K SN-SS
Black Nickel	Black Nickel Bright Steel Polished Brass	LD 1X40 BK-BK LD 1X40 BK-BS LD 1X40 BK-PB	LD 2X40 BK-BK LD 2X40 BK-BS LD 2X40 BK-PB	LD 3X40 BK-BK LD 3X40 BK-BS LD 3X40 BK-PB	LD 4X40 BK-BK LD 4X40 BK-BS LD 4X40 BK-PB	LD 1X60 BK-BK LD 1X60 BK-BS LD 1X60 BK-PB	LD 1X1K BK-BK LD 1X1K BK-BS LD 1X1K BK-PB

Hamilton® Linea-Duo CFX®

Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LD 1X2V PB-PB



1 gang 200VA 2 way Dimmer
Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **1X2V**
Product Code



1 gang 300VA 2 way Dimmer
Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **1X3V**
Product Code

Frame and Insert Finish	Plate Finish	1 gang 200VA 2 way Dimmer Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X2V Product Code	1 gang 300VA 2 way Dimmer Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X3V Product Code
Bright Chrome	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LD 1X2V BC-BS LD 1X2V BC-SS LD 1X2V BC-PB LD 1X2V BC-BK LD 1X2V BC-N	LD 1X3V BC-BS LD 1X3V BC-SS LD 1X3V BC-PB LD 1X3V BC-BK LD 1X3V BC-N
Polished Brass	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LD 1X2V PB-PB LD 1X2V PB-SS LD 1X2V PB-AB LD 1X2V PB-BS LD 1X2V PB-SS	LD 1X3V PB-PB LD 1X3V PB-SS LD 1X3V PB-AB LD 1X3V PB-BS LD 1X3V PB-SS
Satin Brass	Satin Brass Satin Steel	LD 1X2V SB-SB LD 1X2V SB-SS	LD 1X3V SB-SB LD 1X3V SB-SS
Antique Brass	Antique Brass Satin Brass	LD 1X2V AB-AB LD 1X2V AB-SB	LD 1X3V AB-AB LD 1X3V AB-SB
Satin Nickel	Bright Steel Satin Steel	LD 1X2V SN-BS LD 1X2V SN-SS	LD 1X3V SN-BS LD 1X3V SN-SS
Black Nickel	Black Nickel Bright Steel Polished Brass	LD 1X2V BK-BK LD 1X2V BK-BS LD 1X2V BK-PB	LD 1X3V BK-BK LD 1X3V BK-BS LD 1X3V BK-PB

Hamilton® Linea-Duo CFX®

Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LD 3XTE AB-AB



1 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Size: 35 mm
Technical Insert
Reference: **1XTE**
Product Code



2 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Size: 35 mm
Technical Insert
Reference: **2XTE**
Product Code



3 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer

Nominal Plate Size:
145 x 86 mm
Minimum Wall Box
Size: 35 mm
Technical Insert
Reference: **3XTE**
Product Code



4 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer

Nominal Plate Size:
145 x 86 mm
Minimum Wall Box
Size: 35 mm
Technical Insert
Reference: **4XTE**
Product Code

Frame and Insert Finish	Plate Finish	1XTE Product Code	2XTE Product Code	3XTE Product Code	4XTE Product Code
Bright Chrome	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LD 1XTE BC-BS LD 1XTE BC-SS LD 1XTE BC-PB LD 1XTE BC-BK LD 1XTE BC-N	LD 2XTE BC-BS LD 2XTE BC-SS LD 2XTE BC-PB LD 2XTE BC-BK LD 2XTE BC-N	LD 3XTE BC-BS LD 3XTE BC-SS LD 3XTE BC-PB LD 3XTE BC-BK LD 3XTE BC-N	LD 4XTE BC-BS LD 4XTE BC-SS LD 4XTE BC-PB LD 4XTE BC-BK LD 4XTE BC-N
Polished Brass	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LD 1XTE PB-PB LD 1XTE PB-SB LD 1XTE PB-AB LD 1XTE PB-BS LD 1XTE PB-SS	LD 2XTE PB-PB LD 2XTE PB-SB LD 2XTE PB-AB LD 2XTE PB-BS LD 2XTE PB-SS	LD 3XTE PB-PB LD 3XTE PB-SB LD 3XTE PB-AB LD 3XTE PB-BS LD 3XTE PB-SS	LD 4XTE PB-PB LD 4XTE PB-SB LD 4XTE PB-AB LD 4XTE PB-BS LD 4XTE PB-SS
Satin Brass	Satin Brass Satin Steel	LD 1XTE SB-SB LD 1XTE SB-SS	LD 2XTE SB-SB LD 2XTE SB-SS	LD 3XTE SB-SB LD 3XTE SB-SS	LD 4XTE SB-SB LD 4XTE SB-SS
Antique Brass	Antique Brass Satin Brass	LD 1XTE AB-AB LD 1XTE AB-SB	LD 2XTE AB-AB LD 2XTE AB-SB	LD 3XTE AB-AB LD 3XTE AB-SB	LD 4XTE AB-AB LD 4XTE AB-SB
Satin Nickel	Bright Steel Satin Steel	LD 1XTE SN-BS LD 1XTE SN-SS	LD 2XTE SN-BS LD 2XTE SN-SS	LD 3XTE SN-BS LD 3XTE SN-SS	LD 4XTE SN-BS LD 4XTE SN-SS
Black Nickel	Black Nickel Bright Steel Polished Brass	LD 1XTE BK-BK LD 1XTE BK-BS LD 1XTE BK-PB	LD 2XTE BK-BK LD 2XTE BK-BS LD 2XTE BK-PB	LD 3XTE BK-BK LD 3XTE BK-BS LD 3XTE BK-PB	LD 4XTE BK-BK LD 4XTE BK-BS LD 4XTE BK-PB

Hamilton® Linea-Duo CFX®

Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LD 1XTM BC-N B



1 gang
250W/210VA
Trailing Edge
Multi-Way
Touch Master
Dimmer

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **1XTM**
Product Code



2 gang
250W/210VA
Trailing Edge
Multi-Way
Touch Master
Dimmer

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **2XTM**
Product Code



3 gang
250W/210VA
Trailing Edge
Multi-Way
Touch Master
Dimmer

Nominal Plate Size:
145 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **3XTM**
Product Code



4 gang
250W/210VA
Trailing Edge
Multi-Way
Touch Master
Dimmer

Nominal Plate Size:
145 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **4XTM**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1XTM Product Code	2XTM Product Code	3XTM Product Code	4XTM Product Code
Bright Chrome	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	White Black White Black White Black Black	LD 1XTM BC-BS W LD 1XTM BC-BS B LD 1XTM BC-SS W LD 1XTM BC-SS B LD 1XTM BC-PB W LD 1XTM BC-PB B LD 1XTM BC-BK B LD 1XTM BC-N B	LD 2XTM BC-BS W LD 2XTM BC-BS B LD 2XTM BC-SS W LD 2XTM BC-SS B LD 2XTM BC-PB W LD 2XTM BC-PB B LD 2XTM BC-BK B LD 2XTM BC-N B	LD 3XTM BC-BS W LD 3XTM BC-BS B LD 3XTM BC-SS W LD 3XTM BC-SS B LD 3XTM BC-PB W LD 3XTM BC-PB B LD 3XTM BC-BK B LD 3XTM BC-N B	LD 4XTM BC-BS W LD 4XTM BC-BS B LD 4XTM BC-SS W LD 4XTM BC-SS B LD 4XTM BC-PB W LD 4XTM BC-PB B LD 4XTM BC-BK B LD 4XTM BC-N B
Polished Brass	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	White Black White Black White Black White Black	LD 1XTM PB-PB W LD 1XTM PB-PB B LD 1XTM PB-SB W LD 1XTM PB-SB B LD 1XTM PB-AB W LD 1XTM PB-AB B LD 1XTM PB-BS W LD 1XTM PB-BS B LD 1XTM PB-SS W LD 1XTM PB-SS B	LD 2XTM PB-PB W LD 2XTM PB-PB B LD 2XTM PB-SB W LD 2XTM PB-SB B LD 2XTM PB-AB W LD 2XTM PB-AB B LD 2XTM PB-BS W LD 2XTM PB-BS B LD 2XTM PB-SS W LD 2XTM PB-SS B	LD 3XTM PB-PB W LD 3XTM PB-PB B LD 3XTM PB-SB W LD 3XTM PB-SB B LD 3XTM PB-AB W LD 3XTM PB-AB B LD 3XTM PB-BS W LD 3XTM PB-BS B LD 3XTM PB-SS W LD 3XTM PB-SS B	LD 4XTM PB-PB W LD 4XTM PB-PB B LD 4XTM PB-SB W LD 4XTM PB-SB B LD 4XTM PB-AB W LD 4XTM PB-AB B LD 4XTM PB-BS W LD 4XTM PB-BS B LD 4XTM PB-SS W LD 4XTM PB-SS B
Satin Brass	Satin Brass Satin Steel	White Black White Black	LD 1XTM SB-SB W LD 1XTM SB-SB B LD 1XTM SB-SS W LD 1XTM SB-SS B	LD 2XTM SB-SB W LD 2XTM SB-SB B LD 2XTM SB-SS W LD 2XTM SB-SS B	LD 3XTM SB-SB W LD 3XTM SB-SB B LD 3XTM SB-SS W LD 3XTM SB-SS B	LD 4XTM SB-SB W LD 4XTM SB-SB B LD 4XTM SB-SS W LD 4XTM SB-SS B
Antique Brass	Antique Brass Satin Brass	Black Black	LD 1XTM AB-AB B LD 1XTM AB-SB B	LD 2XTM AB-AB B LD 2XTM AB-SB B	LD 3XTM AB-AB B LD 3XTM AB-SB B	LD 4XTM AB-AB B LD 4XTM AB-SB B
Satin Nickel	Bright Steel Satin Steel	White Black White Black	LD 1XTM SN-BS W LD 1XTM SN-BS B LD 1XTM SN-SS W LD 1XTM SN-SS B	LD 2XTM SN-BS W LD 2XTM SN-BS B LD 2XTM SN-SS W LD 2XTM SN-SS B	LD 3XTM SN-BS W LD 3XTM SN-BS B LD 3XTM SN-SS W LD 3XTM SN-SS B	LD 4XTM SN-BS W LD 4XTM SN-BS B LD 4XTM SN-SS W LD 4XTM SN-SS B
Black Nickel	Black Nickel Bright Steel Polished Brass	Black Black Black	LD 1XTM BK-BK B LD 1XTM BK-BS B LD 1XTM BK-PB B	LD 2XTM BK-BK B LD 2XTM BK-BS B LD 2XTM BK-PB B	LD 3XTM BK-BK B LD 3XTM BK-BS B LD 3XTM BK-PB B	LD 4XTM BK-BK B LD 4XTM BK-BS B LD 4XTM BK-PB B

Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers. Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%. Note: When using mains voltage halogen load transformers - maximum rating is 210VA.



LD 2XTS BC-SS W



1 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: 1XTS
Product Code



2 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: 2XTS
Product Code



3 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 145 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: 3XTS
Product Code



4 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 145 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: 4XTS
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang Multi-Way Touch Slave Controller	2 gang Multi-Way Touch Slave Controller	3 gang Multi-Way Touch Slave Controller	4 gang Multi-Way Touch Slave Controller
	Bright Steel	White	LD 1XTS BC-BS W	LD 2XTS BC-BS W	LD 3XTS BC-BS W	LD 4XTS BC-BS W
	Bright Steel	Black	LD 1XTS BC-BS B	LD 2XTS BC-BS B	LD 3XTS BC-BS B	LD 4XTS BC-BS B
	Satin Steel	White	LD 1XTS BC-SS W	LD 2XTS BC-SS W	LD 3XTS BC-SS W	LD 4XTS BC-SS W
	Satin Steel	Black	LD 1XTS BC-SS B	LD 2XTS BC-SS B	LD 3XTS BC-SS B	LD 4XTS BC-SS B
	Polished Brass	White	LD 1XTS BC-PB W	LD 2XTS BC-PB W	LD 3XTS BC-PB W	LD 4XTS BC-PB W
	Polished Brass	Black	LD 1XTS BC-PB B	LD 2XTS BC-PB B	LD 3XTS BC-PB B	LD 4XTS BC-PB B
	Polished Brass	White	LD 1XTS BC-BK B	LD 2XTS BC-BK B	LD 3XTS BC-BK B	LD 4XTS BC-BK B
	Polished Brass	Black	LD 1XTS BC-N B	LD 2XTS BC-N B	LD 3XTS BC-N B	LD 4XTS BC-N B
	Satin Brass	White	LD 1XTS PB-PB W	LD 2XTS PB-PB W	LD 3XTS PB-PB W	LD 4XTS PB-PB W
	Satin Brass	Black	LD 1XTS PB-PB B	LD 2XTS PB-PB B	LD 3XTS PB-PB B	LD 4XTS PB-PB B
	Satin Brass	White	LD 1XTS PB-SB W	LD 2XTS PB-SB W	LD 3XTS PB-SB W	LD 4XTS PB-SB W
	Satin Brass	Black	LD 1XTS PB-SB B	LD 2XTS PB-SB B	LD 3XTS PB-SB B	LD 4XTS PB-SB B
	Antique Brass	White	LD 1XTS PB-AB W	LD 2XTS PB-AB W	LD 3XTS PB-AB W	LD 4XTS PB-AB W
	Antique Brass	Black	LD 1XTS PB-AB B	LD 2XTS PB-AB B	LD 3XTS PB-AB B	LD 4XTS PB-AB B
	Bright Steel	White	LD 1XTS PB-BS W	LD 2XTS PB-BS W	LD 3XTS PB-BS W	LD 4XTS PB-BS W
	Bright Steel	Black	LD 1XTS PB-BS B	LD 2XTS PB-BS B	LD 3XTS PB-BS B	LD 4XTS PB-BS B
	Satin Steel	White	LD 1XTS PB-SS W	LD 2XTS PB-SS W	LD 3XTS PB-SS W	LD 4XTS PB-SS W
	Satin Steel	Black	LD 1XTS PB-SS B	LD 2XTS PB-SS B	LD 3XTS PB-SS B	LD 4XTS PB-SS B
	Satin Brass	White	LD 1XTS SB-SB W	LD 2XTS SB-SB W	LD 3XTS SB-SB W	LD 4XTS SB-SB W
	Satin Brass	Black	LD 1XTS SB-SB B	LD 2XTS SB-SB B	LD 3XTS SB-SB B	LD 4XTS SB-SB B
	Satin Steel	White	LD 1XTS SB-SS W	LD 2XTS SB-SS W	LD 3XTS SB-SS W	LD 4XTS SB-SS W
	Satin Steel	Black	LD 1XTS SB-SS B	LD 2XTS SB-SS B	LD 3XTS SB-SS B	LD 4XTS SB-SS B
	Antique Brass	Black	LD 1XTS AB-AB B	LD 2XTS AB-AB B	LD 3XTS AB-AB B	LD 4XTS AB-AB B
	Antique Brass	Black	LD 1XTS AB-SB B	LD 2XTS AB-SB B	LD 3XTS AB-SB B	LD 4XTS AB-SB B
	Bright Steel	White	LD 1XTS SN-BS W	LD 2XTS SN-BS W	LD 3XTS SN-BS W	LD 4XTS SN-BS W
	Bright Steel	Black	LD 1XTS SN-BS B	LD 2XTS SN-BS B	LD 3XTS SN-BS B	LD 4XTS SN-BS B
	Satin Steel	White	LD 1XTS SN-SS W	LD 2XTS SN-SS W	LD 3XTS SN-SS W	LD 4XTS SN-SS W
	Satin Steel	Black	LD 1XTS SN-SS B	LD 2XTS SN-SS B	LD 3XTS SN-SS B	LD 4XTS SN-SS B
	Black Nickel	Black	LD 1XTS BK-BK B	LD 2XTS BK-BK B	LD 3XTS BK-BK B	LD 4XTS BK-BK B
	Black Nickel	Black	LD 1XTS BK-BS B	LD 2XTS BK-BS B	LD 3XTS BK-BS B	LD 4XTS BK-BS B
	Black Nickel	Black	LD 1XTS BK-PB B	LD 2XTS BK-PB B	LD 3XTS BK-PB B	LD 4XTS BK-PB B
	Bright Steel	Black				
	Polished Brass	Black				

Concealed Fixing EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



LD EURO2 SB-SB



1 Module EuroFix Plate

Plate Size: 91 x 91 mm
Aperture: 25 x 50 mm
Product Code



2 Module EuroFix Plate

Plate Size: 91 x 91 mm
Aperture: 50 x 50 mm
Product Code



3 Module EuroFix Plate

Plate Size: 150 x 91 mm
Aperture: 75 x 50 mm
Product Code



4 Module EuroFix Plate

Plate Size: 150 x 91 mm
Aperture: 100 x 50 mm
Product Code

Frame Finish	Plate Finish	1 Module EuroFix Plate	2 Module EuroFix Plate	3 Module EuroFix Plate	4 Module EuroFix Plate
	Bright Steel	LD EURO1 BC-BS	LD EURO2 BC-BS	LD EURO3 BC-BS	LD EURO4 BC-BS
	Satin Steel	LD EURO1 BC-SS	LD EURO2 BC-SS	LD EURO3 BC-SS	LD EURO4 BC-SS
	Polished Brass	LD EURO1 BC-PB	LD EURO2 BC-PB	LD EURO3 BC-PB	LD EURO4 BC-PB
	Black Nickel	LD EURO1 BC-BK	LD EURO2 BC-BK	LD EURO3 BC-BK	LD EURO4 BC-BK
	Piano Black	LD EURO1 BC-N	LD EURO2 BC-N	LD EURO3 BC-N	LD EURO4 BC-N
	Polished Brass	LD EURO1 PB-PB	LD EURO2 PB-PB	LD EURO3 PB-PB	LD EURO4 PB-PB
	Polished Brass	LD EURO1 PB-SB	LD EURO2 PB-SB	LD EURO3 PB-SB	LD EURO4 PB-SB
	Satin Brass	LD EURO1 PB-AB	LD EURO2 PB-AB	LD EURO3 PB-AB	LD EURO4 PB-AB
	Antique Brass	LD EURO1 PB-BS	LD EURO2 PB-BS	LD EURO3 PB-BS	LD EURO4 PB-BS
	Bright Steel	LD EURO1 PB-SS	LD EURO2 PB-SS	LD EURO3 PB-SS	LD EURO4 PB-SS
	Satin Brass	LD EURO1 SB-SB	LD EURO2 SB-SB	LD EURO3 SB-SB	LD EURO4 SB-SB
	Satin Brass	LD EURO1 SB-SS	LD EURO2 SB-SS	LD EURO3 SB-SS	LD EURO4 SB-SS
	Antique Brass	LD EURO1 AB-AB	LD EURO2 AB-AB	LD EURO3 AB-AB	LD EURO4 AB-AB
	Antique Brass	LD EURO1 AB-SB	LD EURO2 AB-SB	LD EURO3 AB-SB	LD EURO4 AB-SB
	Bright Steel	LD EURO1 SN-BS	LD EURO2 SN-BS	LD EURO3 SN-BS	LD EURO4 SN-BS
	Bright Steel	LD EURO1 SN-SS	LD EURO2 SN-SS	LD EURO3 SN-SS	LD EURO4 SN-SS
	Satin Steel				
	Black Nickel	LD EURO1 BK-BK	LD EURO2 BK-BK	LD EURO3 BK-BK	LD EURO4 BK-BK
	Black Nickel	LD EURO1 BK-BS	LD EURO2 BK-BS	LD EURO3 BK-BS	LD EURO4 BK-BS
	Polished Brass	LD EURO1 BK-PB	LD EURO2 BK-PB	LD EURO3 BK-PB	LD EURO4 BK-PB

Hamilton® Linea-Duo CFX®

Concealed Fixing Blank Plates









LD BPS BC-N



Single Blank Plate
Nom. Plate Size:
86 x 86 mm
Product Code



Double Blank Plate
Nom. Plate Size:
145 x 86 mm
Product Code

Frame Finish	Plate Finish	Single Blank Plate Nom. Plate Size: 86 x 86 mm Product Code	Double Blank Plate Nom. Plate Size: 145 x 86 mm Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LD BPS BC-BS LD BPS BC-SS LD BPS BC-PB LD BPS BC-BK LD BPS BC-N	LD BPD BC-BS LD BPD BC-SS LD BPD BC-PB LD BPD BC-BK LD BPD BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LD BPS PB-PB LD BPS PB-SB LD BPS PB-AB LD BPS PB-BS LD BPS PB-SS	LD BPD PB-PB LD BPD PB-SB LD BPD PB-AB LD BPD PB-BS LD BPD PB-SS
Satin Brass 	Satin Brass Satin Steel	LD BPS SB-SB LD BPS SB-SS	LD BPD SB-SB LD BPD SB-SS
Antique Brass 	Antique Brass Satin Brass	LD BPS AB-AB LD BPS AB-SB	LD BPD AB-AB LD BPD AB-SB
Satin Nickel 	Bright Steel Satin Steel	LD BPS SN-BS LD BPS SN-SS	LD BPD SN-BS LD BPD SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LD BPS BK-BK LD BPS BK-BS LD BPS BK-PB	LD BPD BK-BK LD BPD BK-BS LD BPD BK-PB

Hamilton® Linea-Duo CFX®

Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the GRID-IT insert fitted - please see the GRID-IT section for our complete range of inserts.



LD 2GP PB-AB



1 gang Aperture Grid Fix Plate
Nom. Plate Size:
86 x 86 mm
Product Code









2 gang Aperture Grid Fix Plate
Nom. Plate Size:
86 x 86 mm
Product Code



3 gang Aperture Grid Fix Plate
Nom. Plate Size:
145 x 86 mm
Product Code



4 gang Aperture Grid Fix Plate
Nom. Plate Size:
145 x 86 mm
Product Code



Frame Finish	Plate Finish	1 gang Aperture Grid Fix Plate Nom. Plate Size: 86 x 86 mm Product Code	2 gang Aperture Grid Fix Plate Nom. Plate Size: 86 x 86 mm Product Code	3 gang Aperture Grid Fix Plate Nom. Plate Size: 145 x 86 mm Product Code	4 gang Aperture Grid Fix Plate Nom. Plate Size: 145 x 86 mm Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LD 1GP BC-BS LD 1GP BC-SS LD 1GP BC-PB LD 1GP BC-BK LD 1GP BC-N	LD 2GP BC-BS LD 2GP BC-SS LD 2GP BC-PB LD 2GP BC-BK LD 2GP BC-N	LD 3GP BC-BS LD 3GP BC-SS LD 3GP BC-PB LD 3GP BC-BK LD 3GP BC-N	LD 4GP BC-BS LD 4GP BC-SS LD 4GP BC-PB LD 4GP BC-BK LD 4GP BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LD 1GP PB-PB LD 1GP PB-SB LD 1GP PB-AB LD 1GP PB-BS LD 1GP PB-SS	LD 2GP PB-PB LD 2GP PB-SB LD 2GP PB-AB LD 2GP PB-BS LD 2GP PB-SS	LD 3GP PB-PB LD 3GP PB-SB LD 3GP PB-AB LD 3GP PB-BS LD 3GP PB-SS	LD 4GP PB-PB LD 4GP PB-SB LD 4GP PB-AB LD 4GP PB-BS LD 4GP PB-SS
Satin Brass 	Satin Brass Satin Steel	LD 1GP SB-SB LD 1GP SB-SS	LD 2GP SB-SB LD 2GP SB-SS	LD 3GP SB-SB LD 3GP SB-SS	LD 4GP SB-SB LD 4GP SB-SS
Antique Brass 	Antique Brass Satin Brass	LD 1GP AB-AB LD 1GP AB-SB	LD 2GP AB-AB LD 2GP AB-SB	LD 3GP AB-AB LD 3GP AB-SB	LD 4GP AB-AB LD 4GP AB-SB
Satin Nickel 	Bright Steel Satin Steel	LD 1GP SN-BS LD 1GP SN-SS	LD 2GP SN-BS LD 2GP SN-SS	LD 3GP SN-BS LD 3GP SN-SS	LD 4GP SN-BS LD 4GP SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LD 1GP BK-BK LD 1GP BK-BS LD 1GP BK-PB	LD 2GP BK-BK LD 2GP BK-BS LD 2GP BK-PB	LD 3GP BK-BK LD 3GP BK-BS LD 3GP BK-PB	LD 4GP BK-BK LD 4GP BK-BS LD 4GP BK-PB

Hamilton Linea-Scala CFX®

Concealed Fixing Accessories on Stepped Edge Plates

The Linea CFX® range comes in five different designs to suit either contemporary or classic interiors. Linea CFX® has a separate back frame and our patented four point face plate clipping system, allowing the option of matching or contrasting elements.


- Minimal depth and a modern look
- Seven stunning front plate finishes and six frame and insert finishes give a limitless choice of combinations
- Two-part frame and plate for 'mix and match'
- Concealed fixing
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)



LSX R21 BK-BS B




LSX 2X40 PB-BS



LSX KEL PB-SB B



LSX T22 SB-SS



LSX C11 PB-SB B



LSX SS1 BK-BK B

Hamilton Linea-Scala CFX®

Select your choice of accessory finish from this Colourway Chart


Select the accessory required from the following pages overleaf

1. Select the required electrical accessory from the following pages. e.g. LSX R21 = Linea-Scala CFX 1 gang 10AX 2 way Rocker Switch.
2. Using the Colour Chart above;
 - a. Select the required Frame Finish e.g. Black Nickel = BK- - - -.
 - b. Select the required Front Plate Finish e.g. Bright Steel = - - - BS.
 - c. Select the required Insert Surround Colour e.g. Black = - - - - - B.

Therefore a Linea-Scala CFX 1 gang 10AX 2 way Rocker Switch as illustrated below = LSX R21 BK-BS B.

Frame and Insert Finish	Front Plate Finish						
	Polished Brass	Satin Brass	Antique Brass	Bright Steel	Satin Steel	Black Nickel	Piano Black
Bright Chrome Bright Chrome Frame, Matching Insert with White Surround							
	BC-PB W			BC-BS W	BC-SS W		
Bright Chrome Frame, Matching Insert with Black Surround							
	BC-PB B			BC-BS B	BC-SS B	BC-BK B	BC-N B
Polished Brass Polished Brass Frame, Matching Insert with White Surround							
	PB-PB W	PB-SB W	PB-AB W	PB-BS W	PB-SS W		
Polished Brass Frame, Matching Insert with Black Surround							
	PB-PB B	PB-SB B	PB-AB B	PB-BS B	PB-SS B		
Satin Brass Satin Brass Frame, Matching Insert with White Surround							
		SB-SB W			SB-SS W		
Satin Brass Frame, Matching Insert with Black Surround							
		SB-SB B			SB-SS B		
Antique Brass Antique Brass Frame, Matching Insert with Black Surround							
	AB-SB B	AB-AB B					
Satin Nickel Satin Nickel Frame, Matching Insert with White Surround							
				SN-BS W	SN-SS W		
Satin Nickel Frame, Matching Insert with Black Surround							
				SN-BS B	SN-SS B		
Black Nickel Black Nickel Frame, Matching Insert with Black Surround							
	BK-PB B			BK-BS B		BK-BK B	

Illustration of Product Code configuration to order a Linea-Scala CFX LSX R21 BK-BS B




Linea-Scala CFX R21 is a UK Registered Design Certificate No. 2036047.
Linea-Scala CFX SS2 is a UK Registered Design Certificate No. 2036048.
Linea-Scala CFX R21 is a Singapore Registered Design Certificate No. DU2003/1807/B.
Linea-Scala CFX SS2 is a Singapore Registered Design Certificate No. DU2003/1808/A.

Linea-Scala CFX R21 is an Indian Registered Design Certificate No. 1856.
Linea-Scala CFX SS2 is an Indian Registered Design Certificate No. 1853.
Linea-Scala CFX R21 is a Malaysia Registered Design Certificate No. 03/0657.
Linea-Scala CFX SS2 is a Malaysia Registered Design Certificate No. 03/0658.

Hamilton® Linea-Scala CFX®

Concealed Fixing Rocker Switches



LSX R21 BK-BS B



**1 gang 10AX
2 way Rocker**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **R21**
Product Code



**2 gang 10AX
2 way Rocker**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **R22**
Product Code



**3 gang 10AX
2 way Rocker**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **R23**
Product Code



**4 gang 10AX
2 way Rocker**

Nominal Plate Size:
150 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **R24**
Product Code



**6 gang 10AX
2 way Rocker**

Nominal Plate Size:
150 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **R26**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 10AX 2 way Rocker	2 gang 10AX 2 way Rocker	3 gang 10AX 2 way Rocker	4 gang 10AX 2 way Rocker	6 gang 10AX 2 way Rocker	
	Bright Steel	White	LSX R21 BC-BS W	LSX R22 BC-BS W	LSX R23 BC-BS W	LSX R24 BC-BS W	LSX R26 BC-BS W	
	Bright Steel	Black	LSX R21 BC-BS B	LSX R22 BC-BS B	LSX R23 BC-BS B	LSX R24 BC-BS B	LSX R26 BC-BS B	
	Satin Steel	White	LSX R21 BC-SS W	LSX R22 BC-SS W	LSX R23 BC-SS W	LSX R24 BC-SS W	LSX R26 BC-SS W	
	Satin Steel	Black	LSX R21 BC-SS B	LSX R22 BC-SS B	LSX R23 BC-SS B	LSX R24 BC-SS B	LSX R26 BC-SS B	
	Polished Brass	White	LSX R21 BC-PB W	LSX R22 BC-PB W	LSX R23 BC-PB W	LSX R24 BC-PB W	LSX R26 BC-PB W	
	Polished Brass	Black	LSX R21 BC-PB B	LSX R22 BC-PB B	LSX R23 BC-PB B	LSX R24 BC-PB B	LSX R26 BC-PB B	
	Black Nickel	Black	LSX R21 BC-BK B	LSX R22 BC-BK B	LSX R23 BC-BK B	LSX R24 BC-BK B	LSX R26 BC-BK B	
	Piano Black	Black	LSX R21 BC-N B	LSX R22 BC-N B	LSX R23 BC-N B	LSX R24 BC-N B	LSX R26 BC-N B	
		Polished Brass	White	LSX R21 PB-PB W	LSX R22 PB-PB W	LSX R23 PB-PB W	LSX R24 PB-PB W	LSX R26 PB-PB W
		Polished Brass	Black	LSX R21 PB-PB B	LSX R22 PB-PB B	LSX R23 PB-PB B	LSX R24 PB-PB B	LSX R26 PB-PB B
		Satin Brass	White	LSX R21 PB-SB W	LSX R22 PB-SB W	LSX R23 PB-SB W	LSX R24 PB-SB W	LSX R26 PB-SB W
		Satin Brass	Black	LSX R21 PB-SB B	LSX R22 PB-SB B	LSX R23 PB-SB B	LSX R24 PB-SB B	LSX R26 PB-SB B
Antique Brass		White	LSX R21 PB-AB W	LSX R22 PB-AB W	LSX R23 PB-AB W	LSX R24 PB-AB W	LSX R26 PB-AB W	
Antique Brass		Black	LSX R21 PB-AB B	LSX R22 PB-AB B	LSX R23 PB-AB B	LSX R24 PB-AB B	LSX R26 PB-AB B	
	Bright Steel	White	LSX R21 PB-BS W	LSX R22 PB-BS W	LSX R23 PB-BS W	LSX R24 PB-BS W	LSX R26 PB-BS W	
	Bright Steel	Black	LSX R21 PB-BS B	LSX R22 PB-BS B	LSX R23 PB-BS B	LSX R24 PB-BS B	LSX R26 PB-BS B	
	Satin Steel	White	LSX R21 PB-SS W	LSX R22 PB-SS W	LSX R23 PB-SS W	LSX R24 PB-SS W	LSX R26 PB-SS W	
	Satin Steel	Black	LSX R21 PB-SS B	LSX R22 PB-SS B	LSX R23 PB-SS B	LSX R24 PB-SS B	LSX R26 PB-SS B	
		Satin Brass	White	LSX R21 SB-SB W	LSX R22 SB-SB W	LSX R23 SB-SB W	LSX R24 SB-SB W	LSX R26 SB-SB W
		Satin Brass	Black	LSX R21 SB-SB B	LSX R22 SB-SB B	LSX R23 SB-SB B	LSX R24 SB-SB B	LSX R26 SB-SB B
Satin Steel		White	LSX R21 SB-SS W	LSX R22 SB-SS W	LSX R23 SB-SS W	LSX R24 SB-SS W	LSX R26 SB-SS W	
Satin Steel		Black	LSX R21 SB-SS B	LSX R22 SB-SS B	LSX R23 SB-SS B	LSX R24 SB-SS B	LSX R26 SB-SS B	
		Antique Brass	Black	LSX R21 AB-AB B	LSX R22 AB-AB B	LSX R23 AB-AB B	LSX R24 AB-AB B	LSX R26 AB-AB B
		Satin Brass	Black	LSX R21 AB-SB B	LSX R22 AB-SB B	LSX R23 AB-SB B	LSX R24 AB-SB B	LSX R26 AB-SB B
		Bright Steel	White	LSX R21 SN-BS W	LSX R22 SN-BS W	LSX R23 SN-BS W	LSX R24 SN-BS W	LSX R26 SN-BS W
		Bright Steel	Black	LSX R21 SN-BS B	LSX R22 SN-BS B	LSX R23 SN-BS B	LSX R24 SN-BS B	LSX R26 SN-BS B
		Satin Steel	White	LSX R21 SN-SS W	LSX R22 SN-SS W	LSX R23 SN-SS W	LSX R24 SN-SS W	LSX R26 SN-SS W
		Satin Steel	Black	LSX R21 SN-SS B	LSX R22 SN-SS B	LSX R23 SN-SS B	LSX R24 SN-SS B	LSX R26 SN-SS B
		Black Nickel	Black	LSX R21 BK-BK B	LSX R22 BK-BK B	LSX R23 BK-BK B	LSX R24 BK-BK B	LSX R26 BK-BK B
		Bright Steel	Black	LSX R21 BK-BS B	LSX R22 BK-BS B	LSX R23 BK-BS B	LSX R24 BK-BS B	LSX R26 BK-BS B
	Polished Brass	Black	LSX R21 BK-PB B	LSX R22 BK-PB B	LSX R23 BK-PB B	LSX R24 BK-PB B	LSX R26 BK-PB B	

Hamilton® Linea-Scala CFX®

Concealed Fixing Rocker Switches



LSX R32 SB-SB B



**1 gang 10AX
Intermediate
Rocker**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **R31**
Product Code



**2 gang 10AX
Intermediate
Rocker**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **R32**
Product Code



**1 gang 10A
Push To Make/
Break Retractive
Rocker**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **GRRT**
Product Code



**1 gang 10A
Triple Pole
Rocker**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **TP**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 10AX Intermediate Rocker	2 gang 10AX Intermediate Rocker	1 gang 10A Push To Make/Break Retractive Rocker	1 gang 10A Triple Pole Rocker	
	Bright Steel	White	LSX R31 BC-BS W	LSX R32 BC-BS W	LSX RRT BC-BS W	LSX TP BC-BS W	
	Bright Steel	Black	LSX R31 BC-BS B	LSX R32 BC-BS B	LSX RRT BC-BS B	LSX TP BC-BS B	
	Satin Steel	White	LSX R31 BC-SS W	LSX R32 BC-SS W	LSX RRT BC-SS W	LSX TP BC-SS W	
	Satin Steel	Black	LSX R31 BC-SS B	LSX R32 BC-SS B	LSX RRT BC-SS B	LSX TP BC-SS B	
	Polished Brass	White	LSX R31 BC-PB W	LSX R32 BC-PB W	LSX RRT BC-PB W	LSX TP BC-PB W	
	Polished Brass	Black	LSX R31 BC-PB B	LSX R32 BC-PB B	LSX RRT BC-PB B	LSX TP BC-PB B	
	Black Nickel	Black	LSX R31 BC-BK B	LSX R32 BC-BK B	LSX RRT BC-BK B	LSX TP BC-BK B	
	Piano Black	Black	LSX R31 BC-N B	LSX R32 BC-N B	LSX RRT BC-N B	LSX TP BC-N B	
		Polished Brass	White	LSX R31 PB-PB W	LSX R32 PB-PB W	LSX RRT PB-PB W	LSX TP PB-PB W
		Polished Brass	Black	LSX R31 PB-PB B	LSX R32 PB-PB B	LSX RRT PB-PB B	LSX TP PB-PB B
		Satin Brass	White	LSX R31 PB-SB W	LSX R32 PB-SB W	LSX RRT PB-SB W	LSX TP PB-SB W
		Satin Brass	Black	LSX R31 PB-SB B	LSX R32 PB-SB B	LSX RRT PB-SB B	LSX TP PB-SB B
Antique Brass		White	LSX R31 PB-AB W	LSX R32 PB-AB W	LSX RRT PB-AB W	LSX TP PB-AB W	
Antique Brass		Black	LSX R31 PB-AB B	LSX R32 PB-AB B	LSX RRT PB-AB B	LSX TP PB-AB B	
	Bright Steel	White	LSX R31 PB-BS W	LSX R32 PB-BS W	LSX RRT PB-BS W	LSX TP PB-BS W	
	Bright Steel	Black	LSX R31 PB-BS B	LSX R32 PB-BS B	LSX RRT PB-BS B	LSX TP PB-BS B	
	Satin Steel	White	LSX R31 PB-SS W	LSX R32 PB-SS W	LSX RRT PB-SS W	LSX TP PB-SS W	
	Satin Steel	Black	LSX R31 PB-SS B	LSX R32 PB-SS B	LSX RRT PB-SS B	LSX TP PB-SS B	
		Satin Brass	White	LSX R31 SB-SB W	LSX R32 SB-SB W	LSX RRT SB-SB W	LSX TP SB-SB W
		Satin Brass	Black	LSX R31 SB-SB B	LSX R32 SB-SB B	LSX RRT SB-SB B	LSX TP SB-SB B
Satin Steel		White	LSX R31 SB-SS W	LSX R32 SB-SS W	LSX RRT SB-SS W	LSX TP SB-SS W	
Satin Steel		Black	LSX R31 SB-SS B	LSX R32 SB-SS B	LSX RRT SB-SS B	LSX TP SB-SS B	
		Antique Brass	Black	LSX R31 AB-AB B	LSX R32 AB-AB B	LSX RRT AB-AB B	LSX TP AB-AB B
		Satin Brass	Black	LSX R31 AB-SB B	LSX R32 AB-SB B	LSX RRT AB-SB B	LSX TP AB-SB B
		Bright Steel	White	LSX R31 SN-BS W	LSX R32 SN-BS W	LSX RRT SN-BS W	LSX TP SN-BS W
		Bright Steel	Black	LSX R31 SN-BS B	LSX R32 SN-BS B	LSX RRT SN-BS B	LSX TP SN-BS B
		Satin Steel	White	LSX R31 SN-SS W	LSX R32 SN-SS W	LSX RRT SN-SS W	LSX TP SN-SS W
		Satin Steel	Black	LSX R31 SN-SS B	LSX R32 SN-SS B	LSX RRT SN-SS B	LSX TP SN-SS B
		Black Nickel	Black	LSX R31 BK-BK B	LSX R32 BK-BK B	LSX RRT BK-BK B	LSX TP BK-BK B
		Bright Steel	Black	LSX R31 BK-BS B	LSX R32 BK-BS B	LSX RRT BK-BS B	LSX TP BK-BS B
	Polished Brass	Black	LSX R31 BK-PB B	LSX R32 BK-PB B	LSX RRT BK-PB B	LSX TP BK-PB B	

Hamilton® Linea-Scala CFX®

Concealed Fixing Rocker Switches



LSX R222 PB-AB B



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 20AX 2 way Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R212 Product Code	2 gang 20AX 2 way Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R222 Product Code	3 gang 20AX 2 way Rocker Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R232 Product Code	4 gang 20AX 2 way Rocker Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R242 Product Code	1 gang 20AX Intermediate Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R312 Product Code	2 gang 20AX Intermediate Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R322 Product Code	
	Bright Steel	White	LSX R212 BC-BS W	LSX R222 BC-BS W	LSX R232 BC-BS W	LSX R242 BC-BS W	LSX R312 BC-BS W	LSX R322 BC-BS W	
	Bright Steel	Black	LSX R212 BC-BS B	LSX R222 BC-BS B	LSX R232 BC-BS B	LSX R242 BC-BS B	LSX R312 BC-BS B	LSX R322 BC-BS B	
	Satin Steel	White	LSX R212 BC-SS W	LSX R222 BC-SS W	LSX R232 BC-SS W	LSX R242 BC-SS W	LSX R312 BC-SS W	LSX R322 BC-SS W	
	Satin Steel	Black	LSX R212 BC-SS B	LSX R222 BC-SS B	LSX R232 BC-SS B	LSX R242 BC-SS B	LSX R312 BC-SS B	LSX R322 BC-SS B	
	Polished Brass	White	LSX R212 BC-PB W	LSX R222 BC-PB W	LSX R232 BC-PB W	LSX R242 BC-PB W	LSX R312 BC-PB W	LSX R322 BC-PB W	
	Polished Brass	Black	LSX R212 BC-PB B	LSX R222 BC-PB B	LSX R232 BC-PB B	LSX R242 BC-PB B	LSX R312 BC-PB B	LSX R322 BC-PB B	
	Black Nickel	Black	LSX R212 BC-BK B	LSX R222 BC-BK B	LSX R232 BC-BK B	LSX R242 BC-BK B	LSX R312 BC-BK B	LSX R322 BC-BK B	
	Piano Black	Black	LSX R212 BC-N B	LSX R222 BC-N B	LSX R232 BC-N B	LSX R242 BC-N B	LSX R312 BC-N B	LSX R322 BC-N B	
	Polished Brass	White	LSX R212 PB-PB W	LSX R222 PB-PB W	LSX R232 PB-PB W	LSX R242 PB-PB W	LSX R312 PB-PB W	LSX R322 PB-PB W	
	Polished Brass	Black	LSX R212 PB-PB B	LSX R222 PB-PB B	LSX R232 PB-PB B	LSX R242 PB-PB B	LSX R312 PB-PB B	LSX R322 PB-PB B	
	Satin Brass	White	LSX R212 PB-SB W	LSX R222 PB-SB W	LSX R232 PB-SB W	LSX R242 PB-SB W	LSX R312 PB-SB W	LSX R322 PB-SB W	
	Satin Brass	Black	LSX R212 PB-SB B	LSX R222 PB-SB B	LSX R232 PB-SB B	LSX R242 PB-SB B	LSX R312 PB-SB B	LSX R322 PB-SB B	
	Antique Brass	White	LSX R212 PB-AB W	LSX R222 PB-AB W	LSX R232 PB-AB W	LSX R242 PB-AB W	LSX R312 PB-AB W	LSX R322 PB-AB W	
	Antique Brass	Black	LSX R212 PB-AB B	LSX R222 PB-AB B	LSX R232 PB-AB B	LSX R242 PB-AB B	LSX R312 PB-AB B	LSX R322 PB-AB B	
	Bright Steel	White	LSX R212 PB-BS W	LSX R222 PB-BS W	LSX R232 PB-BS W	LSX R242 PB-BS W	LSX R312 PB-BS W	LSX R322 PB-BS W	
	Bright Steel	Black	LSX R212 PB-BS B	LSX R222 PB-BS B	LSX R232 PB-BS B	LSX R242 PB-BS B	LSX R312 PB-BS B	LSX R322 PB-BS B	
	Satin Steel	White	LSX R212 PB-SS W	LSX R222 PB-SS W	LSX R232 PB-SS W	LSX R242 PB-SS W	LSX R312 PB-SS W	LSX R322 PB-SS W	
	Satin Steel	Black	LSX R212 PB-SS B	LSX R222 PB-SS B	LSX R232 PB-SS B	LSX R242 PB-SS B	LSX R312 PB-SS B	LSX R322 PB-SS B	
		Satin Brass	White	LSX R212 SB-SB W	LSX R222 SB-SB W	LSX R232 SB-SB W	LSX R242 SB-SB W	LSX R312 SB-SB W	LSX R322 SB-SB W
		Satin Brass	Black	LSX R212 SB-SB B	LSX R222 SB-SB B	LSX R232 SB-SB B	LSX R242 SB-SB B	LSX R312 SB-SB B	LSX R322 SB-SB B
Satin Steel		White	LSX R212 SB-SS W	LSX R222 SB-SS W	LSX R232 SB-SS W	LSX R242 SB-SS W	LSX R312 SB-SS W	LSX R322 SB-SS W	
Satin Steel		Black	LSX R212 SB-SS B	LSX R222 SB-SS B	LSX R232 SB-SS B	LSX R242 SB-SS B	LSX R312 SB-SS B	LSX R322 SB-SS B	
	Antique Brass	Black	LSX R212 AB-AB B	LSX R222 AB-AB B	LSX R232 AB-AB B	LSX R242 AB-AB B	LSX R312 AB-AB B	LSX R322 AB-AB B	
	Satin Brass	Black	LSX R212 AB-SB B	LSX R222 AB-SB B	LSX R232 AB-SB B	LSX R242 AB-SB B	LSX R312 AB-SB B	LSX R322 AB-SB B	
	Bright Steel	White	LSX R212 SN-BS W	LSX R222 SN-BS W	LSX R232 SN-BS W	LSX R242 SN-BS W	LSX R312 SN-BS W	LSX R322 SN-BS W	
	Bright Steel	Black	LSX R212 SN-BS B	LSX R222 SN-BS B	LSX R232 SN-BS B	LSX R242 SN-BS B	LSX R312 SN-BS B	LSX R322 SN-BS B	
	Satin Steel	White	LSX R212 SN-SS W	LSX R222 SN-SS W	LSX R232 SN-SS W	LSX R242 SN-SS W	LSX R312 SN-SS W	LSX R322 SN-SS W	
Satin Steel	Black	LSX R212 SN-SS B	LSX R222 SN-SS B	LSX R232 SN-SS B	LSX R242 SN-SS B	LSX R312 SN-SS B	LSX R322 SN-SS B		
	Black Nickel	Black	LSX R212 BK-BK B	LSX R222 BK-BK B	LSX R232 BK-BK B	LSX R242 BK-BK B	LSX R312 BK-BK B	LSX R322 BK-BK B	
	Bright Steel	Black	LSX R212 BK-BS B	LSX R222 BK-BS B	LSX R232 BK-BS B	LSX R242 BK-BS B	LSX R312 BK-BS B	LSX R322 BK-BS B	
	Polished Brass	Black	LSX R212 BK-PB B	LSX R222 BK-PB B	LSX R232 BK-PB B	LSX R242 BK-PB B	LSX R312 BK-PB B	LSX R322 BK-PB B	

Hamilton® Linea-Scala CFX®

Concealed Fixing Toggle Switches



LSX T23 PB-SB



Frame and Insert Finish	Plate Finish	1 gang 20AX 2 way Toggle Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T21 Product Code	2 gang 20AX 2 way Toggle Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T22 Product Code	3 gang 20AX 2 way Toggle Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T23 Product Code	4 gang 20AX 2 way Toggle Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T24 Product Code	1 gang 20AX Intermediate Toggle Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T31 Product Code
	Bright Steel	LSX T21 BC-BS	LSX T22 BC-BS	LSX T23 BC-BS	LSX T24 BC-BS	LSX T31 BC-BS
	Satin Steel	LSX T21 BC-SS	LSX T22 BC-SS	LSX T23 BC-SS	LSX T24 BC-SS	LSX T31 BC-SS
	Polished Brass	LSX T21 BC-PB	LSX T22 BC-PB	LSX T23 BC-PB	LSX T24 BC-PB	LSX T31 BC-PB
	Black Nickel	LSX T21 BC-BK	LSX T22 BC-BK	LSX T23 BC-BK	LSX T24 BC-BK	LSX T31 BC-BK
	Piano Black	LSX T21 BC-N	LSX T22 BC-N	LSX T23 BC-N	LSX T24 BC-N	LSX T31 BC-N
	Polished Brass	LSX T21 PB-PB	LSX T22 PB-PB	LSX T23 PB-PB	LSX T24 PB-PB	LSX T31 PB-PB
	Satin Brass	LSX T21 PB-SB	LSX T22 PB-SB	LSX T23 PB-SB	LSX T24 PB-SB	LSX T31 PB-SB
	Antique Brass	LSX T21 PB-AB	LSX T22 PB-AB	LSX T23 PB-AB	LSX T24 PB-AB	LSX T31 PB-AB
	Bright Steel	LSX T21 PB-BS	LSX T22 PB-BS	LSX T23 PB-BS	LSX T24 PB-BS	LSX T31 PB-BS
	Satin Steel	LSX T21 PB-SS	LSX T22 PB-SS	LSX T23 PB-SS	LSX T24 PB-SS	LSX T31 PB-SS
	Satin Brass	LSX T21 SB-SB	LSX T22 SB-SB	LSX T23 SB-SB	LSX T24 SB-SB	LSX T31 SB-SB
	Satin Steel	LSX T21 SB-SS	LSX T22 SB-SS	LSX T23 SB-SS	LSX T24 SB-SS	LSX T31 SB-SS
	Antique Brass	LSX T21 AB-AB	LSX T22 AB-AB	LSX T23 AB-AB	LSX T24 AB-AB	LSX T31 AB-AB
	Satin Brass	LSX T21 AB-SB	LSX T22 AB-SB	LSX T23 AB-SB	LSX T24 AB-SB	LSX T31 AB-SB
	Bright Steel	LSX T21 SN-BS	LSX T22 SN-BS	LSX T23 SN-BS	LSX T24 SN-BS	LSX T31 SN-BS
	Satin Steel	LSX T21 SN-SS	LSX T22 SN-SS	LSX T23 SN-SS	LSX T24 SN-SS	LSX T31 SN-SS
	Black Nickel	LSX T21 BK-BK	LSX T22 BK-BK	LSX T23 BK-BK	LSX T24 BK-BK	LSX T31 BK-BK
	Bright Steel	LSX T21 BK-BS	LSX T22 BK-BS	LSX T23 BK-BS	LSX T24 BK-BS	LSX T31 BK-BS
	Polished Brass	LSX T21 BK-PB	LSX T22 BK-PB	LSX T23 BK-PB	LSX T24 BK-PB	LSX T31 BK-PB

Hamilton® Linea-Scala CFX®

Concealed Fixing Key Switches



LSX K21 BK-BS B



**1 gang 20AX
2 way
Key Switch**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **K21**
Product Code

**1 gang 20AX
2 way Key Switch
"EMG LTG TEST"**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **KEL**
Product Code

Frame Finish	Plate Finish	Insert Colour		
	Bright Steel	White	LSX K21 BC-BS W	LSX KEL BC-BS W
	Bright Steel	Black	LSX K21 BC-BS B	LSX KEL BC-BS B
	Satin Steel	White	LSX K21 BC-SS W	LSX KEL BC-SS W
	Satin Steel	Black	LSX K21 BC-SS B	LSX KEL BC-SS B
	Polished Brass	White	LSX K21 BC-PB W	LSX KEL BC-PB W
	Polished Brass	Black	LSX K21 BC-PB B	LSX KEL BC-PB B
	Black Nickel	Black	LSX K21 BC-BK B	LSX KEL BC-BK B
	Piano Black	Black	LSX K21 BC-N B	LSX KEL BC-N B
	Polished Brass	White	LSX K21 PB-PB W	LSX KEL PB-PB W
	Polished Brass	Black	LSX K21 PB-PB B	LSX KEL PB-PB B
	Satin Brass	White	LSX K21 PB-SB W	LSX KEL PB-SB W
	Satin Brass	Black	LSX K21 PB-SB B	LSX KEL PB-SB B
	Antique Brass	White	LSX K21 PB-AB W	LSX KEL PB-AB W
	Antique Brass	Black	LSX K21 PB-AB B	LSX KEL PB-AB B
	Bright Steel	White	LSX K21 PB-BS W	LSX KEL PB-BS W
	Bright Steel	Black	LSX K21 PB-BS B	LSX KEL PB-BS B
	Satin Steel	White	LSX K21 PB-SS W	LSX KEL PB-SS W
	Satin Steel	Black	LSX K21 PB-SS B	LSX KEL PB-SS B
	Satin Brass	White	LSX K21 SB-SB W	LSX KEL SB-SB W
	Satin Brass	Black	LSX K21 SB-SB B	LSX KEL SB-SB B
	Satin Steel	White	LSX K21 SB-SS W	LSX KEL SB-SS W
	Satin Steel	Black	LSX K21 SB-SS B	LSX KEL SB-SS B
	Antique Brass	Black	LSX K21 AB-AB B	LSX KEL AB-AB B
	Satin Brass	Black	LSX K21 AB-SB B	LSX KEL AB-SB B
	Satin Nickel	Bright Steel	White	LSX K21 SN-BS W
	Bright Steel	Black	LSX K21 SN-BS B	LSX KEL SN-BS B
	Bright Steel	White	LSX K21 SN-SS W	LSX KEL SN-SS W
	Satin Steel	White	LSX K21 SN-SS W	LSX KEL SN-SS W
	Satin Steel	Black	LSX K21 SN-SS B	LSX KEL SN-SS B
	Black Nickel	Black	LSX K21 BK-BK B	LSX KEL BK-BK B
	Bright Steel	Black	LSX K21 BK-BS B	LSX KEL BK-BS B
	Polished Brass	Black	LSX K21 BK-PB B	LSX KEL BK-PB B

Hamilton® Linea-Scala CFX®

Concealed Fixing Hotel Card Switch with LED

Adjustable Time Delay 10 seconds - 5 minutes. Suitable for 44 mm and 54 mm width Hotel Card.



LSX C11 BC-SS W



**1 gang
10A (6AX)
On/Off with
Blue LED
Locator**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **C11**
Product Code

**1 gang
12-24V AC/DC +/-10%
On/Off with Blue LED
Locator (Suitable for
KNX BUS System)**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **CKNX**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour			
	Bright Steel	White	LSX C11 BC-BS W	LSX CKNX BC-BS W	
	Bright Steel	Black	LSX C11 BC-BS B	LSX CKNX BC-BS B	
	Satin Steel	White	LSX C11 BC-SS W	LSX CKNX BC-SS W	
	Satin Steel	Black	LSX C11 BC-SS B	LSX CKNX BC-SS B	
	Polished Brass	White	LSX C11 BC-PB W	LSX CKNX BC-PB W	
	Polished Brass	Black	LSX C11 BC-PB B	LSX CKNX BC-PB B	
	Piano Black	Black	LSX C11 BC-N B	LSX CKNX BC-N B	
	Polished Brass	White	LSX C11 PB-PB W	LSX CKNX PB-PB W	
	Polished Brass	Black	LSX C11 PB-PB B	LSX CKNX PB-PB B	
	Satin Brass	White	LSX C11 PB-SB W	LSX CKNX PB-SB W	
	Satin Brass	Black	LSX C11 PB-SB B	LSX CKNX PB-SB B	
	Antique Brass	White	LSX C11 PB-AB W	LSX CKNX PB-AB W	
	Antique Brass	Black	LSX C11 PB-AB B	LSX CKNX PB-AB B	
	Bright Steel	White	LSX C11 PB-BS W	LSX CKNX PB-BS W	
	Bright Steel	Black	LSX C11 PB-BS B	LSX CKNX PB-BS B	
	Satin Steel	White	LSX C11 PB-SS W	LSX CKNX PB-SS W	
	Satin Steel	Black	LSX C11 PB-SS B	LSX CKNX PB-SS B	
	Satin Brass	White	LSX C11 SB-SB W	LSX CKNX SB-SB W	
	Satin Brass	Black	LSX C11 SB-SB B	LSX CKNX SB-SB B	
	Satin Steel	White	LSX C11 SB-SS W	LSX CKNX SB-SS W	
	Satin Steel	Black	LSX C11 SB-SS B	LSX CKNX SB-SS B	
	Antique Brass	Black	LSX C11 AB-AB B	LSX CKNX AB-AB B	
	Satin Brass	Black	LSX C11 AB-SB B	LSX CKNX AB-SB B	
	Antique Brass	Black	LSX C11 AB-AB B	LSX CKNX AB-AB B	
	Satin Nickel	Bright Steel	White	LSX C11 SN-BS W	LSX CKNX SN-BS W
	Bright Steel	Black	LSX C11 SN-BS B	LSX CKNX SN-BS B	
	Satin Steel	White	LSX C11 SN-SS W	LSX CKNX SN-SS W	
	Satin Steel	Black	LSX C11 SN-SS B	LSX CKNX SN-SS B	
	Black Nickel	Black	LSX C11 BK-BK B	LSX CKNX BK-BK B	
	Bright Steel	Black	LSX C11 BK-BS B	LSX CKNX BK-BS B	
	Polished Brass	Black	LSX C11 BK-PB B	LSX CKNX BK-PB B	

Hamilton® Linea-Scala CFX®

Concealed Fixing Power Sockets



LSX SS2 SN-BS W



1 gang 13A Double Pole Switched Socket

Nominal Plate Size: 91 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
Product Code



2 gang 13A Double Pole Switched Socket

Nominal Plate Size: 150 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS2**
Product Code



1 gang 2A Unswitched Socket

Nominal Plate Size: 91 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US2**
Product Code



1 gang 5A Unswitched Socket

Nominal Plate Size: 91 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US5**
Product Code



Shaver Dual Voltage Unswitched Socket

Nominal Plate Size: 91 x 150 mm
Min. Wall Box Depth: 47 mm
Technical Insert Reference: **SHS**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 13A Double Pole Switched Socket	2 gang 13A Double Pole Switched Socket	1 gang 2A Unswitched Socket	1 gang 5A Unswitched Socket	Shaver Dual Voltage Unswitched Socket
Bright Chrome	Bright Steel Bright Steel Satin Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black	LSX SS1 BC-BS W LSX SS1 BC-BS B LSX SS1 BC-SS W LSX SS1 BC-SS B LSX SS1 BC-PB W LSX SS1 BC-PB B LSX SS1 BC-BK B LSX SS1 BC-N B	LSX SS2 BC-BS W LSX SS2 BC-BS B LSX SS2 BC-SS W LSX SS2 BC-SS B LSX SS2 BC-PB W LSX SS2 BC-PB B LSX SS2 BC-BK B LSX SS2 BC-N B	LSX US2 BC-BS W LSX US2 BC-BS B LSX US2 BC-SS W LSX US2 BC-SS B LSX US2 BC-PB W LSX US2 BC-PB B LSX US2 BC-BK B LSX US2 BC-N B	LSX US5 BC-BS W LSX US5 BC-BS B LSX US5 BC-SS W LSX US5 BC-SS B LSX US5 BC-PB W LSX US5 BC-PB B LSX US5 BC-BK B LSX US5 BC-N B	LSX SHS BC-BS W LSX SHS BC-BS B LSX SHS BC-SS W LSX SHS BC-SS B LSX SHS BC-PB W LSX SHS BC-PB B LSX SHS BC-BK B LSX SHS BC-N B
Polished Brass	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black White Black White Black White Black	LSX SS1 PB-PB W LSX SS1 PB-PB B LSX SS1 PB-SB W LSX SS1 PB-SB B LSX SS1 PB-AB W LSX SS1 PB-AB B LSX SS1 PB-BS W LSX SS1 PB-BS B LSX SS1 PB-SS W LSX SS1 PB-SS B	LSX SS2 PB-PB W LSX SS2 PB-PB B LSX SS2 PB-SB W LSX SS2 PB-SB B LSX SS2 PB-AB W LSX SS2 PB-AB B LSX SS2 PB-BS W LSX SS2 PB-BS B LSX SS2 PB-SS W LSX SS2 PB-SS B	LSX US2 PB-PB W LSX US2 PB-PB B LSX US2 PB-SB W LSX US2 PB-SB B LSX US2 PB-AB W LSX US2 PB-AB B LSX US2 PB-BS W LSX US2 PB-BS B LSX US2 PB-SS W LSX US2 PB-SS B	LSX US5 PB-PB W LSX US5 PB-PB B LSX US5 PB-SB W LSX US5 PB-SB B LSX US5 PB-AB W LSX US5 PB-AB B LSX US5 PB-BS W LSX US5 PB-BS B LSX US5 PB-SS W LSX US5 PB-SS B	LSX SHS PB-PB W LSX SHS PB-PB B LSX SHS PB-SB W LSX SHS PB-SB B LSX SHS PB-AB W LSX SHS PB-AB B LSX SHS PB-BS W LSX SHS PB-BS B LSX SHS PB-SS W LSX SHS PB-SS B
Satin Brass	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LSX SS1 SB-SB W LSX SS1 SB-SB B LSX SS1 SB-SS W LSX SS1 SB-SS B	LSX SS2 SB-SB W LSX SS2 SB-SB B LSX SS2 SB-SS W LSX SS2 SB-SS B	LSX US2 SB-SB W LSX US2 SB-SB B LSX US2 SB-SS W LSX US2 SB-SS B	LSX US5 SB-SB W LSX US5 SB-SB B LSX US5 SB-SS W LSX US5 SB-SS B	LSX SHS SB-SB W LSX SHS SB-SB B LSX SHS SB-SS W LSX SHS SB-SS B
Antique Brass	Antique Brass Satin Brass	Black Black	LSX SS1 AB-AB B LSX SS1 AB-SB B	LSX SS2 AB-AB B LSX SS2 AB-SB B	LSX US2 AB-AB B LSX US2 AB-SB B	LSX US5 AB-AB B LSX US5 AB-SB B	LSX SHS AB-AB B LSX SHS AB-SB B
Satin Nickel	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LSX SS1 SN-BS W LSX SS1 SN-BS B LSX SS1 SN-SS W LSX SS1 SN-SS B	LSX SS2 SN-BS W LSX SS2 SN-BS B LSX SS2 SN-SS W LSX SS2 SN-SS B	LSX US2 SN-BS W LSX US2 SN-BS B LSX US2 SN-SS W LSX US2 SN-SS B	LSX US5 SN-BS W LSX US5 SN-BS B LSX US5 SN-SS W LSX US5 SN-SS B	LSX SHS SN-BS W LSX SHS SN-BS B LSX SHS SN-SS W LSX SHS SN-SS B
Black Nickel	Black Nickel Bright Steel Polished Brass	Black Black Black	LSX SS1 BK-BK B LSX SS1 BK-BS B LSX SS1 KP-PB B	LSX SS2 BK-BK B LSX SS2 BK-BS B LSX SS2 KP-PB B	LSX US2 BK-BK B LSX US2 BK-BS B LSX US2 KP-PB B	LSX US5 BK-BK B LSX US5 BK-BS B LSX US5 KP-PB B	LSX SHS BK-BK B LSX SHS BK-BS B LSX SHS KP-PB B

Hamilton® Linea-Scala CFX®

Concealed Fixing Power Sockets



LSX 6126 BC-PB W



1 gang 16A German Unswitched Socket

Nominal Plate Size: 91 x 91 mm
Min. Wall Box Depth: 47 mm
Technical Insert Reference: **6126**
Product Code



1 gang 15A American Unswitched Socket

Nominal Plate Size: 91 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **5258**
Product Code



2 gang 15A American Unswitched Socket

Nominal Plate Size: 150 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **5320**
Product Code

Frame Finish	Plate Finish	Insert Colour	1 gang 16A German Unswitched Socket	1 gang 15A American Unswitched Socket	2 gang 15A American Unswitched Socket
Bright Chrome	Bright Steel Bright Steel Satin Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black	LSX 6126 BC-BS W LSX 6126 BC-BS B LSX 6126 BC-SS W LSX 6126 BC-SS B LSX 6126 BC-PB W LSX 6126 BC-PB B LSX 6126 BC-BK B LSX 6126 BC-N B	LSX 5258 BC-BS W LSX 5258 BC-BS B LSX 5258 BC-SS W LSX 5258 BC-SS B LSX 5258 BC-PB W LSX 5258 BC-PB B LSX 5258 BC-BK B LSX 5258 BC-N B	LSX 5320 BC-BS W LSX 5320 BC-BS B LSX 5320 BC-SS W LSX 5320 BC-SS B LSX 5320 BC-PB W LSX 5320 BC-PB B LSX 5320 BC-BK B LSX 5320 BC-N B
Polished Brass	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Satin Steel	White Black White Black White Black White Black	LSX 6126 PB-PB W LSX 6126 PB-PB B LSX 6126 PB-SB W LSX 6126 PB-SB B LSX 6126 PB-AB W LSX 6126 PB-AB B LSX 6126 PB-BS W LSX 6126 PB-BS B LSX 6126 PB-SS W LSX 6126 PB-SS B	LSX 5258 PB-PB W LSX 5258 PB-PB B LSX 5258 PB-SB W LSX 5258 PB-SB B LSX 5258 PB-AB W LSX 5258 PB-AB B LSX 5258 PB-BS W LSX 5258 PB-BS B LSX 5258 PB-SS W LSX 5258 PB-SS B	LSX 5320 PB-PB W LSX 5320 PB-PB B LSX 5320 PB-SB W LSX 5320 PB-SB B LSX 5320 PB-AB W LSX 5320 PB-AB B LSX 5320 PB-BS W LSX 5320 PB-BS B LSX 5320 PB-SS W LSX 5320 PB-SS B
Satin Brass	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LSX 6126 SB-SB W LSX 6126 SB-SB B LSX 6126 SB-SS W LSX 6126 SB-SS B	LSX 5258 SB-SB W LSX 5258 SB-SB B LSX 5258 SB-SS W LSX 5258 SB-SS B	LSX 5320 SB-SB W LSX 5320 SB-SB B LSX 5320 SB-SS W LSX 5320 SB-SS B
Antique Brass	Antique Brass Satin Brass	Black Black	LSX 6126 AB-AB B LSX 6126 AB-SB B	LSX 5258 AB-AB B LSX 5258 AB-SB B	LSX 5320 AB-AB B LSX 5320 AB-SB B
Satin Nickel	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LSX 6126 SN-BS W LSX 6126 SN-BS B LSX 6126 SN-SS W LSX 6126 SN-SS B	LSX 5258 SN-BS W LSX 5258 SN-BS B LSX 5258 SN-SS W LSX 5258 SN-SS B	LSX 5320 SN-BS W LSX 5320 SN-BS B LSX 5320 SN-SS W LSX 5320 SN-SS B
Black Nickel	Black Nickel Bright Steel Polished Brass	Black Black Black	LSX 6126 BK-BK B LSX 6126 BK-BS B LSX 6126 BK-PB B	LSX 5258 BK-BK B LSX 5258 BK-BS B LSX 5258 BK-PB B	LSX 5320 BK-BK B LSX 5320 BK-BS B LSX 5320 BK-PB B

Hamilton® Linea-Scala cfx®

Concealed Fixing Television Coaxial Sockets



LSX TV BC-SS W

Frame Finish	Plate Finish	Insert Colour	1 gang Non Isolated TV 1 In/1 Out Nom. Plate Size: Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TV Product Code	Isolated TV/FM Diplexer 1 In/2 Out Nom. Plate Size: Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVFM Product Code	1 gang Isolated TV 1 In/1 Out Nom. Plate Size: Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVI Product Code	2 gang Non Isolated TV + Satellite 2 In/2 Out Nom. Plate Size: Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: TVSAT Product Code	1 gang Non Isolated Satellite Nom. Plate Size: Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATN Product Code	1 gang Isolated Satellite Nom. Plate Size: Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATI Product Code
Bright Chrome	Bright Steel Bright Steel Satin Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black	LSX TV BC-BS W LSX TV BC-BS B LSX TV BC-SS W LSX TV BC-SS B LSX TV BC-PB W LSX TV BC-PB B LSX TV BC-BK B LSX TV BC-N B	LSX TVFM BC-BS W LSX TVFM BC-BS B LSX TVFM BC-SS W LSX TVFM BC-SS B LSX TVFM BC-PB W LSX TVFM BC-PB B LSX TVFM BC-BK B LSX TVFM BC-N B	LSX TVI BC-BS W LSX TVI BC-BS B LSX TVI BC-SS W LSX TVI BC-SS B LSX TVI BC-PB W LSX TVI BC-PB B LSX TVI BC-BK B LSX TVI BC-N B	LSX TVSAT BC-BS W LSX TVSAT BC-BS B LSX TVSAT BC-SS W LSX TVSAT BC-SS B LSX TVSAT BC-PB W LSX TVSAT BC-PB B LSX TVSAT BC-BK B LSX TVSAT BC-N B	LSX SATN BC-BS W LSX SATN BC-BS B LSX SATN BC-SS W LSX SATN BC-SS B LSX SATN BC-PB W LSX SATN BC-PB B LSX SATN BC-BK B LSX SATN BC-N B	LSX SATI BC-BS W LSX SATI BC-BS B LSX SATI BC-SS W LSX SATI BC-SS B LSX SATI BC-PB W LSX SATI BC-PB B LSX SATI BC-BK B LSX SATI BC-N B
Polished Brass	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black White Black White Black White Black	LSX TV PB-PB W LSX TV PB-PB B LSX TV PB-SB W LSX TV PB-SB B LSX TV PB-AB W LSX TV PB-AB B LSX TV PB-BS W LSX TV PB-BS B LSX TV PB-SS W LSX TV PB-SS B	LSX TVFM PB-PB W LSX TVFM PB-PB B LSX TVFM PB-SB W LSX TVFM PB-SB B LSX TVFM PB-AB W LSX TVFM PB-AB B LSX TVFM PB-BS W LSX TVFM PB-BS B LSX TVFM PB-SS W LSX TVFM PB-SS B	LSX TVI PB-PB W LSX TVI PB-PB B LSX TVI PB-SB W LSX TVI PB-SB B LSX TVI PB-AB W LSX TVI PB-AB B LSX TVI PB-BS W LSX TVI PB-BS B LSX TVI PB-SS W LSX TVI PB-SS B	LSX TVSAT PB-PB W LSX TVSAT PB-PB B LSX TVSAT PB-SB W LSX TVSAT PB-SB B LSX TVSAT PB-AB W LSX TVSAT PB-AB B LSX TVSAT PB-BS W LSX TVSAT PB-BS B LSX TVSAT PB-SS W LSX TVSAT PB-SS B	LSX SATN PB-PB W LSX SATN PB-PB B LSX SATN PB-SB W LSX SATN PB-SB B LSX SATN PB-AB W LSX SATN PB-AB B LSX SATN PB-BS W LSX SATN PB-BS B LSX SATN PB-SS W LSX SATN PB-SS B	LSX SATI PB-PB W LSX SATI PB-PB B LSX SATI PB-SB W LSX SATI PB-SB B LSX SATI PB-AB W LSX SATI PB-AB B LSX SATI PB-BS W LSX SATI PB-BS B LSX SATI PB-SS W LSX SATI PB-SS B
Satin Brass	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LSX TV SB-SB W LSX TV SB-SB B LSX TV SB-SS W LSX TV SB-SS B	LSX TVFM SB-SB W LSX TVFM SB-SB B LSX TVFM SB-SS W LSX TVFM SB-SS B	LSX TVI SB-SB W LSX TVI SB-SB B LSX TVI SB-SS W LSX TVI SB-SS B	LSX TVSAT SB-SB W LSX TVSAT SB-SB B LSX TVSAT SB-SS W LSX TVSAT SB-SS B	LSX SATN SB-SB W LSX SATN SB-SB B LSX SATN SB-SS W LSX SATN SB-SS B	LSX SATI SB-SB W LSX SATI SB-SB B LSX SATI SB-SS W LSX SATI SB-SS B
Antique Brass	Antique Brass Satin Brass	Black Black	LSX TV AB-AB B LSX TV AB-SB B	LSX TVFM AB-AB B LSX TVFM AB-SB B	LSX TVI AB-AB B LSX TVI AB-SB B	LSX TVSAT AB-AB W LSX TVSAT AB-SB B	LSX SATN AB-AB B LSX SATN AB-SB B	LSX SATI AB-AB B LSX SATI AB-SB B
Satin Nickel	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LSX TV SN-BS W LSX TV SN-BS B LSX TV SN-SS W LSX TV SN-SS B	LSX TVFM SN-BS W LSX TVFM SN-BS B LSX TVFM SN-SS W LSX TVFM SN-SS B	LSX TVI SN-BS W LSX TVI SN-BS B LSX TVI SN-SS W LSX TVI SN-SS B	LSX TVSAT SN-BS W LSX TVSAT SN-BS B LSX TVSAT SN-SS W LSX TVSAT SN-SS B	LSX SATN SN-BS W LSX SATN SN-BS B LSX SATN SN-SS W LSX SATN SN-SS B	LSX SATI SN-BS W LSX SATI SN-BS B LSX SATI SN-SS W LSX SATI SN-SS B
Black Nickel	Black Nickel Bright Steel Polished Brass	Black Black Black	LSX TV BK-BK B LSX TV BK-BS B LSX TV BK-PB B	LSX TVFM BK-BK B LSX TVFM BK-BS B LSX TVFM BK-PB B	LSX TVI BK-BK B LSX TVI BK-BS B LSX TVI BK-PB B	LSX TVSAT BK-BK B LSX TVSAT BK-BS B LSX TVSAT BK-PB B	LSX SATN BK-BK B LSX SATN BK-BS B LSX SATN BK-PB B	LSX SATI BK-BK B LSX SATI BK-BS B LSX SATI BK-PB B

Hamilton® Linea-Scala cfx®

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



LSX DTRID PB-PB B

Frame Finish	Plate Finish	Insert Colour	Non Isolated TV/FM/Satellite Triplexer 1 In/3 Out Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTRID Product Code	1 gang Non Isolated TV (Female) Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVF Product Code	1 gang Non Isolated TV (Male) Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVM Product Code
Bright Chrome	Bright Steel Bright Steel Satin Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black	LSX DTRID BC-BS W LSX DTRID BC-BS B LSX DTRID BC-SS W LSX DTRID BC-SS B LSX DTRID BC-PB W LSX DTRID BC-PB B LSX DTRID BC-BK B LSX DTRID BC-N B	LSX DTVF BC-BS W LSX DTVF BC-BS B LSX DTVF BC-SS W LSX DTVF BC-SS B LSX DTVF BC-PB W LSX DTVF BC-PB B LSX DTVF BC-BK B LSX DTVF BC-N B	LSX DTVM BC-BS W LSX DTVM BC-BS B LSX DTVM BC-SS W LSX DTVM BC-SS B LSX DTVM BC-PB W LSX DTVM BC-PB B LSX DTVM BC-BK B LSX DTVM BC-N B
Polished Brass	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black White Black White Black White Black	LSX DTRID PB-PB W LSX DTRID PB-PB B LSX DTRID PB-SB W LSX DTRID PB-SB B LSX DTRID PB-AB W LSX DTRID PB-AB B LSX DTRID PB-BS W LSX DTRID PB-BS B LSX DTRID PB-SS W LSX DTRID PB-SS B	LSX DTVF PB-PB W LSX DTVF PB-PB B LSX DTVF PB-SB W LSX DTVF PB-SB B LSX DTVF PB-AB W LSX DTVF PB-AB B LSX DTVF PB-BS W LSX DTVF PB-BS B LSX DTVF PB-SS W LSX DTVF PB-SS B	LSX DTVM PB-PB W LSX DTVM PB-PB B LSX DTVM PB-SB W LSX DTVM PB-SB B LSX DTVM PB-AB W LSX DTVM PB-AB B LSX DTVM PB-BS W LSX DTVM PB-BS B LSX DTVM PB-SS W LSX DTVM PB-SS B
Satin Brass	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LSX DTRID SB-SB W LSX DTRID SB-SB B LSX DTRID SB-SS W LSX DTRID SB-SS B	LSX DTVF SB-SB W LSX DTVF SB-SB B LSX DTVF SB-SS W LSX DTVF SB-SS B	LSX DTVM SB-SB W LSX DTVM SB-SB B LSX DTVM SB-SS W LSX DTVM SB-SS B
Antique Brass	Antique Brass Satin Brass	Black Black	LSX DTRID AB-AB B LSX DTRID AB-SB B	LSX DTVF AB-AB B LSX DTVF AB-SB B	LSX DTVM AB-AB B LSX DTVM AB-SB B
Satin Nickel	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LSX DTRID SN-BS W LSX DTRID SN-BS B LSX DTRID SN-SS W LSX DTRID SN-SS B	LSX DTVF SN-BS W LSX DTVF SN-BS B LSX DTVF SN-SS W LSX DTVF SN-SS B	LSX DTVM SN-BS W LSX DTVM SN-BS B LSX DTVM SN-SS W LSX DTVM SN-SS B
Black Nickel	Black Nickel Bright Steel Polished Brass	Black Black Black	LSX DTRID BK-BK B LSX DTRID BK-BS B LSX DTRID BK-PB B	LSX DTVF BK-BK B LSX DTVF BK-BS B LSX DTVF BK-PB B	LSX DTVM BK-BK B LSX DTVM BK-BS B LSX DTVM BK-PB B

Hamilton Linea-Scala cfx®

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



LSX DSAT BC-SS W



1 gang Non Isolated Satellite
Nominal Plate Size: 91 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **DSAT**
Product Code



Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out
Nominal Plate Size: 91 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **DENT**
Product Code




Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out + TVF + TCS
Nominal Plate Size: 150 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **DSAT+**
Product Code

Frame Finish	Plate Finish	Insert Colour	1 gang Non Isolated Satellite	Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out	Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out + TVF + TCS
Bright Chrome 	Bright Steel	White	LSX DSAT BC-BS W	LSX DENT BC-BS W	LSX DSAT+ BC-BS W
	Bright Steel	Black	LSX DSAT BC-BS B	LSX DENT BC-BS B	LSX DSAT+ BC-BS B
	Satin Steel	White	LSX DSAT BC-SS W	LSX DENT BC-SS W	LSX DSAT+ BC-SS W
	Satin Steel	Black	LSX DSAT BC-SS B	LSX DENT BC-SS B	LSX DSAT+ BC-SS B
	Polished Brass	White	LSX DSAT BC-PB W	LSX DENT BC-PB W	LSX DSAT+ BC-PB W
	Polished Brass	Black	LSX DSAT BC-PB B	LSX DENT BC-PB B	LSX DSAT+ BC-PB B
Polished Brass 	Black Nickel	Black	LSX DSAT BC-BK B	LSX DENT BC-BK B	LSX DSAT+ BC-BK B
	Piano Black	Black	LSX DSAT BC-N B	LSX DENT BC-N B	LSX DSAT+ BC-N B
	Polished Brass	White	LSX DSAT PB-PB W	LSX DENT PB-PB W	LSX DSAT+ PB-PB W
	Polished Brass	Black	LSX DSAT PB-PB B	LSX DENT PB-PB B	LSX DSAT+ PB-PB B
	Satin Brass	White	LSX DSAT PB-SB W	LSX DENT PB-SB W	LSX DSAT+ PB-SB W
	Satin Brass	Black	LSX DSAT PB-SB B	LSX DENT PB-SB B	LSX DSAT+ PB-SB B
Satin Brass 	Antique Brass	White	LSX DSAT PB-AB W	LSX DENT PB-AB W	LSX DSAT+ PB-AB W
	Antique Brass	Black	LSX DSAT PB-AB B	LSX DENT PB-AB B	LSX DSAT+ PB-AB B
	Bright Steel	White	LSX DSAT PB-BS W	LSX DENT PB-BS W	LSX DSAT+ PB-BS W
	Bright Steel	Black	LSX DSAT PB-BS B	LSX DENT PB-BS B	LSX DSAT+ PB-BS B
	Satin Steel	White	LSX DSAT PB-SS W	LSX DENT PB-SS W	LSX DSAT+ PB-SS W
	Satin Steel	Black	LSX DSAT PB-SS B	LSX DENT PB-SS B	LSX DSAT+ PB-SS B
Satin Nickel 	Satin Brass	White	LSX DSAT SB-SB W	LSX DENT SB-SB W	LSX DSAT+ SB-SB W
	Satin Brass	Black	LSX DSAT SB-SB B	LSX DENT SB-SB B	LSX DSAT+ SB-SB B
	Satin Steel	White	LSX DSAT SB-SS W	LSX DENT SB-SS W	LSX DSAT+ SB-SS W
Antique Brass 	Satin Steel	Black	LSX DSAT SB-SS B	LSX DENT SB-SS B	LSX DSAT+ SB-SS B
	Antique Brass	Black	LSX DSAT AB-AB W	LSX DENT AB-AB B	LSX DSAT+ AB-AB B
	Satin Brass	Black	LSX DSAT AB-SB B	LSX DENT AB-SB B	LSX DSAT+ AB-SB B
Satin Nickel 	Antique Brass	Black	LSX DSAT AB-SB B	LSX DENT AB-SB B	LSX DSAT+ AB-SB B
	Bright Steel	White	LSX DSAT SN-BS W	LSX DENT SN-BS W	LSX DSAT+ SN-BS W
	Bright Steel	Black	LSX DSAT SN-BS B	LSX DENT SN-BS B	LSX DSAT+ SN-BS B
	Satin Steel	White	LSX DSAT SN-SS W	LSX DENT SN-SS W	LSX DSAT+ SN-SS W
Black Nickel 	Satin Steel	Black	LSX DSAT SN-SS B	LSX DENT SN-SS B	LSX DSAT+ SN-SS B
	Black Nickel	Black	LSX DSAT BK-BK B	LSX DENT BK-BK B	LSX DSAT+ BK-BK B
	Bright Steel	Black	LSX DSAT BK-BS B	LSX DENT BK-BS B	LSX DSAT+ BK-BS B
Black Nickel 	Polished Brass	Black	LSX DSAT BK-PB B	LSX DENT BK-PB B	LSX DSAT+ BK-PB B
	Black Nickel	Black	LSX DSAT BK-PB B	LSX DENT BK-PB B	LSX DSAT+ BK-PB B

Hamilton Linea-Scala cfx®

Concealed Fixing Telephone and Data Outlets



LSX 2J12 PB-PB B



1 gang Telephone Master
Nom. Plate Size: 91 x 91 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **TCM**
Product Code



1 gang Telephone Slave
Nom. Plate Size: 91 x 91 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **TCS**
Product Code



1 gang RJ12 Outlet Unshielded
Nom. Plate Size: 91 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **J12**
Product Code



2 gang RJ12 Outlet Unshielded
Nom. Plate Size: 91 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **2J12**
Product Code



1 gang RJ45 CAT 5E Outlet Unshielded
Nom. Plate Size: 91 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **J45**
Product Code



2 gang RJ45 CAT 5E Outlet Unshielded
Nom. Plate Size: 91 x 91 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **2J45**
Product Code

Frame Finish	Plate Finish	Insert Colour	1 gang Telephone Master	1 gang Telephone Slave	1 gang RJ12 Outlet Unshielded	2 gang RJ12 Outlet Unshielded	1 gang RJ45 CAT 5E Outlet Unshielded	2 gang RJ45 CAT 5E Outlet Unshielded
Bright Chrome 	Bright Steel	White	LSX TCM BC-BS W	LSX TCS BC-BS W	LSX J12 BC-BS W	LSX 2J12 BC-BS W	LSX J45 BC-BS W	LSX 2J45 BC-BS W
	Bright Steel	Black	LSX TCM BC-BS B	LSX TCS BC-BS B	LSX J12 BC-BS B	LSX 2J12 BC-BS B	LSX J45 BC-BS B	LSX 2J45 BC-BS B
	Satin Steel	White	LSX TCM BC-SS W	LSX TCS BC-SS W	LSX J12 BC-SS W	LSX 2J12 BC-SS W	LSX J45 BC-SS W	LSX 2J45 BC-SS W
	Satin Steel	Black	LSX TCM BC-SS B	LSX TCS BC-SS B	LSX J12 BC-SS B	LSX 2J12 BC-SS B	LSX J45 BC-SS B	LSX 2J45 BC-SS B
	Polished Brass	White	LSX TCM BC-PB W	LSX TCS BC-PB W	LSX J12 BC-PB W	LSX 2J12 BC-PB W	LSX J45 BC-PB W	LSX 2J45 BC-PB W
	Polished Brass	Black	LSX TCM BC-PB B	LSX TCS BC-PB B	LSX J12 BC-PB B	LSX 2J12 BC-PB B	LSX J45 BC-PB B	LSX 2J45 BC-PB B
Polished Brass 	Black Nickel	Black	LSX TCM BC-BK B	LSX TCS BC-BK B	LSX J12 BC-BK B	LSX 2J12 BC-BK B	LSX J45 BC-BK B	LSX 2J45 BC-BK B
	Piano Black	Black	LSX TCM BC-N B	LSX TCS BC-N B	LSX J12 BC-N B	LSX 2J12 BC-N B	LSX J45 BC-N B	LSX 2J45 BC-N B
	Polished Brass	White	LSX TCM PB-PB W	LSX TCS PB-PB W	LSX J12 PB-PB W	LSX 2J12 PB-PB W	LSX J45 PB-PB W	LSX 2J45 PB-PB W
	Polished Brass	Black	LSX TCM PB-PB B	LSX TCS PB-PB B	LSX J12 PB-PB B	LSX 2J12 PB-PB B	LSX J45 PB-PB B	LSX 2J45 PB-PB B
	Satin Brass	White	LSX TCM PB-SB W	LSX TCS PB-SB W	LSX J12 PB-SB W	LSX 2J12 PB-SB W	LSX J45 PB-SB W	LSX 2J45 PB-SB W
	Satin Brass	Black	LSX TCM PB-SB B	LSX TCS PB-SB B	LSX J12 PB-SB B	LSX 2J12 PB-SB B	LSX J45 PB-SB B	LSX 2J45 PB-SB B
Satin Brass 	Antique Brass	White	LSX TCM PB-AB W	LSX TCS PB-AB W	LSX J12 PB-AB W	LSX 2J12 PB-AB W	LSX J45 PB-AB W	LSX 2J45 PB-AB W
	Antique Brass	Black	LSX TCM PB-AB B	LSX TCS PB-AB B	LSX J12 PB-AB B	LSX 2J12 PB-AB B	LSX J45 PB-AB B	LSX 2J45 PB-AB B
	Bright Steel	White	LSX TCM PB-BS W	LSX TCS PB-BS W	LSX J12 PB-BS W	LSX 2J12 PB-BS W	LSX J45 PB-BS W	LSX 2J45 PB-BS W
	Bright Steel	Black	LSX TCM PB-BS B	LSX TCS PB-BS B	LSX J12 PB-BS B	LSX 2J12 PB-BS B	LSX J45 PB-BS B	LSX 2J45 PB-BS B
	Satin Steel	White	LSX TCM PB-SS W	LSX TCS PB-SS W	LSX J12 PB-SS W	LSX 2J12 PB-SS W	LSX J45 PB-SS W	LSX 2J45 PB-SS W
	Satin Steel	Black	LSX TCM PB-SS B	LSX TCS PB-SS B	LSX J12 PB-SS B	LSX 2J12 PB-SS B	LSX J45 PB-SS B	LSX 2J45 PB-SS B
Satin Nickel 	Satin Brass	White	LSX TCM SB-SB W	LSX TCS SB-SB W	LSX J12 SB-SB W	LSX 2J12 SB-SB W	LSX J45 SB-SB W	LSX 2J45 SB-SB W
	Satin Brass	Black	LSX TCM SB-SB B	LSX TCS SB-SB B	LSX J12 SB-SB B	LSX 2J12 SB-SB B	LSX J45 SB-SB B	LSX 2J45 SB-SB B
	Satin Steel	White	LSX TCM SB-SS W	LSX TCS SB-SS W	LSX J12 SB-SS W	LSX 2J12 SB-SS W	LSX J45 SB-SS W	LSX 2J45 SB-SS W
Antique Brass 	Satin Steel	Black	LSX TCM SB-SS B	LSX TCS SB-SS B	LSX J12 SB-SS B	LSX 2J12 SB-SS B	LSX J45 SB-SS B	LSX 2J45 SB-SS B
	Antique Brass	Black	LSX TCM AB-AB B	LSX TCS AB-AB B	LSX J12 AB-AB B	LSX 2J12 AB-AB B	LSX J45 AB-AB B	LSX 2J45 AB-AB B
	Satin Brass	Black	LSX TCM AB-SB B	LSX TCS AB-SB B	LSX J12 AB-SB B	LSX 2J12 AB-SB B	LSX J45 AB-SB B	LSX 2J45 AB-SB B
Satin Nickel 	Antique Brass	Black	LSX TCM AB-SB B	LSX TCS AB-SB B	LSX J12 AB-SB B	LSX 2J12 AB-SB B	LSX J45 AB-SB B	LSX 2J45 AB-SB B
	Bright Steel	White	LSX TCM SN-BS W	LSX TCS SN-BS W	LSX J12 SN-BS W	LSX 2J12 SN-BS W	LSX J45 SN-BS W	LSX 2J45 SN-BS W
	Bright Steel	Black	LSX TCM SN-BS B	LSX TCS SN-BS B	LSX J12 SN-BS B	LSX 2J12 SN-BS B	LSX J45 SN-BS B	LSX 2J45 SN-BS B
	Satin Steel	White	LSX TCM SN-SS W	LSX TCS SN-SS W	LSX J12 SN-SS W	LSX 2J12 SN-SS W	LSX J45 SN-SS W	LSX 2J45 SN-SS W
Black Nickel 	Satin Steel	Black	LSX TCM SN-SS B	LSX TCS SN-SS B	LSX J12 SN-SS B	LSX 2J12 SN-SS B	LSX J45 SN-SS B	LSX 2J45 SN-SS B
	Black Nickel	Black	LSX TCM BK-BK B	LSX TCS BK-BK B	LSX J12 BK-BK B	LSX 2J12 BK-BK B	LSX J45 BK-BK B	LSX 2J45 BK-BK B
	Bright Steel	Black	LSX TCM BK-BS B	LSX TCS BK-BS B	LSX J12 BK-BS B	LSX 2J12 BK-BS B	LSX J45 BK-BS B	LSX 2J45 BK-BS B
Black Nickel 	Polished Brass	Black	LSX TCM BK-PB B	LSX TCS BK-PB B	LSX J12 BK-PB B	LSX 2J12 BK-PB B	LSX J45 BK-PB B	LSX 2J45 BK-PB B
	Black Nickel	Black	LSX TCM BK-PB B	LSX TCS BK-PB B	LSX J12 BK-PB B	LSX 2J12 BK-PB B	LSX J45 BK-PB B	LSX 2J45 BK-PB B

Hamilton® Linea-Scala cfx®

Concealed Fixing Double Pole Switches



LSX 45N BC-BS W



**1 gang 20AX
Double Pole
Rocker + Neon**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DPN**
Product Code



**1 gang 45A
Double Pole
Red Rocker + Neon**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **45N**
Product Code



**45A Double Pole
Red Rocker + Neon +
13A Switched Socket**

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **45SS1**
Product Code

**Frame and
Insert Finish** **Plate Finish** **Insert
Surround
Colour**

	Bright Steel	White	LSX DPN BC-BS W	LSX 45N BC-BS W	LSX 45SS1 BC-BS W
	Bright Steel	Black	LSX DPN BC-BS B	LSX 45N BC-BS B	LSX 45SS1 BC-BS B
	Satin Steel	White	LSX DPN BC-SS W	LSX 45N BC-SS W	LSX 45SS1 BC-SS W
	Satin Steel	Black	LSX DPN BC-SS B	LSX 45N BC-SS B	LSX 45SS1 BC-SS B
	Polished Brass	White	LSX DPN BC-PB W	LSX 45N BC-PB W	LSX 45SS1 BC-PB W
	Polished Brass	Black	LSX DPN BC-PB B	LSX 45N BC-PB B	LSX 45SS1 BC-PB B
	Black Nickel	Black	LSX DPN BC-BK B	LSX 45N BC-BK B	LSX 45SS1 BC-BK B

	Polished Brass	White	LSX DPN PB-PB W	LSX 45N PB-PB W	LSX 45SS1 PB-PB W
	Polished Brass	Black	LSX DPN PB-PB B	LSX 45N PB-PB B	LSX 45SS1 PB-PB B
	Satin Brass	White	LSX DPN PB-SB W	LSX 45N PB-SB W	LSX 45SS1 PB-SB W
	Satin Brass	Black	LSX DPN PB-SB B	LSX 45N PB-SB B	LSX 45SS1 PB-SB B
	Antique Brass	White	LSX DPN PB-AB W	LSX 45N PB-AB W	LSX 45SS1 PB-AB W
	Antique Brass	Black	LSX DPN PB-AB B	LSX 45N PB-AB B	LSX 45SS1 PB-AB B
	Bright Steel	White	LSX DPN PB-BS W	LSX 45N PB-BS W	LSX 45SS1 PB-BS W
	Bright Steel	Black	LSX DPN PB-BS B	LSX 45N PB-BS B	LSX 45SS1 PB-BS B
	Satin Steel	White	LSX DPN PB-SS W	LSX 45N PB-SS W	LSX 45SS1 PB-SS W
	Satin Steel	Black	LSX DPN PB-SS B	LSX 45N PB-SS B	LSX 45SS1 PB-SS B

	Satin Brass	White	LSX DPN SB-SB W	LSX 45N SB-SB W	LSX 45SS1 SB-SB W
	Satin Brass	Black	LSX DPN SB-SB B	LSX 45N SB-SB B	LSX 45SS1 SB-SB B
	Satin Steel	White	LSX DPN SB-SS W	LSX 45N SB-SS W	LSX 45SS1 SB-SS W
	Satin Steel	Black	LSX DPN SB-SS B	LSX 45N SB-SS B	LSX 45SS1 SB-SS B

	Antique Brass	Black	LSX DPN AB-AB B	LSX 45N AB-AB B	LSX 45SS1 AB-AB B
	Satin Brass	Black	LSX DPN AB-SB B	LSX 45N AB-SB B	LSX 45SS1 AB-SB B

	Bright Steel	White	LSX DPN SN-BS W	LSX 45N SN-BS W	LSX 45SS1 SN-BS W
	Bright Steel	Black	LSX DPN SN-BS B	LSX 45N SN-BS B	LSX 45SS1 SN-BS B
	Satin Steel	White	LSX DPN SN-SS W	LSX 45N SN-SS W	LSX 45SS1 SN-SS W
	Satin Steel	Black	LSX DPN SN-SS B	LSX 45N SN-SS B	LSX 45SS1 SN-SS B

	Black Nickel	Black	LSX DPN BK-BK B	LSX 45N BK-BK B	LSX 45SS1 BK-BK B
	Bright Steel	Black	LSX DPN BK-BS B	LSX 45N BK-BS B	LSX 45SS1 BK-BS B
	Polished Brass	Black	LSX DPN BK-PB B	LSX 45N BK-PB B	LSX 45SS1 BK-PB B

Hamilton® Linea-Scala cfx®

Concealed Fixing Connection Units



LSX SPN PB-BS W



**1 gang 13A
Double Pole
Fused Spur + Neon**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **SPN**
Product Code

**Frame and
Insert Finish** **Plate Finish** **Insert
Surround
Colour**

	Bright Steel	White	LSX SPN BC-BS W
	Bright Steel	Black	LSX SPN BC-BS B
	Satin Steel	White	LSX SPN BC-SS W
	Satin Steel	Black	LSX SPN BC-SS B
	Polished Brass	White	LSX SPN BC-PB W
	Polished Brass	Black	LSX SPN BC-PB B
	Piano Black	Black	LSX SPN BC-N B


	Polished Brass	White	LSX SPN PB-PB W
	Polished Brass	Black	LSX SPN PB-PB B
	Satin Brass	White	LSX SPN PB-SB W
	Satin Brass	Black	LSX SPN PB-SB B
	Antique Brass	White	LSX SPN PB-AB W
	Antique Brass	Black	LSX SPN PB-AB B
	Bright Steel	White	LSX SPN PB-BS W
	Bright Steel	Black	LSX SPN PB-BS B
	Satin Steel	White	LSX SPN PB-SS W
	Satin Steel	Black	LSX SPN PB-SS B

	Satin Brass	White	LSX SPN SB-SB W
	Satin Brass	Black	LSX SPN SB-SB B
	Satin Steel	White	LSX SPN SB-SS W
	Satin Steel	Black	LSX SPN SB-SS B

	Antique Brass	Black	LSX SPN AB-AB B
	Satin Brass	Black	LSX SPN AB-SB B

	Bright Steel	White	LSX SPN SN-BS W
	Bright Steel	Black	LSX SPN SN-BS B
	Satin Steel	White	LSX SPN SN-SS W
	Satin Steel	Black	LSX SPN SN-SS B

	Black Nickel	Black	LSX SPN BK-BK B
	Bright Steel	Black	LSX SPN BK-BS B
	Polished Brass	Black	LSX SPN BK-PB B



LSX FN BC-BS R



**1 gang 13A
Fuse with
Red Neon Halo**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **FN**
Product Code

**Frame and
Insert Finish** **Plate Finish** **Insert
Surround
Colour**

	Bright Steel	Red Halo	LSX FN BC-BS R
	Satin Steel	Red Halo	LSX FN BC-SS R
	Polished Brass	Red Halo	LSX FN BC-PB R
	Black Nickel	Red Halo	LSX FN BC-BK R

	Polished Brass	Red Halo	LSX FN PB-PB R
	Satin Steel	Red Halo	LSX FN PB-SB R
	Antique Brass	Red Halo	LSX FN PB-AB R
	Bright Steel	Red Halo	LSX FN PB-BS R

	Satin Brass	Red Halo	LSX FN SB-SB R
	Satin Steel	Red Halo	LSX FN SB-SS R

	Antique Brass	Red Halo	LSX FN AB-AB R
	Satin Brass	Red Halo	LSX FN AB-SB R

	Bright Steel	Red Halo	LSX FN SN-BS R
	Satin Steel	Red Halo	LSX FN SN-SS R

	Black Nickel	Red Halo	LSX FN BK-BK R
	Bright Steel	Red Halo	LSX FN BK-BS R
	Polished Brass	Red Halo	LSX FN BK-PB R

Hamilton® Linea-Scala CFX®

Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LSX 4X40 AB-SB



Frame and Insert Finish	Plate Finish	1 gang 400W 2 way Dimmer		2 gang 400W 2 way (Max. 300 watts per gang) Dimmer		3 gang 400W 2 way Dimmer		4 gang 400W 2 way (Max. 300 watts per gang) Dimmer		1 gang 600W 2 way Dimmer		1 gang 1000W 2 way Dimmer	
		Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X40 Product Code	Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2X40 Product Code	Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3X40 Product Code	Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4X40 Product Code	Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X60 Product Code	Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X1K Product Code						
	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LSX 1X40 BC-BS LSX 1X40 BC-SS LSX 1X40 BC-PB LSX 1X40 BC-BK LSX 1X40 BC-N	LSX 2X40 BC-BS LSX 2X40 BC-SS LSX 2X40 BC-PB LSX 2X40 BC-BK LSX 2X40 BC-N	LSX 3X40 BC-BS LSX 3X40 BC-SS LSX 3X40 BC-PB LSX 3X40 BC-BK LSX 3X40 BC-N	LSX 4X40 BC-BS LSX 4X40 BC-SS LSX 4X40 BC-PB LSX 4X40 BC-BK LSX 4X40 BC-N	LSX 1X60 BC-BS LSX 1X60 BC-SS LSX 1X60 BC-PB LSX 1X60 BC-BK LSX 1X60 BC-N	LSX 1X1K BC-BS LSX 1X1K BC-SS LSX 1X1K BC-PB LSX 1X1K BC-BK LSX 1X1K BC-N						
	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LSX 1X40 PB-PB LSX 1X40 PB-SB LSX 1X40 PB-AB LSX 1X40 PB-BS LSX 1X40 PB-SS	LSX 2X40 PB-PB LSX 2X40 PB-SB LSX 2X40 PB-AB LSX 2X40 PB-BS LSX 2X40 PB-SS	LSX 3X40 PB-PB LSX 3X40 PB-SB LSX 3X40 PB-AB LSX 3X40 PB-BS LSX 3X40 PB-SS	LSX 4X40 PB-PB LSX 4X40 PB-SB LSX 4X40 PB-AB LSX 4X40 PB-BS LSX 4X40 PB-SS	LSX 1X60 PB-PB LSX 1X60 PB-SB LSX 1X60 PB-AB LSX 1X60 PB-BS LSX 1X60 PB-SS	LSX 1X1K PB-PB LSX 1X1K PB-SB LSX 1X1K PB-AB LSX 1X1K PB-BS LSX 1X1K PB-SS						
	Satin Brass Satin Steel	LSX 1X40 SB-SB LSX 1X40 SB-SS	LSX 2X40 SB-SB LSX 2X40 SB-SS	LSX 3X40 SB-SB LSX 3X40 SB-SS	LSX 4X40 SB-SB LSX 4X40 SB-SS	LSX 1X60 SB-SB LSX 1X60 SB-SS	LSX 1X1K SB-SB LSX 1X1K SB-SS						
	Antique Brass Satin Brass	LSX 1X40 AB-AB LSX 1X40 AB-SB	LSX 2X40 AB-AB LSX 2X40 AB-SB	LSX 3X40 AB-AB LSX 3X40 AB-SB	LSX 4X40 AB-AB LSX 4X40 AB-SB	LSX 1X60 AB-AB LSX 1X60 AB-SB	LSX 1X1K AB-AB LSX 1X1K AB-SB						
	Bright Steel Satin Steel	LSX 1X40 SN-BS LSX 1X40 SN-SS	LSX 2X40 SN-BS LSX 2X40 SN-SS	LSX 3X40 SN-BS LSX 3X40 SN-SS	LSX 4X40 SN-BS LSX 4X40 SN-SS	LSX 1X60 SN-BS LSX 1X60 SN-SS	LSX 1X1K SN-BS LSX 1X1K SN-SS						
	Black Nickel Bright Steel Polished Brass	LSX 1X40 BK-BK LSX 1X40 BK-BS LSX 1X40 BK-PB	LSX 2X40 BK-BK LSX 2X40 BK-BS LSX 2X40 BK-PB	LSX 3X40 BK-BK LSX 3X40 BK-BS LSX 3X40 BK-PB	LSX 4X40 BK-BK LSX 4X40 BK-BS LSX 4X40 BK-PB	LSX 1X60 BK-BK LSX 1X60 BK-BS LSX 1X60 BK-PB	LSX 1X1K BK-BK LSX 1X1K BK-BS LSX 1X1K BK-PB						

Hamilton® Linea-Scala CFX®

Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LSX 1X3V BC-BS



Frame and Insert Finish	Plate Finish	1 gang 200VA 2 way Dimmer		1 gang 300VA 2 way Dimmer	
		Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X2V Product Code	Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X2V Product Code	Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X3V Product Code	Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X3V Product Code
	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LSX 1X2V BC-BS LSX 1X2V BC-SS LSX 1X2V BC-PB LSX 1X2V BC-BK LSX 1X2V BC-N	LSX 1X2V BC-BS LSX 1X2V BC-SS LSX 1X2V BC-PB LSX 1X2V BC-BK LSX 1X2V BC-N	LSX 1X3V BC-BS LSX 1X3V BC-SS LSX 1X3V BC-PB LSX 1X3V BC-BK LSX 1X3V BC-N	LSX 1X3V BC-BS LSX 1X3V BC-SS LSX 1X3V BC-PB LSX 1X3V BC-BK LSX 1X3V BC-N
	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LSX 1X2V PB-PB LSX 1X2V PB-SB LSX 1X2V PB-AB LSX 1X2V PB-BS LSX 1X2V PB-SS	LSX 1X2V PB-PB LSX 1X2V PB-SB LSX 1X2V PB-AB LSX 1X2V PB-BS LSX 1X2V PB-SS	LSX 1X3V PB-PB LSX 1X3V PB-SB LSX 1X3V PB-AB LSX 1X3V PB-BS LSX 1X3V PB-SS	LSX 1X3V PB-PB LSX 1X3V PB-SB LSX 1X3V PB-AB LSX 1X3V PB-BS LSX 1X3V PB-SS
	Satin Brass Satin Steel	LSX 1X2V SB-SB LSX 1X2V SB-SS	LSX 1X2V SB-SB LSX 1X2V SB-SS	LSX 1X3V SB-SB LSX 1X3V SB-SS	LSX 1X3V SB-SB LSX 1X3V SB-SS
	Antique Brass Satin Brass	LSX 1X2V AB-AB LSX 1X2V AB-SB	LSX 1X2V AB-AB LSX 1X2V AB-SB	LSX 1X3V AB-AB LSX 1X3V AB-SB	LSX 1X3V AB-AB LSX 1X3V AB-SB
	Bright Steel Satin Steel	LSX 1X2V SN-BS LSX 1X2V SN-SS	LSX 1X2V SN-BS LSX 1X2V SN-SS	LSX 1X3V SN-BS LSX 1X3V SN-SS	LSX 1X3V SN-BS LSX 1X3V SN-SS
	Black Nickel Bright Steel Polished Brass	LSX 1X2V BK-BK LSX 1X2V BK-BS LSX 1X2V BK-PB	LSX 1X2V BK-BK LSX 1X2V BK-BS LSX 1X2V BK-PB	LSX 1X3V BK-BK LSX 1X3V BK-BS LSX 1X3V BK-PB	LSX 1X3V BK-BK LSX 1X3V BK-BS LSX 1X3V BK-PB

Hamilton® Linea-Scala CFX®

Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LSX 1XTE SB-SB



1 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Size: 35 mm
Technical Insert
Reference: **1XTE**
Product Code



2 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Size: 35 mm
Technical Insert
Reference: **2XTE**
Product Code



3 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer

Nominal Plate Size:
150 x 91 mm
Minimum Wall Box
Size: 35 mm
Technical Insert
Reference: **3XTE**
Product Code



4 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer

Nominal Plate Size:
150 x 91 mm
Minimum Wall Box
Size: 35 mm
Technical Insert
Reference: **4XTE**
Product Code

Frame and Insert Finish	Plate Finish	1 gang	2 gang	3 gang	4 gang
Bright Chrome	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LSX 1XTE BC-BS LSX 1XTE BC-SS LSX 1XTE BC-PB LSX 1XTE BC-BK LSX 1XTE BC-N	LSX 2XTE BC-BS LSX 2XTE BC-SS LSX 2XTE BC-PB LSX 2XTE BC-BK LSX 2XTE BC-N	LSX 3XTE BC-BS LSX 3XTE BC-SS LSX 3XTE BC-PB LSX 3XTE BC-BK LSX 3XTE BC-N	LSX 4XTE BC-BS LSX 4XTE BC-SS LSX 4XTE BC-PB LSX 4XTE BC-BK LSX 4XTE BC-N
Polished Brass	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LSX 1XTE PB-PB LSX 1XTE PB-SB LSX 1XTE PB-AB LSX 1XTE PB-BS LSX 1XTE PB-SS	LSX 2XTE PB-PB LSX 2XTE PB-SB LSX 2XTE PB-AB LSX 2XTE PB-BS LSX 2XTE PB-SS	LSX 3XTE PB-PB LSX 3XTE PB-SB LSX 3XTE PB-AB LSX 3XTE PB-BS LSX 3XTE PB-SS	LSX 4XTE PB-PB LSX 4XTE PB-SB LSX 4XTE PB-AB LSX 4XTE PB-BS LSX 4XTE PB-SS
Satin Brass	Satin Brass Satin Steel	LSX 1XTE SB-SB LSX 1XTE SB-SS	LSX 2XTE SB-SB LSX 2XTE SB-SS	LSX 3XTE SB-SB LSX 3XTE SB-SS	LSX 4XTE SB-SB LSX 4XTE SB-SS
Antique Brass	Antique Brass Satin Brass	LSX 1XTE AB-AB LSX 1XTE AB-SB	LSX 2XTE AB-AB LSX 2XTE AB-SB	LSX 3XTE AB-AB LSX 3XTE AB-SB	LSX 4XTE AB-AB LSX 4XTE AB-SB
Satin Nickel	Bright Steel Satin Steel	LSX 1XTE SN-BS LSX 1XTE SN-SS	LSX 2XTE SN-BS LSX 2XTE SN-SS	LSX 3XTE SN-BS LSX 3XTE SN-SS	LSX 4XTE SN-BS LSX 4XTE SN-SS
Black Nickel	Black Nickel Bright Steel Polished Brass	LSX 1XTE BK-BK LSX 1XTE BK-BS LSX 1XTE BK-PB	LSX 2XTE BK-BK LSX 2XTE BK-BS LSX 2XTE BK-PB	LSX 3XTE BK-BK LSX 3XTE BK-BS LSX 3XTE BK-PB	LSX 4XTE BK-BK LSX 4XTE BK-BS LSX 4XTE BK-PB

Hamilton® Linea-Scala CFX®

Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LSX 1XTM BC-BK B



1 gang 250W/210VA
Trailing Edge
Multi-Way
Touch Master
Dimmer

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **1XTM**
Product Code



2 gang 250W/210VA
Trailing Edge
Multi-Way
Touch Master
Dimmer

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **2XTM**
Product Code



3 gang 250W/210VA
Trailing Edge
Multi-Way
Touch Master
Dimmer

Nominal Plate Size:
150 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **3XTM**
Product Code



4 gang 250W/210VA
Trailing Edge
Multi-Way
Touch Master
Dimmer

Nominal Plate Size:
150 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **4XTM**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang	2 gang	3 gang	4 gang
Bright Chrome	Bright Steel Bright Steel Satin Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black	LSX 1XTM BC-BS W LSX 1XTM BC-BS B LSX 1XTM BC-SS W LSX 1XTM BC-SS B LSX 1XTM BC-PB W LSX 1XTM BC-PB B LSX 1XTM BC-BK B LSX 1XTM BC-N B	LSX 2XTM BC-BS W LSX 2XTM BC-BS B LSX 2XTM BC-SS W LSX 2XTM BC-SS B LSX 2XTM BC-PB W LSX 2XTM BC-PB B LSX 2XTM BC-BK B LSX 2XTM BC-N B	LSX 3XTM BC-BS W LSX 3XTM BC-BS B LSX 3XTM BC-SS W LSX 3XTM BC-SS B LSX 3XTM BC-PB W LSX 3XTM BC-PB B LSX 3XTM BC-BK B LSX 3XTM BC-N B	LSX 4XTM BC-BS W LSX 4XTM BC-BS B LSX 4XTM BC-SS W LSX 4XTM BC-SS B LSX 4XTM BC-PB W LSX 4XTM BC-PB B LSX 4XTM BC-BK B LSX 4XTM BC-N B
Polished Brass	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Bright Steel Satin Steel	White Black White Black White Black White Black White Black	LSX 1XTM PB-PB W LSX 1XTM PB-PB B LSX 1XTM PB-SB W LSX 1XTM PB-SB B LSX 1XTM PB-AB W LSX 1XTM PB-AB B LSX 1XTM PB-BS W LSX 1XTM PB-BS B LSX 1XTM PB-SS W LSX 1XTM PB-SS B	LSX 2XTM PB-PB W LSX 2XTM PB-PB B LSX 2XTM PB-SB W LSX 2XTM PB-SB B LSX 2XTM PB-AB W LSX 2XTM PB-AB B LSX 2XTM PB-BS W LSX 2XTM PB-BS B LSX 2XTM PB-SS W LSX 2XTM PB-SS B	LSX 3XTM PB-PB W LSX 3XTM PB-PB B LSX 3XTM PB-SB W LSX 3XTM PB-SB B LSX 3XTM PB-AB W LSX 3XTM PB-AB B LSX 3XTM PB-BS W LSX 3XTM PB-BS B LSX 3XTM PB-SS W LSX 3XTM PB-SS B	LSX 4XTM PB-PB W LSX 4XTM PB-PB B LSX 4XTM PB-SB W LSX 4XTM PB-SB B LSX 4XTM PB-AB W LSX 4XTM PB-AB B LSX 4XTM PB-BS W LSX 4XTM PB-BS B LSX 4XTM PB-SS W LSX 4XTM PB-SS B
Satin Brass	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LSX 1XTM SB-SB W LSX 1XTM SB-SB B LSX 1XTM SB-SS W LSX 1XTM SB-SS B	LSX 2XTM SB-SB W LSX 2XTM SB-SB B LSX 2XTM SB-SS W LSX 2XTM SB-SS B	LSX 3XTM SB-SB W LSX 3XTM SB-SB B LSX 3XTM SB-SS W LSX 3XTM SB-SS B	LSX 4XTM SB-SB W LSX 4XTM SB-SB B LSX 4XTM SB-SS W LSX 4XTM SB-SS B
Antique Brass	Antique Brass Satin Brass	Black Black	LSX 1XTM AB-AB B LSX 1XTM AB-SB B	LSX 2XTM AB-AB B LSX 2XTM AB-SB B	LSX 3XTM AB-AB B LSX 3XTM AB-SB B	LSX 4XTM AB-AB B LSX 4XTM AB-SB B
Satin Nickel	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LSX 1XTM SN-BS W LSX 1XTM SN-BS B LSX 1XTM SN-SS W LSX 1XTM SN-SS B	LSX 2XTM SN-BS W LSX 2XTM SN-BS B LSX 2XTM SN-SS W LSX 2XTM SN-SS B	LSX 3XTM SN-BS W LSX 3XTM SN-BS B LSX 3XTM SN-SS W LSX 3XTM SN-SS B	LSX 4XTM SN-BS W LSX 4XTM SN-BS B LSX 4XTM SN-SS W LSX 4XTM SN-SS B
Black Nickel	Black Nickel Bright Steel Polished Brass	Black Black Black	LSX 1XTM BK-BK B LSX 1XTM BK-BS B LSX 1XTM BK-PB B	LSX 2XTM BK-BK B LSX 2XTM BK-BS B LSX 2XTM BK-PB B	LSX 3XTM BK-BK B LSX 3XTM BK-BS B LSX 3XTM BK-PB B	LSX 4XTM BK-BK B LSX 4XTM BK-BS B LSX 4XTM BK-PB B

Hamilton® Linea-Scala CFX®


Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers.

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.



LSX 2XTS PB-PB B



1 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 91 x 91 mm
Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **1XTS**
Product Code



2 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 91 x 91 mm
Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **2XTS**
Product Code



3 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 150 x 91 mm
Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **3XTS**
Product Code



4 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 150 x 91 mm
Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **4XTS**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang Multi-Way Touch Slave Controller	2 gang Multi-Way Touch Slave Controller	3 gang Multi-Way Touch Slave Controller	4 gang Multi-Way Touch Slave Controller
	Bright Steel	White	LSX 1XTS BC-BS W	LSX 2XTS BC-BS W	LSX 3XTS BC-BS W	LSX 4XTS BC-BS W
	Bright Steel	Black	LSX 1XTS BC-BS B	LSX 2XTS BC-BS B	LSX 3XTS BC-BS B	LSX 4XTS BC-BS B
	Satin Steel	White	LSX 1XTS BC-SS W	LSX 2XTS BC-SS W	LSX 3XTS BC-SS W	LSX 4XTS BC-SS W
	Satin Steel	Black	LSX 1XTS BC-SS B	LSX 2XTS BC-SS B	LSX 3XTS BC-SS B	LSX 4XTS BC-SS B
	Polished Brass	White	LSX 1XTS BC-PB W	LSX 2XTS BC-PB W	LSX 3XTS BC-PB W	LSX 4XTS BC-PB W
	Polished Brass	Black	LSX 1XTS BC-PB B	LSX 2XTS BC-PB B	LSX 3XTS BC-PB B	LSX 4XTS BC-PB B
	Black Nickel	Black	LSX 1XTS BC-BK B	LSX 2XTS BC-BK B	LSX 3XTS BC-BK B	LSX 4XTS BC-BK B
	Piano Black	Black	LSX 1XTS BC-N B	LSX 2XTS BC-N B	LSX 3XTS BC-N B	LSX 4XTS BC-N B
	Polished Brass	White	LSX 1XTS PB-PB W	LSX 2XTS PB-PB W	LSX 3XTS PB-PB W	LSX 4XTS PB-PB W
	Polished Brass	Black	LSX 1XTS PB-PB B	LSX 2XTS PB-PB B	LSX 3XTS PB-PB B	LSX 4XTS PB-PB B
	Satin Brass	White	LSX 1XTS PB-SB W	LSX 2XTS PB-SB W	LSX 3XTS PB-SB W	LSX 4XTS PB-SB W
	Satin Brass	Black	LSX 1XTS PB-SB B	LSX 2XTS PB-SB B	LSX 3XTS PB-SB B	LSX 4XTS PB-SB B
	Antique Brass	White	LSX 1XTS PB-AB W	LSX 2XTS PB-AB W	LSX 3XTS PB-AB W	LSX 4XTS PB-AB W
	Antique Brass	Black	LSX 1XTS PB-AB B	LSX 2XTS PB-AB B	LSX 3XTS PB-AB B	LSX 4XTS PB-AB B
	Bright Steel	White	LSX 1XTS PB-BS W	LSX 2XTS PB-BS W	LSX 3XTS PB-BS W	LSX 4XTS PB-BS W
	Bright Steel	Black	LSX 1XTS PB-BS B	LSX 2XTS PB-BS B	LSX 3XTS PB-BS B	LSX 4XTS PB-BS B
	Satin Steel	White	LSX 1XTS PB-SS W	LSX 2XTS PB-SS W	LSX 3XTS PB-SS W	LSX 4XTS PB-SS W
	Satin Steel	Black	LSX 1XTS PB-SS B	LSX 2XTS PB-SS B	LSX 3XTS PB-SS B	LSX 4XTS PB-SS B
	Satin Brass	White	LSX 1XTS SB-SB W	LSX 2XTS SB-SB W	LSX 3XTS SB-SB W	LSX 4XTS SB-SB W
	Satin Brass	Black	LSX 1XTS SB-SB B	LSX 2XTS SB-SB B	LSX 3XTS SB-SB B	LSX 4XTS SB-SB B
	Satin Steel	White	LSX 1XTS SB-SS W	LSX 2XTS SB-SS W	LSX 3XTS SB-SS W	LSX 4XTS SB-SS W
	Satin Steel	Black	LSX 1XTS SB-SS B	LSX 2XTS SB-SS B	LSX 3XTS SB-SS B	LSX 4XTS SB-SS B
	Antique Brass	Black	LSX 1XTS AB-AB B	LSX 2XTS AB-AB B	LSX 3XTS AB-AB B	LSX 4XTS AB-AB B
	Satin Brass	Black	LSX 1XTS AB-SB B	LSX 2XTS AB-SB B	LSX 3XTS AB-SB B	LSX 4XTS AB-SB B
	Bright Steel	White	LSX 1XTS SN-BS W	LSX 2XTS SN-BS W	LSX 3XTS SN-BS W	LSX 4XTS SN-BS W
	Bright Steel	Black	LSX 1XTS SN-BS B	LSX 2XTS SN-BS B	LSX 3XTS SN-BS B	LSX 4XTS SN-BS B
	Satin Steel	White	LSX 1XTS SN-SS W	LSX 2XTS SN-SS W	LSX 3XTS SN-SS W	LSX 4XTS SN-SS W
	Satin Steel	Black	LSX 1XTS SN-SS B	LSX 2XTS SN-SS B	LSX 3XTS SN-SS B	LSX 4XTS SN-SS B
	Black Nickel	Black	LSX 1XTS BK-BK B	LSX 2XTS BK-BK B	LSX 3XTS BK-BK B	LSX 4XTS BK-BK B
	Bright Steel	Black	LSX 1XTS BK-BS B	LSX 2XTS BK-BS B	LSX 3XTS BK-BS B	LSX 4XTS BK-BS B
	Polished Brass	Black	LSX 1XTS BK-PB B	LSX 2XTS BK-PB B	LSX 3XTS BK-PB B	LSX 4XTS BK-PB B

Hamilton® Linea-Scala CFX®

Concealed Fixing EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



LSX EURO4 BC-BS



1 Module EuroFix Plate

Plate Size: 91 x 91 mm
Aperture: 25 x 50 mm

Product Code



2 Module EuroFix Plate

Plate Size: 91 x 91 mm
Aperture: 50 x 50 mm

Product Code



3 Module EuroFix Plate

Plate Size: 150 x 91 mm
Aperture: 75 x 50 mm

Product Code



4 Module EuroFix Plate

Plate Size: 150 x 91 mm
Aperture: 100 x 50 mm

Product Code

Frame Finish	Plate Finish	1 Module EuroFix Plate	2 Module EuroFix Plate	3 Module EuroFix Plate	4 Module EuroFix Plate
	Bright Steel	LSX EURO1 BC-BS	LSX EURO2 BC-BS	LSX EURO3 BC-BS	LSX EURO4 BC-BS
	Satin Steel	LSX EURO1 BC-SS	LSX EURO2 BC-SS	LSX EURO3 BC-SS	LSX EURO4 BC-SS
	Polished Brass	LSX EURO1 BC-PB	LSX EURO2 BC-PB	LSX EURO3 BC-PB	LSX EURO4 BC-PB
	Black Nickel	LSX EURO1 BC-BK	LSX EURO2 BC-BK	LSX EURO3 BC-BK	LSX EURO4 BC-BK
	Piano Black	LSX EURO1 BC-N	LSX EURO2 BC-N	LSX EURO3 BC-N	LSX EURO4 BC-N
	Polished Brass	LSX EURO1 PB-PB	LSX EURO2 PB-PB	LSX EURO3 PB-PB	LSX EURO4 PB-PB
	Satin Brass	LSX EURO1 PB-SB	LSX EURO2 PB-SB	LSX EURO3 PB-SB	LSX EURO4 PB-SB
	Antique Brass	LSX EURO1 PB-AB	LSX EURO2 PB-AB	LSX EURO3 PB-AB	LSX EURO4 PB-AB
	Bright Steel	LSX EURO1 PB-BS	LSX EURO2 PB-BS	LSX EURO3 PB-BS	LSX EURO4 PB-BS
	Satin Steel	LSX EURO1 PB-SS	LSX EURO2 PB-SS	LSX EURO3 PB-SS	LSX EURO4 PB-SS
	Satin Brass	LSX EURO1 SB-SB	LSX EURO2 SB-SB	LSX EURO3 SB-SB	LSX EURO4 SB-SB
	Satin Steel	LSX EURO1 SB-SS	LSX EURO2 SB-SS	LSX EURO3 SB-SS	LSX EURO4 SB-SS
	Antique Brass	LSX EURO1 AB-AB	LSX EURO2 AB-AB	LSX EURO3 AB-AB	LSX EURO4 AB-AB
	Satin Brass	LSX EURO1 AB-SB	LSX EURO2 AB-SB	LSX EURO3 AB-SB	LSX EURO4 AB-SB
	Bright Steel	LSX EURO1 SN-BS	LSX EURO2 SN-BS	LSX EURO3 SN-BS	LSX EURO4 SN-BS
	Satin Steel	LSX EURO1 SN-SS	LSX EURO2 SN-SS	LSX EURO3 SN-SS	LSX EURO4 SN-SS
	Black Nickel	LSX EURO1 BK-BK	LSX EURO2 BK-BK	LSX EURO3 BK-BK	LSX EURO4 BK-BK
	Bright Steel	LSX EURO1 BK-BS	LSX EURO2 BK-BS	LSX EURO3 BK-BS	LSX EURO4 BK-BS
	Polished Brass	LSX EURO1 BK-PB	LSX EURO2 BK-PB	LSX EURO3 BK-PB	LSX EURO4 BK-PB

Hamilton® Linea-Scala CFX®

Concealed Fixing Blank Plates



LSX BPD BC-N



Frame Finish	Plate Finish	Single Blank Plate Nom. Plate Size: 91 x 91 mm Product Code	Double Blank Plate Nom. Plate Size: 150 x 91 mm Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LSX BPS BC-BS LSX BPS BC-SS LSX BPS BC-PB LSX BPS BC-BK LSX BPS BC-N	LSX BPD BC-BS LSX BPD BC-SS LSX BPD BC-PB LSX BPD BC-BK LSX BPD BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LSX BPS PB-PB LSX BPS PB-SB LSX BPS PB-AB LSX BPS PB-BS LSX BPS PB-SS	LSX BPD PB-PB LSX BPD PB-SB LSX BPD PB-AB LSX BPD PB-BS LSX BPD PB-SS
Satin Brass 	Satin Brass Satin Steel	LSX BPS SB-SB LSX BPS SB-SS	LSX BPD SB-SB LSX BPD SB-SS
Antique Brass 	Antique Brass Satin Brass	LSX BPS AB-AB LSX BPS AB-SB	LSX BPD AB-AB LSX BPD AB-SB
Satin Nickel 	Bright Steel Satin Steel	LSX BPS SN-BS LSX BPS SN-SS	LSX BPD SN-BS LSX BPD SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LSX BPS BK-BK LSX BPS BK-BS LSX BPS BK-PB	LSX BPD BK-BK LSX BPD BK-BS LSX BPD BK-PB

Hamilton® Linea-Scala CFX®







Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the GRID-IT insert fitted - please see the GRID-IT section for our complete range of inserts.



LSX 4GP SN-SS





Frame Finish	Plate Finish	1 gang Aperture Grid Fix Nom. Plate Size: 91 x 91 mm Product Code	2 gang Aperture Grid Fix Nom. Plate Size: 91 x 91 mm Product Code	3 gang Aperture Grid Fix Nom. Plate Size: 150 x 91 mm Product Code	4 gang Aperture Grid Fix Nom. Plate Size: 150 x 91 mm Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LSX 1GP BC-BS LSX 1GP BC-SS LSX 1GP BC-PB LSX 1GP BC-BK LSX 1GP BC-N	LSX 2GP BC-BS LSX 2GP BC-SS LSX 2GP BC-PB LSX 2GP BC-BK LSX 2GP BC-N	LSX 3GP BC-BS LSX 3GP BC-SS LSX 3GP BC-PB LSX 3GP BC-BK LSX 3GP BC-N	LSX 4GP BC-BS LSX 4GP BC-SS LSX 4GP BC-PB LSX 4GP BC-BK LSX 4GP BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LSX 1GP PB-PB LSX 1GP PB-SB LSX 1GP PB-AB LSX 1GP PB-BS LSX 1GP PB-SS	LSX 2GP PB-PB LSX 2GP PB-SB LSX 2GP PB-AB LSX 2GP PB-BS LSX 2GP PB-SS	LSX 3GP PB-PB LSX 3GP PB-SB LSX 3GP PB-AB LSX 3GP PB-BS LSX 3GP PB-SS	LSX 4GP PB-PB LSX 4GP PB-SB LSX 4GP PB-AB LSX 4GP PB-BS LSX 4GP PB-SS
Satin Brass 	Satin Brass Satin Steel	LSX 1GP SB-SB LSX 1GP SB-SS	LSX 2GP SB-SB LSX 2GP SB-SS	LSX 3GP SB-SB LSX 3GP SB-SS	LSX 4GP SB-SB LSX 4GP SB-SS
Antique Brass 	Antique Brass Satin Brass	LSX 1GP AB-AB LSX 1GP AB-SB	LSX 2GP AB-AB LSX 2GP AB-SB	LSX 3GP AB-AB LSX 3GP AB-SB	LSX 4GP AB-AB LSX 4GP AB-SB
Satin Nickel 	Bright Steel Satin Steel	LSX 1GP SN-BS LSX 1GP SN-SS	LSX 2GP SN-BS LSX 2GP SN-SS	LSX 3GP SN-BS LSX 3GP SN-SS	LSX 4GP SN-BS LSX 4GP SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LSX 1GP BK-BK LSX 1GP BK-BS LSX 1GP BK-PB	LSX 2GP BK-BK LSX 2GP BK-BS LSX 2GP BK-PB	LSX 3GP BK-BK LSX 3GP BK-BS LSX 3GP BK-PB	LSX 4GP BK-BK LSX 4GP BK-BS LSX 4GP BK-PB

Hamilton® Linea-Perlina CFX®

Elegant and classic with a Beaded Edge Frame

The Linea CFX® range comes in five different designs to suit either contemporary or classic interiors. Linea CFX® has a separate back frame and our patented four point face plate clipping system, allowing the option of matching or contrasting elements.

- Minimal depth and a modern look
- Three stunning front plate finishes and two frame and insert finishes give a limitless choice of combinations
- Two-part frame and plate for 'mix and match'
- Concealed fixing
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)



LPX R23 PB-SB W




LPX T21 AB-AB




LPX DENT AB-PB B



LPX 1X40 PB-PB



LPX R21 PB-AB B



LPX SS1 AB-PB B

Hamilton® Linea-Perlina CFX®

Select your choice of accessory finish from this Colourway Chart


Select the accessory required from the following pages overleaf

- Select the required electrical accessory from the following pages, e.g. LPX R23 = Linea-Perlina CFX 3 gang 10AX 2 way Rocker Switch.
 - Using the Colour Chart above:
 - Select the required Frame Finish e.g. Polished Brass = PB- - - -.
 - Select the required Front Plate Finish e.g. Satin Brass = - - - SB.
 - Select the required Insert Surround Colour e.g. White = - - - - - W.
- Therefore a Linea-Perlina CFX 3 gang 10AX 2 way Rocker Switch as illustrated below = LPX R23 PB-SB W.

Front Plate Finish

Frame and Insert Finish	Polished Brass	Satin Brass	Antique Brass
Polished Brass Polished Brass Frame, Matching Insert with White Surround			
	PB-PB W	PB-SB W	PB-AB W
Polished Brass Polished Brass Frame, Matching Insert with Black Surround			
	PB-PB B	PB-SB B	PB-AB B
Antique Brass Antique Brass Frame, Matching Insert with Black Surround			
	AB-PB B	AB-SB B	AB-AB B

Illustration of Product Code configuration to order a Linea-Perlina CFX LPX R23 PB-SB W



Hamilton® fashion, finish, function and flexibility

Concealed Fixing Rocker Switches



LPX R23 PB-SB W

1 gang 10AX 2 way Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R21 Product Code	2 gang 10AX 2 way Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R22 Product Code	3 gang 10AX 2 way Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R23 Product Code	4 gang 10AX 2 way Rocker Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R24 Product Code	6 gang 10AX 2 way Rocker Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R26 Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 10AX 2 way Rocker	2 gang 10AX 2 way Rocker	3 gang 10AX 2 way Rocker	4 gang 10AX 2 way Rocker	6 gang 10AX 2 way Rocker
	Polished Brass	White	LPX R21 PB-PB W	LPX R22 PB-PB W	LPX R23 PB-PB W	LPX R24 PB-PB W	LPX R26 PB-PB W
	Polished Brass	Black	LPX R21 PB-PB B	LPX R22 PB-PB B	LPX R23 PB-PB B	LPX R24 PB-PB B	LPX R26 PB-PB B
	Satin Brass	White	LPX R21 PB-SB W	LPX R22 PB-SB W	LPX R23 PB-SB W	LPX R24 PB-SB W	LPX R26 PB-SB W
	Satin Brass	Black	LPX R21 PB-SB B	LPX R22 PB-SB B	LPX R23 PB-SB B	LPX R24 PB-SB B	LPX R26 PB-SB B
	Antique Brass	White	LPX R21 PB-AB W	LPX R22 PB-AB W	LPX R23 PB-AB W	LPX R24 PB-AB W	LPX R26 PB-AB W
	Antique Brass	Black	LPX R21 PB-AB B	LPX R22 PB-AB B	LPX R23 PB-AB B	LPX R24 PB-AB B	LPX R26 PB-AB B
	Antique Brass	Black	LPX R21 AB-AB B	LPX R22 AB-AB B	LPX R23 AB-AB B	LPX R24 AB-AB B	LPX R26 AB-AB B
	Polished Brass	Black	LPX R21 AB-PB B	LPX R22 AB-PB B	LPX R23 AB-PB B	LPX R24 AB-PB B	LPX R26 AB-PB B
	Satin Brass	Black	LPX R21 AB-SB B	LPX R22 AB-SB B	LPX R23 AB-SB B	LPX R24 AB-SB B	LPX R26 AB-SB B




LPX R31 PB-AB B

Concealed Fixing Rocker Switches

1 gang 10AX Intermediate Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R31 Product Code	2 gang 10AX Intermediate Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R32 Product Code	1 gang 10AX Push To Make/Break Retractive Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: GRRT Product Code	1 gang 10A Triple Pole Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TP Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 10AX Intermediate Rocker	2 gang 10AX Intermediate Rocker	1 gang 10AX Push To Make/Break Retractive Rocker	1 gang 10A Triple Pole Rocker
	Polished Brass	White	LPX R31 PB-PB W	LPX R32 PB-PB W	LPX RRT PB-PB W	LPX TP PB-PB W
	Polished Brass	Black	LPX R31 PB-PB B	LPX R32 PB-PB B	LPX RRT PB-PB B	LPX TP PB-PB B
	Satin Brass	White	LPX R31 PB-SB W	LPX R32 PB-SB W	LPX RRT PB-SB W	LPX TP PB-SB W
	Satin Brass	Black	LPX R31 PB-SB B	LPX R32 PB-SB B	LPX RRT PB-SB B	LPX TP PB-SB B
	Antique Brass	White	LPX R31 PB-AB W	LPX R32 PB-AB W	LPX RRT PB-AB W	LPX TP PB-AB W
	Antique Brass	Black	LPX R31 PB-AB B	LPX R32 PB-AB B	LPX RRT PB-AB B	LPX TP PB-AB B
	Antique Brass	Black	LPX R31 AB-AB B	LPX R32 AB-AB B	LPX RRT AB-AB B	LPX TP AB-AB B
	Polished Brass	Black	LPX R31 AB-PB B	LPX R32 AB-PB B	LPX RRT AB-PB B	LPX TP AB-PB B
	Satin Brass	Black	LPX R31 AB-SB B	LPX R32 AB-SB B	LPX RRT AB-SB B	LPX TP AB-SB B

Concealed Fixing Rocker Switches



LPX R222 AB-SB B

1 gang 20AX 2 way Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R212 Product Code	2 gang 20AX 2 way Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R222 Product Code	3 gang 20AX 2 way Rocker Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R232 Product Code	4 gang 20AX 2 way Rocker Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R242 Product Code	1 gang 20AX Intermediate Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R312 Product Code	2 gang 20AX Intermediate Rocker Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R322 Product Code			
Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 20AX 2 way Rocker	2 gang 20AX 2 way Rocker	3 gang 20AX 2 way Rocker	4 gang 20AX 2 way Rocker	1 gang 20AX Intermediate Rocker	2 gang 20AX Intermediate Rocker
	Polished Brass	White	LPX R212 PB-PB W	LPX R222 PB-PB W	LPX R232 PB-PB W	LPX R242 PB-PB W	LPX R312 PB-PB W	LPX R322 PB-PB W
	Polished Brass	Black	LPX R212 PB-PB B	LPX R222 PB-PB B	LPX R232 PB-PB B	LPX R242 PB-PB B	LPX R312 PB-PB B	LPX R322 PB-PB B
	Satin Brass	White	LPX R212 PB-SB W	LPX R222 PB-SB W	LPX R232 PB-SB W	LPX R242 PB-SB W	LPX R312 PB-SB W	LPX R322 PB-SB W
	Satin Brass	Black	LPX R212 PB-SB B	LPX R222 PB-SB B	LPX R232 PB-SB B	LPX R242 PB-SB B	LPX R312 PB-SB B	LPX R322 PB-SB B
	Antique Brass	White	LPX R212 PB-AB W	LPX R222 PB-AB W	LPX R232 PB-AB W	LPX R242 PB-AB W	LPX R312 PB-AB W	LPX R322 PB-AB W
	Antique Brass	Black	LPX R212 PB-AB B	LPX R222 PB-AB B	LPX R232 PB-AB B	LPX R242 PB-AB B	LPX R312 PB-AB B	LPX R322 PB-AB B
	Antique Brass	Black	LPX R212 AB-AB B	LPX R222 AB-AB B	LPX R232 AB-AB B	LPX R242 AB-AB B	LPX R312 AB-AB B	LPX R322 AB-AB B
	Polished Brass	Black	LPX R212 AB-PB B	LPX R222 AB-PB B	LPX R232 AB-PB B	LPX R242 AB-PB B	LPX R312 AB-PB B	LPX R322 AB-PB B
	Satin Brass	Black	LPX R212 AB-SB B	LPX R222 AB-SB B	LPX R232 AB-SB B	LPX R242 AB-SB B	LPX R312 AB-SB B	LPX R322 AB-SB B

Concealed Fixing Toggle Switches




LPX T21 AB-AB

1 gang 20AX 2 way Toggle Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T21 Product Code	2 gang 20AX 2 way Toggle Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T22 Product Code	3 gang 20AX 2 way Toggle Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T23 Product Code	4 gang 20AX 2 way Toggle Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T24 Product Code	1 gang 20AX Intermediate Toggle Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T31 Product Code		
Frame and Insert Finish	Plate Finish	1 gang 20AX 2 way Toggle	2 gang 20AX 2 way Toggle	3 gang 20AX 2 way Toggle	4 gang 20AX 2 way Toggle	1 gang 20AX Intermediate Toggle
	Polished Brass	LPX T21 PB-PB	LPX T22 PB-PB	LPX T23 PB-PB	LPX T24 PB-PB	LPX T31 PB-PB
	Satin Brass	LPX T21 PB-SB	LPX T22 PB-SB	LPX T23 PB-SB	LPX T24 PB-SB	LPX T31 PB-SB
	Antique Brass	LPX T21 PB-AB	LPX T22 PB-AB	LPX T23 PB-AB	LPX T24 PB-AB	LPX T31 PB-AB
	Antique Brass	LPX T21 AB-AB	LPX T22 AB-AB	LPX T23 AB-AB	LPX T24 AB-AB	LPX T31 AB-AB
	Polished Brass	LPX T21 AB-PB	LPX T22 AB-PB	LPX T23 AB-PB	LPX T24 AB-PB	LPX T31 AB-PB
	Satin Brass	LPX T21 AB-SB	LPX T22 AB-SB	LPX T23 AB-SB	LPX T24 AB-SB	LPX T31 AB-SB

Hamilton® Linea-Perlina CFX®

Concealed Fixing Key Switches



LPX K21 PB-PB B





**1 gang 20AX
2 way
Key Switch**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **K21**
Product Code




**1 gang 20AX
2 way Key Switch
"EMG LTG TEST"**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **KEL**
Product Code

Frame Finish	Plate Finish	Insert Colour		
Polished Brass 	Polished Brass	White	LPX K21 PB-PB W	LPX KEL PB-PB W
	Polished Brass	Black	LPX K21 PB-PB B	LPX KEL PB-PB B
	Satin Brass	White	LPX K21 PB-SB W	LPX KEL PB-SB W
	Satin Brass	Black	LPX K21 PB-SB B	LPX KEL PB-SB B
	Antique Brass	White	LPX K21 PB-AB W	LPX KEL PB-AB W
Antique Brass	Antique Brass	Black	LPX K21 PB-AB B	LPX KEL PB-AB B
Antique Brass 	Antique Brass	Black	LPX K21 AB-AB B	LPX KEL AB-AB B
	Polished Brass	Black	LPX K21 AB-PB B	LPX KEL AB-PB B
	Satin Brass	Black	LPX K21 AB-SB B	LPX KEL AB-SB B

Hamilton® Linea-Perlina CFX®

Concealed Fixing Power Sockets



LPX SS1 AB-PB B



**1 gang 13A
Double Pole
Switched
Socket**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **SS1**
Product Code



**2 gang 13A
Double Pole
Switched
Socket**

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **SS2**
Product Code



**1 gang 2A
Unswitched
Socket**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **US2**
Product Code





**1 gang 5A
Unswitched
Socket**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **US5**
Product Code




**Shaver
Dual Voltage
Unswitched
Socket**

Nominal Plate Size:
91 x 150 mm
Min. Wall Box
Depth: 47 mm
Technical Insert
Reference: **SHS**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour						
Polished Brass 	Polished Brass	White	LPX SS1 PB-PB W	LPX SS2 PB-PB W	LPX US2 PB-PB W	LPX US5 PB-PB W	LPX SHS PB-PB W	LPX SS1 PB-PB W
	Polished Brass	Black	LPX SS1 PB-PB B	LPX SS2 PB-PB B	LPX US2 PB-PB B	LPX US5 PB-PB B	LPX SHS PB-PB B	LPX SS1 PB-PB B
	Satin Brass	White	LPX SS1 PB-SB W	LPX SS2 PB-SB W	LPX US2 PB-SB W	LPX US5 PB-SB W	LPX SHS PB-SB W	LPX SS1 PB-SB W
	Satin Brass	Black	LPX SS1 PB-SB B	LPX SS2 PB-SB B	LPX US2 PB-SB B	LPX US5 PB-SB B	LPX SHS PB-SB B	LPX SS1 PB-SB B
	Antique Brass	White	LPX SS1 PB-AB W	LPX SS2 PB-AB W	LPX US2 PB-AB W	LPX US5 PB-AB W	LPX SHS PB-AB W	LPX SS1 PB-AB W
Antique Brass	Antique Brass	Black	LPX SS1 PB-AB B	LPX SS2 PB-AB B	LPX US2 PB-AB B	LPX US5 PB-AB B	LPX SHS PB-AB B	LPX SS1 PB-AB B
Antique Brass 	Antique Brass	Black	LPX SS1 AB-AB B	LPX SS2 AB-AB B	LPX US2 AB-AB B	LPX US5 AB-AB B	LPX SHS AB-AB B	LPX SS1 AB-AB B
	Polished Brass	Black	LPX SS1 AB-PB B	LPX SS2 AB-PB B	LPX US2 AB-PB B	LPX US5 AB-PB B	LPX SHS AB-PB B	LPX SS1 AB-PB B
	Satin Brass	Black	LPX SS1 AB-SB B	LPX SS2 AB-SB B	LPX US2 AB-SB B	LPX US5 AB-SB B	LPX SHS AB-SB B	LPX SS1 AB-SB B

Concealed Fixing Hotel Card Switch with LED

Adjustable Time Delay 10 seconds - 5 minutes. Suitable for 44 mm and 54 mm width Hotel Key Cards.



LPX C11 PB-AB W





**1 gang
10A (6AX)
On/Off with
Blue LED
Locator**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **C11**
Product Code




**1 gang
12-24V AC/DC +/-10%
On/Off with Blue LED
Locator (Suitable for
KNX BUS System)**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **CKNX**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour		
Polished Brass 	Polished Brass	White	LPX C11 PB-PB W	LPX CKNX PB-PB W
	Polished Brass	Black	LPX C11 PB-PB B	LPX CKNX PB-PB B
	Satin Brass	White	LPX C11 PB-SB W	LPX CKNX PB-SB W
	Satin Brass	Black	LPX C11 PB-SB B	LPX CKNX PB-SB B
	Antique Brass	White	LPX C11 PB-AB W	LPX CKNX PB-AB W
Antique Brass	Antique Brass	Black	LPX C11 PB-AB B	LPX CKNX PB-AB B
Antique Brass 	Antique Brass	Black	LPX C11 AB-AB B	LPX CKNX AB-AB B
	Polished Brass	Black	LPX C11 AB-PB B	LPX CKNX AB-PB B
	Satin Brass	Black	LPX C11 AB-SB B	LPX CKNX AB-SB B

Concealed Fixing Power Sockets



LPX 6126 PB-PB W



**1 gang 16A
German
Unswitched
Socket**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 47 mm
Technical Insert
Reference: **6126**
Product Code





**1 gang 15A
American
Unswitched
Socket**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **5258**
Product Code




**2 gang 15A
American
Unswitched
Socket**

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **5320**
Product Code

Frame Finish	Plate Finish	Insert Colour			
Polished Brass 	Polished Brass	White	LPX 6126 PB-PB W	LPX 5258 PB-PB W	LPX 5320 PB-PB W
	Polished Brass	Black	LPX 6126 PB-PB B	LPX 5258 PB-PB B	LPX 5320 PB-PB B
	Satin Brass	White	LPX 6126 PB-SB W	LPX 5258 PB-SB W	LPX 5320 PB-SB W
	Satin Brass	Black	LPX 6126 PB-SB B	LPX 5258 PB-SB B	LPX 5320 PB-SB B
	Antique Brass	White	LPX 6126 PB-AB W	LPX 5258 PB-AB W	LPX 5320 PB-AB W
Antique Brass	Antique Brass	Black	LPX 6126 PB-AB B	LPX 5258 PB-AB B	LPX 5320 PB-AB B
Antique Brass 	Antique Brass	Black	LPX 6126 AB-AB B	LPX 5258 AB-AB B	LPX 5320 AB-AB B
	Polished Brass	Black	LPX 6126 AB-PB B	LPX 5258 AB-PB B	LPX 5320 AB-PB B
	Antique Brass	Black	LPX 6126 AB-SB B	LPX 5258 AB-SB B	LPX 5320 AB-SB B

Hamilton® Linea-Perlina cfx®

Concealed Fixing Television Coaxial Sockets



LPX TV AB-PB B

Frame Finish	Plate Finish	Insert Colour	1 gang Non Isolated TV 1 In/1 Out Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TV Product Code	Isolated TV/FM Diplexer 1 In/2 Out Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVFM Product Code	1 gang Isolated TV 1 In/1 Out Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVI Product Code	2 gang Non Isolated TV + Satellite 2 In/2 Out Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: TVSAT Product Code	1 gang Non Isolated Satellite Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATN Product Code	1 gang Isolated Satellite Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATI Product Code
Polished Brass	Polished Brass	White	LPX TV PB-PB W	LPX TVFM PB-PB W	LPX TVI PB-PB W	LPX TVSAT PB-PB W	LPX SATN PB-PB W	LPX SATI PB-PB W
	Polished Brass	Black	LPX TV PB-PB B	LPX TVFM PB-PB B	LPX TVI PB-PB B	LPX TVSAT PB-PB B	LPX SATN PB-PB B	LPX SATI PB-PB B
	Satin Brass	White	LPX TV PB-SB W	LPX TVFM PB-SB W	LPX TVI PB-SB W	LPX TVSAT PB-SB W	LPX SATN PB-SB W	LPX SATI PB-SB W
	Satin Brass	Black	LPX TV PB-SB B	LPX TVFM PB-SB B	LPX TVI PB-SB B	LPX TVSAT PB-SB B	LPX SATN PB-SB B	LPX SATI PB-SB B
	Antique Brass	White	LPX TV PB-AB W	LPX TVFM PB-AB W	LPX TVI PB-AB W	LPX TVSAT PB-AB W	LPX SATN PB-AB W	LPX SATI PB-AB W
	Antique Brass	Black	LPX TV PB-AB B	LPX TVFM PB-AB B	LPX TVI PB-AB B	LPX TVSAT PB-AB B	LPX SATN PB-AB B	LPX SATI PB-AB B
Antique Brass	Antique Brass	Black	LPX TV AB-AB B	LPX TVFM AB-AB B	LPX TVI AB-AB B	LPX TVSAT AB-AB B	LPX SATN AB-AB B	LPX SATI AB-AB B
	Polished Brass	Black	LPX TV AB-PB B	LPX TVFM AB-PB B	LPX TVI AB-PB B	LPX TVSAT AB-PB B	LPX SATN AB-PB B	LPX SATI AB-PB B
	Satin Brass	Black	LPX TV AB-SB B	LPX TVFM AB-SB B	LPX TVI AB-SB B	LPX TVSAT AB-SB B	LPX SATN AB-SB B	LPX SATI AB-SB B

Hamilton® Linea-Perlina cfx®

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



LPX DENT AB-PB B

Frame Finish	Plate Finish	Insert Colour	1 gang Non Isolated Satellite Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DSAT Product Code	Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DENT Product Code	Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out + TVF + TCS Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DSAT+ Product Code
Polished Brass	Polished Brass	White	LPX DSAT PB-PB W	LPX DENT PB-PB W	LPX DSAT+ PB-PB W
	Polished Brass	Black	LPX DSAT PB-PB B	LPX DENT PB-PB B	LPX DSAT+ PB-PB B
	Satin Brass	White	LPX DSAT PB-SB W	LPX DENT PB-SB W	LPX DSAT+ PB-SB W
	Satin Brass	Black	LPX DSAT PB-SB B	LPX DENT PB-SB B	LPX DSAT+ PB-SB B
	Antique Brass	White	LPX DSAT PB-AB W	LPX DENT PB-AB W	LPX DSAT+ PB-AB W
	Antique Brass	Black	LPX DSAT PB-AB B	LPX DENT PB-AB B	LPX DSAT+ PB-AB B
Antique Brass	Antique Brass	Black	LPX DSAT AB-AB B	LPX DENT AB-AB B	LPX DSAT+ AB-AB B
	Polished Brass	Black	LPX DSAT AB-PB B	LPX DENT AB-PB B	LPX DSAT+ AB-PB B
	Satin Brass	Black	LPX DSAT AB-SB B	LPX DENT AB-SB B	LPX DSAT+ AB-SB B


Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



LPX DTRID PB-PB B

Frame Finish	Plate Finish	Insert Colour	Non Isolated TV/FM/Satellite Triplexer 1 In/3 Out Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTRID Product Code	1 gang Non Isolated TV (Female) Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVF Product Code	1 gang Non Isolated TV (Male) Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVM Product Code
Polished Brass	Polished Brass	White	LPX DTRID PB-PB W	LPX DTVF PB-PB W	LPX DTVM PB-PB W
	Polished Brass	Black	LPX DTRID PB-PB B	LPX DTVF PB-PB B	LPX DTVM PB-PB B
	Satin Brass	White	LPX DTRID PB-SB W	LPX DTVF PB-SB W	LPX DTVM PB-SB W
	Satin Brass	Black	LPX DTRID PB-SB B	LPX DTVF PB-SB B	LPX DTVM PB-SB B
	Antique Brass	White	LPX DTRID PB-AB W	LPX DTVF PB-AB W	LPX DTVM PB-AB W
	Antique Brass	Black	LPX DTRID PB-AB B	LPX DTVF PB-AB B	LPX DTVM PB-AB B
Antique Brass	Antique Brass	Black	LPX DTRID AB-AB B	LPX DTVF AB-AB B	LPX DTVM AB-AB B
	Polished Brass	Black	LPX DTRID AB-PB B	LPX DTVF AB-PB B	LPX DTVM AB-PB B
	Satin Brass	Black	LPX DTRID AB-SB B	LPX DTVF AB-SB B	LPX DTVM AB-SB B

Concealed Fixing Telephone and Data Outlets



LPX J12 PB-PB B

Frame Finish	Plate Finish	Insert Colour	1 gang Telephone Master Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCM Product Code	1 gang Telephone Slave Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCS Product Code	1 gang RJ12 Outlet Unshielded Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J12 Product Code	2 gang RJ12 Outlet Unshielded Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J12 Product Code	1 gang RJ45 CAT 5E Outlet Unshielded Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J45 Product Code	2 gang RJ45 CAT 5E Outlet Unshielded Nom. Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J45 Product Code
Polished Brass	Polished Brass	White	LPX TCM PB-PB W	LPX TCS PB-PB W	LPX J12 PB-PB W	LPX 2J12 PB-PB W	LPX J45 PB-PB W	LPX 2J45 PB-PB W
	Polished Brass	Black	LPX TCM PB-PB B	LPX TCS PB-PB B	LPX J12 PB-PB B	LPX 2J12 PB-PB B	LPX J45 PB-PB B	LPX 2J45 PB-PB B
	Satin Brass	White	LPX TCM PB-SB W	LPX TCS PB-SB W	LPX J12 PB-SB W	LPX 2J12 PB-SB W	LPX J45 PB-SB W	LPX 2J45 PB-SB W
	Satin Brass	Black	LPX TCM PB-SB B	LPX TCS PB-SB B	LPX J12 PB-SB B	LPX 2J12 PB-SB B	LPX J45 PB-SB B	LPX 2J45 PB-SB B
	Antique Brass	White	LPX TCM PB-AB W	LPX TCS PB-AB W	LPX J12 PB-AB W	LPX 2J12 PB-AB W	LPX J45 PB-AB W	LPX 2J45 PB-AB W
	Antique Brass	Black	LPX TCM PB-AB B	LPX TCS PB-AB B	LPX J12 PB-AB B	LPX 2J12 PB-AB B	LPX J45 PB-AB B	LPX 2J45 PB-AB B
Antique Brass	Antique Brass	Black	LPX TCM AB-AB B	LPX TCS AB-AB B	LPX J12 AB-AB B	LPX 2J12 AB-AB B	LPX J45 AB-AB B	LPX 2J45 AB-AB B
	Polished Brass	Black	LPX TCM AB-PB B	LPX TCS AB-PB B	LPX J12 AB-PB B	LPX 2J12 AB-PB B	LPX J45 AB-PB B	LPX 2J45 AB-PB B
	Satin Brass	Black	LPX TCM AB-SB B	LPX TCS AB-SB B	LPX J12 AB-SB B	LPX 2J12 AB-SB B	LPX J45 AB-SB B	LPX 2J45 AB-SB B

Hamilton® Linea-Perlina cfx®

Concealed Fixing Double Pole Switches



LPX 45SS1 PB-AB B



**1 gang 20AX
Double Pole
Rocker + Neon**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **DPN**
Product Code



**1 gang 45A
Double Pole
Red Rocker + Neon**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **45N**
Product Code



**45A Double Pole
Red Rocker + Neon +
13A Switched Socket**

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **45SS1**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 20AX Double Pole Rocker + Neon	1 gang 45A Double Pole Red Rocker + Neon	45A Double Pole Red Rocker + Neon + 13A Switched Socket
Polished Brass	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass	White Black White Black White Black	LPX DPN PB-PB W LPX DPN PB-PB B LPX DPN PB-SB W LPX DPN PB-SB B LPX DPN PB-AB W LPX DPN PB-AB B	LPX 45N PB-PB W LPX 45N PB-PB B LPX 45N PB-SB W LPX 45N PB-SB B LPX 45N PB-AB W LPX 45N PB-AB B	LPX 45SS1 PB-PB W LPX 45SS1 PB-PB B LPX 45SS1 PB-SB W LPX 45SS1 PB-SB B LPX 45SS1 PB-AB W LPX 45SS1 PB-AB B
Antique Brass	Antique Brass Polished Brass Satin Brass	Black Black Black	LPX DPN AB-AB B LPX DPN AB-PB B LPX DPN AB-SB B	LPX 45N AB-AB B LPX 45N AB-PB B LPX 45N AB-SB B	LPX 45SS1 AB-AB B LPX 45SS1 AB-PB B LPX 45SS1 AB-SB B

Concealed Fixing Connection Units



LPX SPN AB-PB B



**1 gang 13A
Double Pole
Fused Spur + Neon**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **SPN**
Product Code



**1 gang 13A
Fuse with
Red Neon Halo**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **FN**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 13A Double Pole Fused Spur + Neon	1 gang 13A Fuse with Red Neon Halo
Polished Brass	Polished Brass Polished Brass Polished Brass Satin Brass Satin Brass Satin Brass Antique Brass Antique Brass Antique Brass	White Black Red Halo White Black Red Halo White Black Red Halo	LPX SPN PB-PB W LPX SPN PB-PB B - LPX SPN PB-SB W LPX SPN PB-SB B - LPX SPN PB-AB W LPX SPN PB-AB B -	- - LPX FN PB-PB R - - LPX FN PB-SB R - - LPX FN PB-AB R
Antique Brass	Antique Brass Antique Brass Polished Brass Polished Brass Satin Brass Satin Brass	Black Red Halo Black Red Halo Black Red Halo	LPX SPN AB-AB B - LPX SPN AB-PB B - LPX SPN AB-SB B -	- LPX FN AB-AB R - LPX FN AB-PB R - LPX FN AB-SB R

Hamilton® Linea-Perlina cfx®

Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LPX 2X40 AB-PB



**1 gang 400W
2 way Dimmer**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X40**
Product Code



**2 gang 400W
2 way (Max. 300
watts per gang)
Dimmer**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **2X40**
Product Code



**3 gang 400W
2 way Dimmer**

Nominal Plate Size:
150 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **3X40**
Product Code



**4 gang 400W
2 way (Max. 300
watts per gang)
Dimmer**

Nominal Plate Size:
150 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **4X40**
Product Code



**1 gang 600W
2 way Dimmer**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X60**
Product Code



**1 gang 1000W
2 way Dimmer**

Nominal Plate Size:
150 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X1K**
Product Code

Frame and Insert Finish	Plate Finish	1 gang 400W 2 way Dimmer	2 gang 400W 2 way (Max. 300 watts per gang) Dimmer	3 gang 400W 2 way Dimmer	4 gang 400W 2 way (Max. 300 watts per gang) Dimmer	1 gang 600W 2 way Dimmer	1 gang 1000W 2 way Dimmer
Polished Brass	Polished Brass Satin Brass Antique Brass	LPX 1X40 PB-PB LPX 1X40 PB-SB LPX 1X40 PB-AB	LPX 2X40 PB-PB LPX 2X40 PB-SB LPX 2X40 PB-AB	LPX 3X40 PB-PB LPX 3X40 PB-SB LPX 3X40 PB-AB	LPX 4X40 PB-PB LPX 4X40 PB-SB LPX 4X40 PB-AB	LPX 1X60 PB-PB LPX 1X60 PB-SB LPX 1X60 PB-AB	LPX 1X1K PB-PB LPX 1X1K PB-SB LPX 1X1K PB-AB
Antique Brass	Antique Brass Polished Brass Satin Brass	LPX 1X40 AB-AB LPX 1X40 AB-PB LPX 1X40 AB-SB	LPX 2X40 AB-AB LPX 2X40 AB-PB LPX 2X40 AB-SB	LPX 3X40 AB-AB LPX 3X40 AB-PB LPX 3X40 AB-SB	LPX 4X40 AB-AB LPX 4X40 AB-PB LPX 4X40 AB-SB	LPX 1X60 AB-AB LPX 1X60 AB-PB LPX 1X60 AB-SB	LPX 1X1K AB-AB LPX 1X1K AB-PB LPX 1X1K AB-SB

Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LPX 1X2V PB-PB



**1 gang 200VA
2 way Dimmer**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X2V**
Product Code



**1 gang 300VA
2 way Dimmer**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X3V**
Product Code

Frame and Insert Finish	Plate Finish	1 gang 200VA 2 way Dimmer	1 gang 300VA 2 way Dimmer
Polished Brass	Polished Brass Satin Brass Antique Brass	LPX 1X2V PB-PB LPX 1X2V PB-SB LPX 1X2V PB-AB	LPX 1X3V PB-PB LPX 1X3V PB-SB LPX 1X3V PB-AB
Antique Brass	Antique Brass Polished Brass Satin Brass	LPX 1X2V AB-AB LPX 1X2V AB-PB LPX 1X2V AB-SB	LPX 1X3V AB-AB LPX 1X3V AB-PB LPX 1X3V AB-SB

Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.
 Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA.
 Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.




LPX 2XTE AB-PB



Frame and Insert Finish		Plate Finish	1 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 1XTE Product Code	2 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 2XTE Product Code	3 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 3XTE Product Code	4 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 4XTE Product Code
Polished Brass	Polished Brass	Polished Brass	LPX 1XTE PB-PB	LPX 2XTE PB-PB	LPX 3XTE PB-PB	LPX 4XTE PB-PB
	Satin Brass	Satin Brass	LPX 1XTE PB-SB	LPX 2XTE PB-SB	LPX 3XTE PB-SB	LPX 4XTE PB-SB
	Antique Brass	Antique Brass	LPX 1XTE PB-AB	LPX 2XTE PB-AB	LPX 3XTE PB-AB	LPX 4XTE PB-AB
Antique Brass	Antique Brass	Antique Brass	LPX 1XTE AB-AB	LPX 2XTE AB-AB	LPX 3XTE AB-AB	LPX 4XTE AB-AB
	Polished Brass	Polished Brass	LPX 1XTE AB-PB	LPX 2XTE AB-PB	LPX 3XTE AB-PB	LPX 4XTE AB-PB
	Satin Brass	Satin Brass	LPX 1XTE AB-SB	LPX 2XTE AB-SB	LPX 3XTE AB-SB	LPX 4XTE AB-SB

Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers.
 Note: Tungsten filament GU10 lamps must be branded and with a fused base.
 Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA.




LPX 1XTS PB-AB W



Frame and Insert Finish		Plate Finish	Insert Surround Colour	1 gang Multi-Way Touch Slave Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTS Product Code	2 gang Multi-Way Touch Slave Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTS Product Code	3 gang Multi-Way Touch Slave Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTS Product Code	4 gang Multi-Way Touch Slave Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTS Product Code
Polished Brass	Polished Brass	Polished Brass	White	LPX 1XTS PB-PB W	LPX 2XTS PB-PB W	LPX 3XTS PB-PB W	LPX 4XTS PB-PB W
		Satin Brass	Black	LPX 1XTS PB-PB B	LPX 2XTS PB-PB B	LPX 3XTS PB-PB B	LPX 4XTS PB-PB B
		Antique Brass	White	LPX 1XTS PB-SB W	LPX 2XTS PB-SB W	LPX 3XTS PB-SB W	LPX 4XTS PB-SB W
		Satin Brass	Black	LPX 1XTS PB-SB B	LPX 2XTS PB-SB B	LPX 3XTS PB-SB B	LPX 4XTS PB-SB B
		Antique Brass	White	LPX 1XTS PB-AB W	LPX 2XTS PB-AB W	LPX 3XTS PB-AB W	LPX 4XTS PB-AB W
		Antique Brass	Black	LPX 1XTS PB-AB B	LPX 2XTS PB-AB B	LPX 3XTS PB-AB B	LPX 4XTS PB-AB B
Antique Brass	Antique Brass	Polished Brass	Black	LPX 1XTS AB-AB B	LPX 2XTS AB-AB B	LPX 3XTS AB-AB B	LPX 4XTS AB-AB B
		Satin Brass	Black	LPX 1XTS AB-PB B	LPX 2XTS AB-PB B	LPX 3XTS AB-PB B	LPX 4XTS AB-PB B
		Antique Brass	Black	LPX 1XTS AB-SB B	LPX 2XTS AB-SB B	LPX 3XTS AB-SB B	LPX 4XTS AB-SB B

Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.
 Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA.
 Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LPX 1XTM PB-PB B



Frame and Insert Finish		Plate Finish	Insert Surround Colour	1 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTM Product Code	2 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTM Product Code	3 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTM Product Code	4 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTM Product Code
Polished Brass	Polished Brass	Polished Brass	White	LPX 1XTM PB-PB W	LPX 2XTM PB-PB W	LPX 3XTM PB-PB W	LPX 4XTM PB-PB W
		Satin Brass	Black	LPX 1XTM PB-PB B	LPX 2XTM PB-PB B	LPX 3XTM PB-PB B	LPX 4XTM PB-PB B
		Antique Brass	White	LPX 1XTM PB-SB W	LPX 2XTM PB-SB W	LPX 3XTM PB-SB W	LPX 4XTM PB-SB W
		Satin Brass	Black	LPX 1XTM PB-SB B	LPX 2XTM PB-SB B	LPX 3XTM PB-SB B	LPX 4XTM PB-SB B
		Antique Brass	White	LPX 1XTM PB-AB W	LPX 2XTM PB-AB W	LPX 3XTM PB-AB W	LPX 4XTM PB-AB W
		Antique Brass	Black	LPX 1XTM PB-AB B	LPX 2XTM PB-AB B	LPX 3XTM PB-AB B	LPX 4XTM PB-AB B
Antique Brass	Antique Brass	Polished Brass	Black	LPX 1XTM AB-AB B	LPX 2XTM AB-AB B	LPX 3XTM AB-AB B	LPX 4XTM AB-AB B
		Satin Brass	Black	LPX 1XTM AB-PB B	LPX 2XTM AB-PB B	LPX 3XTM AB-PB B	LPX 4XTM AB-PB B
		Antique Brass	Black	LPX 1XTM AB-SB B	LPX 2XTM AB-SB B	LPX 3XTM AB-SB B	LPX 4XTM AB-SB B

Concealed Fixing EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth dependant on EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



LPX EURO2 AB-AB









Frame Finish	Plate Finish	1 Module EuroFix Plate Plate Size: 91 x 91 mm Aperture: 25 x 50 mm Product Code	2 Module EuroFix Plate Plate Size: 91 x 91 mm Aperture: 50 x 50 mm Product Code	3 Module EuroFix Plate Plate Size: 150 x 91 mm Aperture: 75 x 50 mm Product Code	4 Module EuroFix Plate Plate Size: 150 x 91 mm Aperture: 100 x 50 mm Product Code
Polished Brass	Polished Brass	LPX EURO1 PB-PB	LPX EURO2 PB-PB	LPX EURO3 PB-PB	LPX EURO4 PB-PB
	Satin Brass	LPX EURO1 PB-SB	LPX EURO2 PB-SB	LPX EURO3 PB-SB	LPX EURO4 PB-SB
	Antique Brass	LPX EURO1 PB-AB	LPX EURO2 PB-AB	LPX EURO3 PB-AB	LPX EURO4 PB-AB
Antique Brass	Antique Brass	LPX EURO1 AB-AB	LPX EURO2 AB-AB	LPX EURO3 AB-AB	LPX EURO4 AB-AB
	Polished Brass	LPX EURO1 AB-PB	LPX EURO2 AB-PB	LPX EURO3 AB-PB	LPX EURO4 AB-PB
	Satin Brass	LPX EURO1 AB-SB	LPX EURO2 AB-SB	LPX EURO3 AB-SB	LPX EURO4 AB-SB




LPX 1GP PB-PB

Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid





Minimum Wall Box Depth dependant on GRID-IT insert fitted - please see the GRID-IT section for our complete range of inserts.

Frame Finish	Plate Finish				
		1 gang Aperture Grid Fix Plate Nom. Plate Size: 91 x 91 mm Product Code	2 gang Aperture Grid Fix Plate Nom. Plate Size: 91 x 91 mm Product Code	3 gang Aperture Grid Fix Plate Nom. Plate Size: 150 x 91 mm Product Code	4 gang Aperture Grid Fix Plate Nom. Plate Size: 150 x 91 mm Product Code
Polished Brass 	Polished Brass Satin Brass Antique Brass	LPX 1GP PB-PB LPX 1GP PB-SB LPX 1GP PB-AB	LPX 2GP PB-PB LPX 2GP PB-SB LPX 2GP PB-AB	LPX 3GP PB-PB LPX 3GP PB-SB LPX 3GP PB-AB	LPX 4GP PB-PB LPX 4GP PB-SB LPX 4GP PB-AB
Antique Brass 	Antique Brass Polished Brass Satin Brass	LPX 1GP AB-AB LPX 1GP AB-PB LPX 1GP AB-SB	LPX 2GP AB-AB LPX 2GP AB-PB LPX 2GP AB-SB	LPX 3GP AB-AB LPX 3GP AB-PB LPX 3GP AB-SB	LPX 4GP AB-AB LPX 4GP AB-PB LPX 4GP AB-SB



LPX BPS AB-AB

Concealed Fixing Blank Plates



Frame Finish	Plate Finish		
		Single Blank Plate Nom. Plate Size: 91 x 91 mm Product Code	Double Blank Plate Nom. Plate Size: 150 x 91 mm Product Code
Polished Brass 	Polished Brass Satin Brass Antique Brass	LPX BPS PB-PB LPX BPS PB-SB LPX BPS PB-AB	LPX BPD PB-PB LPX BPD PB-SB LPX BPD PB-AB
Antique Brass 	Antique Brass Polished Brass Satin Brass	LPX BPS AB-AB LPX BPS AB-PB LPX BPS AB-SB	LPX BPD AB-AB LPX BPD AB-PB LPX BPD AB-SB

Hamilton® Linea-Georgian CFX®

Stylish and attractive with a Georgian Rope Frame design

The Linea CFX® range comes in five different designs to suit either contemporary or classic interiors. Linea CFX® has a separate back frame and our patented four point face plate clipping system, allowing the option of matching or contrasting elements.


- Minimal depth and a modern look
- Three stunning front plate finishes and two frame and insert finishes give a limitless choice of combinations
- Two-part frame and plate for 'mix and match'
- Concealed fixing
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)



LGX R21 AB-PB B




LGX T22 AB-PB




LGX C11 PB-AB B



LGX 45N PB-SB W



LGX R21 PB-SB B



LGX SS1 AB-PB B

Hamilton® Linea-Georgian CFX®

Select your choice of accessory finish from this Colourway Chart

Select the accessory required from the following pages overleaf


1. Select the required electrical accessory from the following pages. e.g. LGX R21 = Linea-Georgian CFX 1 gang 10AX 2 way Rocker Switch.
2. Using the Colour Chart above:
 - a. Select the required Frame Finish e.g. Antique Brass = AB- - - -.
 - b. Select the required Front Plate Finish e.g. Polished Brass = - - - -PB.
 - c. Select the required Insert Surround Colour e.g. Black = - - - - - B.

Therefore a Linea-Georgian CFX 1 gang 10AX 2 way Rocker Switch as illustrated below = LGX R21 AB-PB B.

Front Plate Finish

Frame and Insert Finish	Polished Brass	Satin Brass	Antique Brass
Polished Brass Polished Brass Frame, Matching Insert with White Surround			
	PB-PB W	PB-SB W	PB-AB W
Polished Brass Polished Brass Frame, Matching Insert with Black Surround			
	PB-PB B	PB-SB B	PB-AB B
Antique Brass Antique Brass Frame, Matching Insert with Black Surround			
	AB-PB B	AB-SB B	AB-AB B


Illustration of Product Code configuration to order a Linea-Georgian CFX LGX R21 AB-PB B



Linea-Georgian CFX R21 is a UK Registered Design Certificate No. 2078674.
Linea-Georgian CFX SS2 is a UK Registered Design Certificate No. 2078673.

Linea-Georgian CFX R21 is a Malaysia Registered Design Certificate No. UK(E) 03/0649.
Linea-Georgian CFX SS2 is a Malaysia Registered Design Certificate No. UK(E) 03/0648.

Concealed Fixing Rocker Switches




Frame and Insert Finish **Plate Finish** **Insert Surround Colour**

	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass	White Black White Black White Black
	Antique Brass Antique Brass Satin Brass	Black Black Black

1 gang 10AX 2 way Rocker	2 gang 10AX 2 way Rocker	3 gang 10AX 2 way Rocker	4 gang 10AX 2 way Rocker	6 gang 10AX 2 way Rocker
Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R21 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R22 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R23 Product Code	Nominal Plate Size: 154 x 95 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R24 Product Code	Nominal Plate Size: 154 x 95 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R26 Product Code
LGX R21 PB-PB W LGX R21 PB-PB B LGX R21 PB-SB W LGX R21 PB-SB B LGX R21 PB-AB W LGX R21 PB-AB B	LGX R22 PB-PB W LGX R22 PB-PB B LGX R22 PB-SB W LGX R22 PB-SB B LGX R22 PB-AB W LGX R22 PB-AB B	LGX R23 PB-PB W LGX R23 PB-PB B LGX R23 PB-SB W LGX R23 PB-SB B LGX R23 PB-AB W LGX R23 PB-AB B	LGX R24 PB-PB W LGX R24 PB-PB B LGX R24 PB-SB W LGX R24 PB-SB B LGX R24 PB-AB W LGX R24 PB-AB B	LGX R26 PB-PB W LGX R26 PB-PB B LGX R26 PB-SB W LGX R26 PB-SB B LGX R26 PB-AB W LGX R26 PB-AB B
LGX R21 AB-AB B LGX R21 AB-PB B LGX R21 AB-SB B	LGX R22 AB-AB B LGX R22 AB-PB B LGX R22 AB-SB B	LGX R23 AB-AB B LGX R23 AB-PB B LGX R23 AB-SB B	LGX R24 AB-AB B LGX R24 AB-PB B LGX R24 AB-SB B	LGX R26 AB-AB B LGX R26 AB-PB B LGX R26 AB-SB B

Concealed Fixing Rocker Switches



Frame and Insert Finish **Plate Finish** **Insert Surround Colour**

	Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass	White Black White Black White Black
	Antique Brass Antique Brass Satin Brass	Black Black Black

1 gang 20AX 2 way Rocker	2 gang 20AX 2 way Rocker	3 gang 20AX 2 way Rocker	4 gang 20AX 2 way Rocker	1 gang 20AX Intermediate Rocker	2 gang 20AX Intermediate Rocker
Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R212 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R222 Product Code	Nominal Plate Size: 154 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R232 Product Code	Nominal Plate Size: 154 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R242 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R312 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R322 Product Code
LGX R212 PB-PB W LGX R212 PB-PB B LGX R212 PB-SB W LGX R212 PB-SB B LGX R212 PB-AB W LGX R212 PB-AB B	LGX R222 PB-PB W LGX R222 PB-PB B LGX R222 PB-SB W LGX R222 PB-SB B LGX R222 PB-AB W LGX R222 PB-AB B	LGX R232 PB-PB W LGX R232 PB-PB B LGX R232 PB-SB W LGX R232 PB-SB B LGX R232 PB-AB W LGX R232 PB-AB B	LGX R242 PB-PB W LGX R242 PB-PB B LGX R242 PB-SB W LGX R242 PB-SB B LGX R242 PB-AB W LGX R242 PB-AB B	LGX R312 PB-PB W LGX R312 PB-PB B LGX R312 PB-SB W LGX R312 PB-SB B LGX R312 PB-AB W LGX R312 PB-AB B	LGX R322 PB-PB W LGX R322 PB-PB B LGX R322 PB-SB W LGX R322 PB-SB B LGX R322 PB-AB W LGX R322 PB-AB B
LGX R212 AB-AB B LGX R212 AB-PB B LGX R212 AB-SB B	LGX R222 AB-AB B LGX R222 AB-PB B LGX R222 AB-SB B	LGX R232 AB-AB B LGX R232 AB-PB B LGX R232 AB-SB B	LGX R242 AB-AB B LGX R242 AB-PB B LGX R242 AB-SB B	LGX R312 AB-AB B LGX R312 AB-PB B LGX R312 AB-SB B	LGX R322 AB-AB B LGX R322 AB-PB B LGX R322 AB-SB B

Concealed Fixing Rocker Switches



Frame and Insert Finish **Plate Finish** **Insert Surround Colour**

	Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass	White Black White Black White Black
	Antique Brass Polished Brass Satin Brass	Black Black Black

1 gang 10AX Intermediate Rocker	2 gang 10AX Intermediate Rocker	1 gang 10AX Push To Make/ Break Retractive Rocker	1 gang 10A Triple Pole Rocker
Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R31 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R32 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: GRRT Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TP Product Code
LGX R31 PB-PB W LGX R31 PB-PB B LGX R31 PB-SB W LGX R31 PB-SB B LGX R31 PB-AB W LGX R31 PB-AB B	LGX R32 PB-PB W LGX R32 PB-PB B LGX R32 PB-SB W LGX R32 PB-SB B LGX R32 PB-AB W LGX R32 PB-AB B	LGX RRT PB-PB W LGX RRT PB-PB B LGX RRT PB-SB W LGX RRT PB-SB B LGX RRT PB-AB W LGX RRT PB-AB B	LGX TP PB-PB W LGX TP PB-PB B LGX TP PB-SB W LGX TP PB-SB B LGX TP PB-AB W LGX TP PB-AB B
LGX R31 AB-AB B LGX R31 AB-PB B LGX R31 AB-SB B	LGX R32 AB-AB B LGX R32 AB-PB B LGX R32 AB-SB B	LGX RRT AB-AB B LGX RRT AB-PB B LGX RRT AB-SB B	LGX TP AB-AB B LGX TP AB-PB B LGX TP AB-SB B

Concealed Fixing Toggle Switches




Frame and Insert Finish **Plate Finish**

	Polished Brass Satin Brass Antique Brass
	Antique Brass Polished Brass Satin Brass

1 gang 20AX 2 way Toggle	2 gang 20AX 2 way Toggle	3 gang 20AX 2 way Toggle	4 gang 20AX 2 way Toggle	1 gang 20AX Intermediate Toggle
Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T21 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T22 Product Code	Nominal Plate Size: 154 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T23 Product Code	Nominal Plate Size: 154 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T24 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T31 Product Code
LGX T21 PB-PB LGX T21 PB-SB LGX T21 PB-AB	LGX T22 PB-PB LGX T22 PB-SB LGX T22 PB-AB	LGX T23 PB-PB LGX T23 PB-SB LGX T23 PB-AB	LGX T24 PB-PB LGX T24 PB-SB LGX T24 PB-AB	LGX T31 PB-PB LGX T31 PB-SB LGX T31 PB-AB
LGX T21 AB-AB LGX T21 AB-PB LGX T21 AB-SB	LGX T22 AB-AB LGX T22 AB-PB LGX T22 AB-SB	LGX T23 AB-AB LGX T23 AB-PB LGX T23 AB-SB	LGX T24 AB-AB LGX T24 AB-PB LGX T24 AB-SB	LGX T31 AB-AB LGX T31 AB-PB LGX T31 AB-SB

Concealed Fixing Key Switches



LGX K21 PB-PB B





1 gang 20AX 2 way Key Switch

Nominal Plate Size: 95 x 95 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **K21**
Product Code




1 gang 20AX 2 way Key Switch "EMG LTG TEST"

Nominal Plate Size: 95 x 95 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **KEL**
Product Code

Frame Finish	Plate Finish	Insert Colour		
 Polished Brass	Polished Brass	White	LGX K21 PB-PB W	LGX KEL PB-PB W
	Polished Brass	Black	LGX K21 PB-PB B	LGX KEL PB-PB B
	Satin Brass	White	LGX K21 PB-SB W	LGX KEL PB-SB W
	Satin Brass	Black	LGX K21 PB-SB B	LGX KEL PB-SB B
	Antique Brass	White	LGX K21 PB-AB W	LGX KEL PB-AB W
 Antique Brass	Antique Brass	Black	LGX K21 PB-AB B	LGX KEL PB-AB B
	Polished Brass	Black	LGX K21 AB-PB B	LGX KEL AB-PB B
	Satin Brass	Black	LGX K21 AB-SB B	LGX KEL AB-SB B

Concealed Fixing Power Sockets



LGX SS1 AB-SB B



1 gang 13A Double Pole Switched Socket

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
Product Code



2 gang 13A Double Pole Switched Socket

Nominal Plate Size: 154 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS2**
Product Code



1 gang 2A Unswitched Socket

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US2**
Product Code





1 gang 5A Unswitched Socket

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US5**
Product Code




Shaver Dual Voltage Unswitched Socket

Nominal Plate Size: 95 x 154 mm
Min. Wall Box Depth: 47 mm
Technical Insert Reference: **SHS**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour						
 Polished Brass	Polished Brass	White	LGX SS1 PB-PB W	LGX SS2 PB-PB W	LGX US2 PB-PB W	LGX US5 PB-PB W	LGX SHS PB-PB W	LGX SS1 PB-PB B
	Polished Brass	Black	LGX SS1 PB-PB B	LGX SS2 PB-PB B	LGX US2 PB-PB B	LGX US5 PB-PB B	LGX SHS PB-PB B	LGX SS1 PB-SB W
	Satin Brass	White	LGX SS1 PB-SB W	LGX SS2 PB-SB W	LGX US2 PB-SB W	LGX US5 PB-SB W	LGX SHS PB-SB W	LGX SS1 PB-SB B
	Satin Brass	Black	LGX SS1 PB-SB B	LGX SS2 PB-SB B	LGX US2 PB-SB B	LGX US5 PB-SB B	LGX SHS PB-SB B	LGX SS1 PB-AB W
	Antique Brass	White	LGX SS1 PB-AB W	LGX SS2 PB-AB W	LGX US2 PB-AB W	LGX US5 PB-AB W	LGX SHS PB-AB W	LGX SS1 PB-AB B
 Antique Brass	Antique Brass	Black	LGX SS1 PB-AB B	LGX SS2 PB-AB B	LGX US2 PB-AB B	LGX US5 PB-AB B	LGX SHS PB-AB B	LGX SS1 AB-PB B
	Polished Brass	Black	LGX SS1 AB-PB B	LGX SS2 AB-PB B	LGX US2 AB-PB B	LGX US5 AB-PB B	LGX SHS AB-PB B	LGX SS1 AB-SB B
	Satin Brass	Black	LGX SS1 AB-SB B	LGX SS2 AB-SB B	LGX US2 AB-SB B	LGX US5 AB-SB B	LGX SHS AB-SB B	

Concealed Fixing Hotel Card Switch with LED

Adjustable Time Delay 10 seconds - 5 minutes. Suitable for 44 mm and 54 mm width Hotel Key Cards.



LGX C11 PB-AB B





1 gang 10A (6AX) On/Off with Blue LED Locator

Nominal Plate Size: 95 x 95 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **C11**
Product Code



1 gang 12-24V AC/DC +/-10% On/Off with Blue LED Locator (Suitable for KNX BUS System)

Nominal Plate Size: 95 x 95 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **CKNX**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour		
 Polished Brass	Polished Brass	White	LGX C11 PB-PB W	LGX CKNX PB-PB W
	Polished Brass	Black	LGX C11 PB-PB B	LGX CKNX PB-PB B
	Satin Brass	White	LGX C11 PB-SB W	LGX CKNX PB-SB W
	Satin Brass	Black	LGX C11 PB-SB B	LGX CKNX PB-SB B
	Antique Brass	White	LGX C11 PB-AB W	LGX CKNX PB-AB W
 Antique Brass	Antique Brass	Black	LGX C11 PB-AB B	LGX CKNX PB-AB B
	Polished Brass	Black	LGX C11 AB-PB B	LGX CKNX AB-PB B
	Satin Brass	Black	LGX C11 AB-SB B	LGX CKNX AB-SB B

Concealed Fixing Power Sockets



LGX 6126 AB-PB B



1 gang 16A German Unswitched Socket

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 47 mm
Technical Insert Reference: **6126**
Product Code





1 gang 15A American Unswitched Socket

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **5258**
Product Code




2 gang 15A American Unswitched Socket

Nominal Plate Size: 154 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **5320**
Product Code

Frame Finish	Plate Finish	Insert Colour			
 Polished Brass	Polished Brass	White	LGX 6126 PB-PB W	LGX 5258 PB-PB W	LGX 5320 PB-PB W
	Polished Brass	Black	LGX 6126 PB-PB B	LGX 5258 PB-PB B	LGX 5320 PB-PB B
	Satin Brass	White	LGX 6126 PB-SB W	LGX 5258 PB-SB W	LGX 5320 PB-SB W
	Satin Brass	Black	LGX 6126 PB-SB B	LGX 5258 PB-SB B	LGX 5320 PB-SB B
	Antique Brass	White	LGX 6126 PB-AB W	LGX 5258 PB-AB W	LGX 5320 PB-AB W
 Antique Brass	Antique Brass	Black	LGX 6126 PB-AB B	LGX 5258 PB-AB B	LGX 5320 PB-AB B
	Polished Brass	Black	LGX 6126 AB-PB B	LGX 5258 AB-PB B	LGX 5320 AB-PB B
	Satin Brass	Black	LGX 6126 AB-SB B	LGX 5258 AB-SB B	LGX 5320 AB-SB B

Hamilton® Linea-Georgian CFX®

Concealed Fixing Television Coaxial Sockets




LGX TV AB-PB B

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
Polished Brass	Polished Brass	White	1 gang Non Isolated TV 1 In/1 Out	Isolated TV/FM Diplexer 1 In/2 Out	1 gang Isolated TV 1 In/1 Out	2 gang Non Isolated TV + Satellite 2 In/2 Out	1 gang Non Isolated Satellite	1 gang Isolated Satellite	
	Polished Brass	Black							
	Satin Brass	White							
Antique Brass	Satin Brass	Black							
	Antique Brass	White							
	Antique Brass	Black							
Antique Brass	Antique Brass	Black	1 gang Non Isolated TV 1 In/1 Out	Isolated TV/FM Diplexer 1 In/2 Out	1 gang Isolated TV 1 In/1 Out	2 gang Non Isolated TV + Satellite 2 In/2 Out	1 gang Non Isolated Satellite	1 gang Isolated Satellite	
	Polished Brass	Black							
	Satin Brass	Black							

Hamilton® Linea-Georgian CFX®

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



LGX DSAT PB-PB W

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code
Polished Brass	Polished Brass	White	1 gang Non Isolated Satellite	Non Isolated TV/FM/Satellite 1/ Satellite 2 Quadplexer 2 In/4 Out	Non Isolated TV/FM/Satellite 1/ Satellite 2 Quadplexer + TVF + TCS
	Polished Brass	Black			
	Satin Brass	White			
Antique Brass	Satin Brass	Black			
	Antique Brass	White			
	Antique Brass	Black			
Antique Brass	Antique Brass	Black	1 gang Non Isolated Satellite	Non Isolated TV/FM/Satellite 1/ Satellite 2 Quadplexer 2 In/4 Out	Non Isolated TV/FM/Satellite 1/ Satellite 2 Quadplexer + TVF + TCS
	Polished Brass	Black			
	Satin Brass	Black			


Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



LGX DTRID PB-AB B

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code
Polished Brass	Polished Brass	White	Non Isolated TV/FM/Satellite Triplexer 1 In/3 Out	1 gang Non Isolated TV (Female)	1 gang Non Isolated TV (Male)
	Polished Brass	Black			
	Satin Brass	White			
Antique Brass	Satin Brass	Black			
	Antique Brass	White			
	Antique Brass	Black			
Antique Brass	Antique Brass	Black	Non Isolated TV/FM/Satellite Triplexer 1 In/3 Out	1 gang Non Isolated TV (Female)	1 gang Non Isolated TV (Male)
	Polished Brass	Black			
	Satin Brass	Black			


Concealed Fixing Telephone and Data Outlets



LGX TCM AB-AB B

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
Polished Brass	Polished Brass	White	1 gang Telephone Master	1 gang Telephone Slave	1 gang RJ12 Outlet Unshielded	2 gang RJ12 Outlet Unshielded	1 gang RJ45 CAT 5E Outlet Unshielded	2 gang RJ45 CAT 5E Outlet Unshielded	
	Polished Brass	Black							
	Satin Brass	White							
Antique Brass	Satin Brass	Black							
	Antique Brass	White							
	Antique Brass	Black							
Antique Brass	Antique Brass	Black	1 gang Telephone Master	1 gang Telephone Slave	1 gang RJ12 Outlet Unshielded	2 gang RJ12 Outlet Unshielded	1 gang RJ45 CAT 5E Outlet Unshielded	2 gang RJ45 CAT 5E Outlet Unshielded	
	Polished Brass	Black							
	Satin Brass	Black							

Concealed Fixing Double Pole Switches



LGX 45N PB-SB W



1 gang 20AX Double Pole Rocker + Neon

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **DPN**
Product Code



1 gang 45A Double Pole Red Rocker + Neon

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **45N**
Product Code



45A Double Pole Red Rocker + Neon + 13A Switched Socket

Nominal Plate Size: 154 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **45SS1**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 20AX Double Pole Rocker + Neon	1 gang 45A Double Pole Red Rocker + Neon	45A Double Pole Red Rocker + Neon + 13A Switched Socket
Polished Brass	Polished Brass	White	LGX DPN PB-PB W	LGX 45N PB-PB W	LGX 45SS1 PB-PB W
	Polished Brass	Black	LGX DPN PB-PB B	LGX 45N PB-PB B	LGX 45SS1 PB-PB B
	Satin Brass	White	LGX DPN PB-SB W	LGX 45N PB-SB W	LGX 45SS1 PB-SB W
	Satin Brass	Black	LGX DPN PB-SB B	LGX 45N PB-SB B	LGX 45SS1 PB-SB B
	Antique Brass	White	LGX DPN PB-AB W	LGX 45N PB-AB W	LGX 45SS1 PB-AB W
	Antique Brass	Black	LGX DPN PB-AB B	LGX 45N PB-AB B	LGX 45SS1 PB-AB B
Antique Brass	Antique Brass	Black	LGX DPN AB-AB B	LGX 45N AB-AB B	LGX 45SS1 AB-AB B
	Polished Brass	Black	LGX DPN AB-PB B	LGX 45N AB-PB B	LGX 45SS1 AB-PB B
	Satin Brass	Black	LGX DPN AB-SB B	LGX 45N AB-SB B	LGX 45SS1 AB-SB B

Concealed Fixing Leading Edge Push On/Off Resistive Dimmers



LGX 2X40 PB-PB



1 gang 400W 2 way Dimmer

Nominal Plate Size: 95 x 95 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **1X40**
Product Code



2 gang 400W 2 way (Max. 300 watts per gang) Dimmer

Nominal Plate Size: 95 x 95 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **2X40**
Product Code



3 gang 400W 2 way Dimmer

Nominal Plate Size: 154 x 95 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **3X40**
Product Code



4 gang 400W 2 way (Max. 300 watts per gang) Dimmer

Nominal Plate Size: 154 x 95 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **4X40**
Product Code



1 gang 600W Dimmer

Nominal Plate Size: 95 x 95 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **1X60**
Product Code




1 gang 1000W Dimmer

Nominal Plate Size: 154 x 95 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **1X1K**
Product Code

Frame and Insert Finish	Plate Finish	1 gang 400W 2 way Dimmer	2 gang 400W 2 way (Max. 300 watts per gang) Dimmer	3 gang 400W 2 way Dimmer	4 gang 400W 2 way (Max. 300 watts per gang) Dimmer	1 gang 600W Dimmer	1 gang 1000W Dimmer
Polished Brass	Polished Brass	LGX 1X40 PB-PB	LGX 2X40 PB-PB	LGX 3X40 PB-PB	LGX 4X40 PB-PB	LGX 1X60 PB-PB	LGX 1X1K PB-PB
	Polished Brass	LGX 1X40 PB-SB	LGX 2X40 PB-SB	LGX 3X40 PB-SB	LGX 4X40 PB-SB	LGX 1X60 PB-SB	LGX 1X1K PB-SB
	Antique Brass	LGX 1X40 PB-AB	LGX 2X40 PB-AB	LGX 3X40 PB-AB	LGX 4X40 PB-AB	LGX 1X60 PB-AB	LGX 1X1K PB-AB
Antique Brass	Antique Brass	LGX 1X40 AB-AB	LGX 2X40 AB-AB	LGX 3X40 AB-AB	LGX 4X40 AB-AB	LGX 1X60 AB-AB	LGX 1X1K AB-AB
	Polished Brass	LGX 1X40 AB-PB	LGX 2X40 AB-PB	LGX 3X40 AB-PB	LGX 4X40 AB-PB	LGX 1X60 AB-PB	LGX 1X1K AB-PB
	Satin Brass	LGX 1X40 AB-SB	LGX 2X40 AB-SB	LGX 3X40 AB-SB	LGX 4X40 AB-SB	LGX 1X60 AB-SB	LGX 1X1K AB-SB

Concealed Fixing Connection Units



LGX SPN AB-PB B



1 gang 13A Double Pole Fused Spur + Neon

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SPN**
Product Code



1 gang 13A Fuse with Red Neon Halo

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **FN**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 13A Double Pole Fused Spur + Neon	1 gang 13A Fuse with Red Neon Halo
Polished Brass	Polished Brass	White	LGX SPN PB-PB W	-
	Polished Brass	Black	LGX SPN PB-PB B	-
	Polished Brass	Red Halo	-	LGX FN PB-PB R
	Satin Brass	White	LGX SPN PB-SB W	-
	Satin Brass	Black	LGX SPN PB-SB B	-
	Satin Brass	Red Halo	-	LGX FN PB-SB R
	Antique Brass	White	LGX SPN PB-AB W	-
	Antique Brass	Black	LGX SPN PB-AB B	-
	Antique Brass	Red Halo	-	LGX FN PB-AB R
Antique Brass	Antique Brass	Black	LGX SPN AB-AB B	-
	Antique Brass	Red Halo	-	LGX FN AB-AB R
	Polished Brass	Black	LGX SPN AB-PB B	-
	Polished Brass	Red Halo	-	LGX FN AB-PB R
	Satin Brass	Black	LGX SPN AB-SB B	-
	Satin Brass	Red Halo	-	LGX FN AB-SB R

Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LGX 1X2V AB-PB



1 gang 200VA 2 way Dimmer

Nominal Plate Size: 95 x 95 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **1X2V**
Product Code




1 gang 300VA 2 way Dimmer

Nominal Plate Size: 95 x 95 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **1X3V**
Product Code

Frame and Insert Finish	Plate Finish	1 gang 200VA 2 way Dimmer	1 gang 300VA 2 way Dimmer
Polished Brass	Polished Brass	LGX 1X2V PB-PB	LGX 1X3V PB-PB
	Polished Brass	LGX 1X2V PB-SB	LGX 1X3V PB-SB
	Antique Brass	LGX 1X2V PB-AB	LGX 1X3V PB-AB
Antique Brass	Antique Brass	LGX 1X2V AB-AB	LGX 1X3V AB-AB
	Polished Brass	LGX 1X2V AB-PB	LGX 1X3V AB-PB
	Satin Brass	LGX 1X2V AB-SB	LGX 1X3V AB-SB

Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.
 Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA.
 Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.




LGX 2XTE AB-AB



Frame and Insert Finish	Plate Finish	1 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 95 x 95 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 1XTE Product Code	2 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 95 x 95 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 2XTE Product Code	3 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 154 x 95 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 3XTE Product Code	4 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 154 x 95 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 4XTE Product Code
Polished Brass	Polished Brass Satin Brass Antique Brass	LGX 1XTE PB-PB LGX 1XTE PB-SB LGX 1XTE PB-AB	LGX 2XTE PB-PB LGX 2XTE PB-SB LGX 2XTE PB-AB	LGX 3XTE PB-PB LGX 3XTE PB-SB LGX 3XTE PB-AB	LGX 4XTE PB-PB LGX 4XTE PB-SB LGX 4XTE PB-AB
Antique Brass	Antique Brass Polished Brass Satin Brass	LGX 1XTE AB-AB LGX 1XTE AB-PB LGX 1XTE AB-SB	LGX 2XTE AB-AB LGX 2XTE AB-PB LGX 2XTE AB-SB	LGX 3XTE AB-AB LGX 3XTE AB-PB LGX 3XTE AB-SB	LGX 4XTE AB-AB LGX 4XTE AB-PB LGX 4XTE AB-SB

Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers.
 Note: Tungsten filament GU10 lamps must be branded and with a fused base.
 Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA.




LGX 1XTS AB-AB B



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang Multi-Way Touch Slave Controller Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTS Product Code	2 gang Multi-Way Touch Slave Controller Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTS Product Code	3 gang Multi-Way Touch Slave Controller Nominal Plate Size: 154 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTS Product Code	4 gang Multi-Way Touch Slave Controller Nominal Plate Size: 154 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTS Product Code
Polished Brass	Polished Brass Satin Brass Antique Brass	White Black White Black White Black	LGX 1XTS PB-PB W LGX 1XTS PB-PB B LGX 1XTS PB-SB W LGX 1XTS PB-SB B LGX 1XTS PB-AB W LGX 1XTS PB-AB B	LGX 2XTS PB-PB W LGX 2XTS PB-PB B LGX 2XTS PB-SB W LGX 2XTS PB-SB B LGX 2XTS PB-AB W LGX 2XTS PB-AB B	LGX 3XTS PB-PB W LGX 3XTS PB-PB B LGX 3XTS PB-SB W LGX 3XTS PB-SB B LGX 3XTS PB-AB W LGX 3XTS PB-AB B	LGX 4XTS PB-PB W LGX 4XTS PB-PB B LGX 4XTS PB-SB W LGX 4XTS PB-SB B LGX 4XTS PB-AB W LGX 4XTS PB-AB B
Antique Brass	Antique Brass Polished Brass Satin Brass	Black Black Black Black	LGX 1XTS AB-AB B LGX 1XTS AB-PB B LGX 1XTS AB-SB B	LGX 2XTS AB-AB B LGX 2XTS AB-PB B LGX 2XTS AB-SB B	LGX 3XTS AB-AB B LGX 3XTS AB-PB B LGX 3XTS AB-SB B	LGX 4XTS AB-AB B LGX 4XTS AB-PB B LGX 4XTS AB-SB B

Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.
 Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA.
 Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.




LGX 2XTM PB-PB B



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTM Product Code	2 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTM Product Code	3 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 154 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTM Product Code	4 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 154 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTM Product Code
Polished Brass	Polished Brass Satin Brass Antique Brass	White Black White Black White Black	LGX 1XTM PB-PB W LGX 1XTM PB-PB B LGX 1XTM PB-SB W LGX 1XTM PB-SB B LGX 1XTM PB-AB W LGX 1XTM PB-AB B	LGX 2XTM PB-PB W LGX 2XTM PB-PB B LGX 2XTM PB-SB W LGX 2XTM PB-SB B LGX 2XTM PB-AB W LGX 2XTM PB-AB B	LGX 3XTM PB-PB W LGX 3XTM PB-PB B LGX 3XTM PB-SB W LGX 3XTM PB-SB B LGX 3XTM PB-AB W LGX 3XTM PB-AB B	LGX 4XTM PB-PB W LGX 4XTM PB-PB B LGX 4XTM PB-SB W LGX 4XTM PB-SB B LGX 4XTM PB-AB W LGX 4XTM PB-AB B
Antique Brass	Antique Brass Polished Brass Satin Brass	Black Black Black	LGX 1XTM AB-AB B LGX 1XTM AB-PB B LGX 1XTM AB-SB B	LGX 2XTM AB-AB B LGX 2XTM AB-PB B LGX 2XTM AB-SB B	LGX 3XTM AB-AB B LGX 3XTM AB-PB B LGX 3XTM AB-SB B	LGX 4XTM AB-AB B LGX 4XTM AB-PB B LGX 4XTM AB-SB B

Concealed Fixing EuroFix Plates complete with Fixing Grid


Minimum Wall Box Depth dependant on EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



LGX EURO2 AB-AB



Frame Finish	Plate Finish	1 Module EuroFix Plate Plate Size: 95 x 95 mm Aperture: 25 x 50 mm Product Code	2 Module EuroFix Plate Plate Size: 95 x 95 mm Aperture: 50 x 50 mm Product Code	3 Module EuroFix Plate Plate Size: 154 x 95 mm Aperture: 75 x 50 mm Product Code	4 Module EuroFix Plate Plate Size: 154 x 95 mm Aperture: 100 x 50 mm Product Code
Polished Brass	Polished Brass Satin Brass Antique Brass	LGX EURO1 PB-PB LGX EURO1 PB-SB LGX EURO1 PB-AB	LGX EURO2 PB-PB LGX EURO2 PB-SB LGX EURO2 PB-AB	LGX EURO3 PB-PB LGX EURO3 PB-SB LGX EURO3 PB-AB	LGX EURO4 PB-PB LGX EURO4 PB-SB LGX EURO4 PB-AB
Antique Brass	Antique Brass Polished Brass Satin Brass	LGX EURO1 AB-AB LGX EURO1 AB-PB LGX EURO1 AB-SB	LGX EURO2 AB-AB LGX EURO2 AB-PB LGX EURO2 AB-SB	LGX EURO3 AB-AB LGX EURO3 AB-PB LGX EURO3 AB-SB	LGX EURO4 AB-AB LGX EURO4 AB-PB LGX EURO4 AB-SB





LGX 1GP PB-PB


Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth dependant on GRID-IT insert fitted - please see the GRI-IT section for our complete range of inserts.





Frame Finish	Plate Finish	1 gang Aperture Grid Fix Plate Nom. Plate Size: 95 x 95 mm Product Code	2 gang Aperture Grid Fix Plate Nom. Plate Size: 95 x 95 mm Product Code	3 gang Aperture Grid Fix Plate Nom. Plate Size: 154 x 95 mm Product Code	4 gang Aperture Grid Fix Plate Nom. Plate Size: 154 x 95 mm Product Code
Polished Brass 	Polished Brass Satin Brass Antique Brass	LGX 1GP PB-PB LGX 1GP PB-SB LGX 1GP PB-AB	LGX 2GP PB-PB LGX 2GP PB-SB LGX 2GP PB-AB	LGX 3GP PB-PB LGX 3GP PB-SB LGX 3GP PB-AB	LGX 4GP PB-PB LGX 4GP PB-SB LGX 4GP PB-AB
Antique Brass 	Antique Brass Polished Brass Satin Brass	LGX 1GP AB-AB LGX 1GP AB-PB LGX 1GP AB-SB	LGX 2GP AB-AB LGX 2GP AB-PB LGX 2GP AB-SB	LGX 3GP AB-AB LGX 3GP AB-PB LGX 3GP AB-SB	LGX 4GP AB-AB LGX 4GP AB-PB LGX 4GP AB-SB

Concealed Fixing Blank Plates



LGX BPS AB-AB



Frame Finish	Plate Finish	Single Blank Plate Nom. Plate Size: 95 x 95 mm Product Code	Double Blank Plate Nom. Plate Size: 154 x 95 mm Product Code
Polished Brass 	Polished Brass Satin Brass Antique Brass	LGX BPS PB-PB LGX BPS PB-SB LGX BPS PB-AB	LGX BPD PB-PB LGX BPD PB-SB LGX BPD PB-AB
Antique Brass 	Antique Brass Polished Brass Satin Brass	LGX BPS AB-AB LGX BPS AB-PB LGX BPS AB-SB	LGX BPD AB-AB LGX BPD AB-PB LGX BPD AB-SB

Hamilton Technical Specification

ROCKER SWITCHES/KEY SWITCHES

CATEGORY:

10AX ROCKER SWITCH

Current Rating: 10AX
Max Load: 10 Amp inductive

Technical Insert Ref: Description:

R21	1 gang 10AX 2 way Rocker
R22	2 gang 10AX 2 way Rocker
R23	3 gang 10AX 2 way Rocker
R24	4 gang 10AX 2 way Rocker
R26	6 gang 10AX 2 way Rocker
R31	1 gang 10AX Intermediate Rocker
R32	2 gang 10AX Intermediate Rocker
RRT	1 gang 10AX Push to Make Retractive Rocker
GRRT	1 gang 10AX PTM/PTB Retractive Rocker

GRID-IT 10AX ROCKER SWITCH MODULES

GRR2W	1 gang 10AX Retractive 2 way and Off Rocker
GR21	1 gang 10AX 2 way Rocker
GRRT	1 gang 10AX PTM/PTB Retractive Rocker

GRID-IT 20AX ROCKER SWITCH MODULES

Current Rating: 20AX
Max Load: 20 Amp inductive

GR2WO	1 gang 20AX Non-Retractive 2 way & Off Rocker
GR212	1 gang 20AX 2 way Rocker
GR312	1 gang 20AX Intermediate Rocker

20AX ROCKER SWITCH

Current Rating: 20AX
Max Load: 20 Amp inductive

Technical Insert Ref: Description:

R212	1 gang 20AX 2 way Rocker
R222	2 gang 20AX 2 way Rocker
R232	3 gang 20AX 2 way Rocker
R242	4 gang 20AX 2 way Rocker
R312	1 gang 20AX Intermediate Rocker
R322	2 gang 20AX Intermediate Rocker

20AX KEY SWITCH

K21	1 gang 20AX 2 way Key Switch
KEL	1 gang 20AX 2 way Key Switch "EMG LTG TEST"

GRID-IT 20AX KEY SWITCH MODULE

GK21	1 gang 20AX 2 way Key Switch
GKEL	1 gang 20AX 2 way Key Switch "EMG LTG TEST"

Note: For Double Pole Key Switch please see the Double Pole Switch page.

TECHNICAL SPECIFICATION:

Voltage: 220/250V AC
IP Rating: IP2XD
Switched Poles: Single
Contact Gap Minimum: 3mm
Product Class 1: Must be earthed
GRID-IT Product Class 1: Face plate must be earthed

Ambient Operating Temperature: -5 to +40 C
Location: Internal Use Only
Max Installation Altitude: 2000m

STANDARDS:

BS EN ISO Standard: BS EN 60669-1

TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Terminal Capacity 10AX	5	4	1	1	1
Earth Terminal Capacity 10AX	5	4	3	1	1
Terminal Capacity 20AX	5	4	2	2	1
Earth Terminal Capacity 20AX	6	5	3	2	1

Fixing Centres:

2 WAY ROCKER

INTERMEDIATE ROCKER


PUSH TO MAKE ROCKER

KEY SWITCH


60.3mm



120.6mm



GRID-IT SWITCH INSERTS Fits 1 Grid-IT aperture



Hamilton Technical Specification

TOGGLE AND BELL PUSH SWITCHES

CATEGORY:

20AX TOGGLE SWITCH

Current Rating: 20AX
Max Load: 20 Amp inductive

Technical Insert Ref: Description:

T21 1 gang 20AX 2 way Toggle
 T22 2 gang 20AX 2 way Toggle
 T23 3 gang 20AX 2 way Toggle
 T24 4 gang 20AX 2 way Toggle
 T31 1 gang 20AX Intermediate Toggle

T32 2 gang 20AX Intermediate Toggle
 Only available in the Bloomsbury Range

TDP 1 gang 20AX Double Pole Toggle
 *Switched Poles: Double

10AX RETRACTIVE TOGGLE SWITCH

Current Rating: 10AX
Max Load: 10 Amp inductive

Technical Insert Ref: Description:

TRT 1 gang 10AX Push to Make/Break
 Retractive Toggle

6AMP BELL PUSH SWITCH Only available in the Bloomsbury range

Current Rating: 6 Amp
Max Load: 6 Amp

Technical Insert Ref: Description:

BPM 1 gang 240V AC6A Bell Push

TECHNICAL SPECIFICATION:

Voltage: 220/250V AC
IP Rating: IP2XD
Switched Poles: Single*
Contact Gap Minimum: 3mm
Product Class 1: Must be earthed
Ambient Operating Temperature: -5 to +40 C










Location: Internal Use Only
Max Installation Altitude: 2000m

STANDARDS:

BS EN ISO Standard:
 Toggle Switch BS EN 60669-1
 Bell Push BS EN 60669-1

TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Terminal Capacity	5	4	2	2	1
Earth Terminal Capacity	6	5	3	2	1

Fixing Centres:	2 WAY TOGGLE	INTERMEDIATE TOGGLE	DOUBLE POLE & RETRACTIVE	BELL PUSH SWITCH
60.3mm	 <p>T21 T21 T22</p>	 <p>T31 T31 T32</p>	 <p>TDP/TRT TDP</p>	 <p>BPM</p>
120.6mm	 <p>T23 T24</p>  <p>T22 T24</p>	 <p>T32</p>		
182mm	 <p>T23</p>			 <p>Bloomsbury Range</p>

Hamilton Technical Specification

DOUBLE POLE ROCKER SWITCHES/KEY SWITCHES

CATEGORY:

20AX DOUBLE POLE ROCKER SWITCH

Current Rating: 20AX
Max Load: 20 Amp inductive

Technical Insert Ref: Description:

DP 1 gang 20AX Double Pole Rocker
 DPN 1 gang 20AX Double Pole Rocker + Neon
 DPNC 1 gang 20AX Double Pole Rocker + Neon
 + Cable Outlet

GRID-IT 20AX DOUBLE POLE ROCKER SWITCH MODULE

GDP 1 gang 20AX Double Pole Rocker

GRID-IT 20AX DP KEY SWITCH MODULE

GKDP 20AX Double Pole Key Switch

45 AMP DOUBLE POLE ROCKER SWITCH

Current Rating: 45 Amp
Max Load: 45 Amp

Technical Insert Ref: Description:

45 1 gang 45A Double Pole Red Rocker
 45N 1 gang 45A Double Pole Red Rocker + Neon
 45V 1 gang 45A Double Pole Red Rocker + Neon,
 Vertically Mounted

45 AMP ROCKER SWITCH WITH 13AMP SOCKET

Current Rating: Switch 45 Amp/Socket 13 Amp
Max Load: Switch 45 Amp/Socket 13 Amp

Technical Insert Ref: Description:

45SS1 1 gang 45A Double Pole Red Rocker +
 Neon + 13A Switched Socket

TECHNICAL SPECIFICATION:

Voltage: 220/250V AC
IP Rating: IP2XD
Switched Poles: Double
Contact Gap Minimum: 3mm
Product Class 1: Must be earthed
GRID-IT Product Class 1: Face plate must
 be earthed
Ambient Operating Temperature: -5 to +40 C

Location: Internal Use Only
Max Installation Altitude: 2000m

STANDARDS:

BS EN ISO Standard:
 20AX/45Amp Double Pole Rocker BS EN 60669-1
 Double Pole Rocker with Socket BS 4177


TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²	10mm ²	16mm ²
20AX Terminal Capacity			3	2	1		
20AX Earth Terminal Capacity	6	5	3	2	1		
45Amp Terminal Capacity					3	2	1
45Amp Earth Terminal Capacity					3	2	1
GDP/GKDP Terminal Capacity	5	4	2	1	1		
GDP/GKDP Earth Terminal Capacity	6	5	3	2	1		


Fixing Centres:

60.3mm
DPNC Cable Outlet
Size: Min 0.75mm²
 Max 2.5mm²

20AMP DP ROCKER SWITCH




45AMP DP ROCKER SWITCH



GRID-IT MODULE Fits 1 Grid-IT aperture




120.6mm



45V
 Vertically mounted

DP ROCKER WITH SOCKET



45SS1

Hamilton[®] Technical Specification

TRIPLE POLE FAN ISOLATOR

CATEGORY:

FAN ISOLATOR

Technical Insert Ref: Description:

TP 1 gang 10A Triple Pole Fan Isolator

TECHNICAL SPECIFICATION:

Current Rating:	10 Amp	Location:	Internal Use Only
Voltage:	220/250V AC	Max Installation Altitude:	2000m
IP Rating:	IP2XD	STANDARDS:	
Max Load:	10 Amp Resistive	BS EN ISO Standard:	BS EN 60669-1
Switched Poles:	Triple		
Contact Gap Minimum:	3mm		
Product Class 1:	Must be earthed		
Ambient Operating Temperature:	-5 to +40 C		

TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Terminal Capacity	5	4	1	1	1
Earth Terminal Capacity	5	4	3	1	1

Fixing Centres: TRIPLE POLE FAN ISOLATOR

60.3mm



TP

Hamilton Technical Specification

HOTEL CARD SWITCHES

CATEGORY:

HOTEL CARD SWITCH

Current Rating: 10A (6AX)
Max Load: 10 Amp (6 Amp inductive)
Technical Insert Ref: Description:
 C11 1 gang 10A (6AX) On/Off with Blue LED Locator
 Suitable for 44mm and 54mm width key cards

EUROFIX CARD SWITCH

MOD-C11 1 gang 10A (6AX) On/Off with Blue LED Locator
 Suitable for 44mm and 54mm width key cards

KNX BUS SYSTEM HOTEL CARD SWITCH

Current Rating: N/A
Max Load: N/A
Technical Insert Ref: Description:
 CKNX 1 gang 12-24V AC/DC +/-10% On/Off with Blue LED Locator
 Suitable for 44mm and 54mm width key cards

EUROFIX KNX BUS SYSTEM CARD SWITCH

MOD-CKNX 1 gang 12-24V AC/DC +/-10% On/Off with Blue LED Locator
 Suitable for 44mm and 54mm width key cards

TECHNICAL SPECIFICATION:

Voltage: 220/250V AC
KNX Voltage: 12-24V AC/DC
IP Rating: IP2XD
Switched Poles: Single
Contact Gap Minimum: 3mm
Product Class 1: Must be earthed
Eurofix Product Class 1: Face plate must be earthed

Ambient Operating Temperature: -5 to +40 C
Location: Internal Use Only
Max Installation Altitude: 2000m

STANDARDS:

BS EN ISO Standard: BS EN 60669-2-3

TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Terminal Capacity	3	2	1		
Earth Terminal Capacity	5	4	3	1	1

Fixing Centres:

CARD SWITCH/KNX

GRID-IT CARD SWITCH/KNX

60.3mm



C11/CKNX

Fits into one Euro2 aperture



MOD-C11
MOD-CKNX

Hamilton Technical Specification

SWITCHED SOCKETS

CATEGORY:

SWITCHED SOCKETS

Technical Insert Ref:	Description:
SS1	1 gang 13A Double Pole Switched Socket
SS2	2 gang 13A Double Pole Switched Socket

GRID-IT SWITCHED SOCKETS MODULES

Technical Insert Ref:	Description:
GSS1	1 gang 13A Double Pole Switched Socket
GSS2	2 gang 13A Double Pole Switched Socket

TECHNICAL SPECIFICATION:

Current Rating:	13 Amp
Voltage:	220/250V AC
IP Rating:	IP2XD
Max Load:	13 Amp
Switched Poles:	Double
Contact Gap Minimum:	3mm
Product Class 1:	Must be earthed
GRID-IT Product Class 1:	Face plate must be earthed

Ambient Operating Temperature:	-5 to +40 C
Location:	Internal Use Only
Max Installation Altitude:	2000m

STANDARDS:

BS EN ISO Standard:	BS 1363-2 Inc. amendment 1,2,3
ASTA Licence No:	1046 (Box fix only)

TERMINAL CAPACITY:

	2.5mm ²	4mm ²	6mm ² Multi-Strand	10mm ²
Terminal Capacity	4	3	2	1
Earth Terminal Capacity	4	3	2	1

Fixing Centres:


13A SWITCHED SOCKETS

60.3mm



SS1

120.6mm



SS2

Fixing Centres:


GRID-IT SWITCHED SOCKETS MODULES

60.3mm grid to wall box
49.2mm plate to grid



GSS1

120.6mm grid to wall box
106.5mm plate to grid



GSS2

Hamilton Technical Specification

UNSWITCHED SOCKETS

CATEGORY:

2A UNSWITCHED SOCKETS AND FLOOR SOCKETS

Current Rating: 2 Amp

Max Load: 2 Amp

Technical Insert Ref: Description:

US2 1 gang 2A Unswitched Socket

5A UNSWITCHED SOCKETS AND FLOOR SOCKETS

Current Rating: 5 Amp

Max Load: 5 Amp

Technical Insert Ref: Description:

US5 1 gang 5A Unswitched Socket

13A UNSWITCHED SOCKETS AND FLOOR SOCKETS

Current Rating: 13 Amp

Max Load: 13 Amp

Technical Insert Ref: Description:

US13 1 gang 13A Unswitched Socket

US99 2 gang 13A Unswitched Socket

EUROFIX 13A UK UNSWITCHED SOCKET MODULE

MOD-ENG13A 1 gang 13A UK Unswitched Socket

TECHNICAL SPECIFICATION:

Voltage: 220/250V AC
IP Rating: IP2XD
Switched Poles: None
Contact Gap Minimum: None
Product Class 1: Must be earthed
Ambient Operating Temperature: -5 to +40 C

Location: Internal Use Only
Max Installation Altitude: 2000m

STANDARDS:




BS EN ISO Standard:
 2A and 5A Unswitched BS 546
 13A Unswitched BS 1363-2

TERMINAL CAPACITY:


	1mm ²	1.5mm ²	2.5mm ²	4mm ²	6mm ² Multi-strand	10mm ²
2A and 5A Terminal Capacity	5	4	2	1		
2A and 5A Earth Terminal Capacity	5	4	2	1		
13A Terminal Capacity			5	3	2	1
13A Earth Terminal Capacity			5	3	2	1

Fixing Centres: 2A & 5A UNSWITCHED SOCKETS 13A UNSWITCHED SOCKETS EUROFIX UNSWITCHED SOCKET MODULE

60.3mm



120.6mm



Hamilton Technical Specification

INTERNATIONAL UNSWITCHED SOCKETS

CATEGORY:

AMERICAN SOCKETS - NEMA 5

Current Rating: 15 Amp
Max Load: 15 Amp
Voltage: 110V AC

Technical Insert Ref: Description:

5258 1 gang 15A Unswitched American Socket
 5320 2 gang 15A Unswitched American Socket

EUROFIX AMERICAN SOCKET MODULE

MOD-USA 15A 1 gang 15A Unswitched American Socket

EUROFIX UNIVERSAL SOCKET MODULE

Current Rating: 13 Amp
Max Load: 13 Amp

MOD-UNI 13A 1 gang 13A Universal Unswitched Socket

SCHUKO SOCKETS - CE7/4 AND FLOOR SOCKET

Current Rating: 10/16 Amp
Max Load: 16 Amp
Voltage: 220/250V AC

Technical Insert Ref: Description:

6126 1 gang 16A Unswitched German Sockets
 26126 2 gang 16A Unswitched German Sockets

EUROFIX GERMAN SOCKET MODULE

MOD-GER16A 1 gang 16A Unswitched German Socket

TECHNICAL SPECIFICATION:

IP Rating: IP2XD
Switched Poles: None
Contact Gap Minimum: None
Product Class 1: Face plate must be earthed

Ambient Operating Temperature: -5 to +40 C
Location: Internal Use Only
Max Installation Altitude: 2000m

STANDARDS:

BS EN ISO Standard: BS 5733
 IEC 60884-1

TERMINAL CAPACITY:

	2.5mm ²	4mm ²	6mm ² Multi-stranded	10mm ²
13A and 16A Socket	3	3	2	1
15A Universal Socket Module	3	2	1	

Fixing Centres:

	AMERICAN SOCKETS	SCHUKO SOCKETS	SCHUKO FLOOR SOCKETS	SOCKET MODULES
60.3mm	5258	6126*	6126*	MOD-USA MOD-UNIV* MOD-GER16A*
120.6mm	5320	26126*	26126*	*Requires 47mm deep mounting box

Information relating to usage for non-uk sockets

- It is permissible to sell and/or install non-UK BS type power sockets in the United Kingdom.
- It is the responsibility of the electrical contractor/installer to ensure that these products are installed correctly.
- The installation must be signed off by a qualified installer as a deviation to BS7671 wiring regulations.
- As these products fall outside the standards specified within the wiring regulations, additional measures must be taken to ensure safe, appropriate installation is effected.

Hamilton Technical Specification

DUAL VOLTAGE SHAVER SOCKET

CATEGORY:

SHAVER SOCKET

Technical Insert Ref: Description:

SHS Shaver Dual Voltage Unswitched Socket (Vertically Mounted)

TECHNICAL SPECIFICATION:

Current Rating: 20VA
Voltage: 220/250V AC
Max Load Output: 115/230V
Max Load Input: 200/250V
IP Rating: IP2XD
Switched Poles: None
Contact Gap Minimum: None
Product Class 1: Must be earthed

Ambient Operating Temperature: -5 to +40 C
Location: Internal Use Only
Max Installation Altitude: 2000m

STANDARDS:


BS EN ISO Standard: BS EN 61558
 BS 4573

TERMINAL CAPACITY:


	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Terminal Capacity	5	4	3	2	1
Earth Terminal Capacity	9	6	4	2	1

Fixing Centres: SHAVER SOCKET

120.6mm
Vertically mounted



SHS



Bathroom Safety

Note: Generally, shaver sockets won't have an IP (ingress protection) rating, but if they comply with BS EN 61558 they can safely be installed in zone 2 - as long as they are away from the bath or shower unit and are unlikely to come into contact with shower spray.

Hamilton Technical Specification

UNSWITCHED SOCKETS Plus EURO4 aperture

CATEGORY:

MEDIA PLATE

Technical Insert Ref: Description:

MED1	Media plate, Euro4 Apertured with 2 x 13A Unswitched Socket
MED2	Media plate, Euro4 Apertured with 4 x 13A Unswitched Socket

SPECIAL NOTE : When mains voltage and telecom/data/TV are mixed on the same plate a suitable phase barrier **MUST** be used in the wall box to shield the mains.

TECHNICAL SPECIFICATION:

Current Rating:	13 Amp
Voltage:	220/250V AC
Max Load Output:	13 Amp Socket
IP Rating:	IP2XD
Switched Poles:	None
Contact Gap Minimum:	None
Product Class 1:	Must be earthed

Ambient Operating Temperature:	-5 to +40 C
Location:	Internal Use Only
Max Installation Altitude:	2000m

STANDARDS:


BS EN ISO Standard:	(Socket) BS 1363-2
----------------------------	--------------------

TERMINAL CAPACITY:

	2.5mm ²	4mm ²	6mm ² Multi-Strand	10mm ²
Terminal Capacity	5	3	2	1
Earth Terminal Capacity	5	3	2	1

Fixing Centres: **MEDIA PLATES** EURO4 Apertured with 13A Unswitched Socket

120.6mm



Hamilton Technical Specification

CONNECTION UNITS

CATEGORY:

SWITCHED FUSED CONNECTION UNIT

Technical Insert Ref: Description:

SP	1 gang 13A Double Pole Fused Spur
SPN	1 gang 13A DP Fused Spur + Neon
SPNC	1 gang 13A DP Fused Spur + Neon + Cable Outlet

13A FUSE WITH RED NEON HALO

FN	1 gang 13A Fuse with Red Neon Halo
----	------------------------------------

GRID-IT 13A FUSE WITH NEON HALO MODULE

GFN	13A Fuse with Neon Halo
-----	-------------------------

CABLE OUTLET

Current Rating: 20 Amp
Max Load: 20 Amp
Switched Poles: None
Contact Gap Min: None

Technical Insert Ref: Description:

CO	Cable Outlet
----	--------------

GRID-IT CABLE OUTLET MODULE

GC20	Cable Outlet
------	--------------

UNSWITCHED CONNECTION UNIT

Switched Poles: None
Contact Gap Min: None

Technical Insert Ref: Description:

FO	1 gang 13A Fuse Only
FOC	1 gang 13A Fuse + Cable Outlet

TECHNICAL SPECIFICATION:

Current Rating: 13 Amp
Voltage: 220/250V AC
Max Load: 13 Amp
IP Rating: IP2XD
Switched Poles (SP, SPN, SPNC): Double
Contact Gap Minimum: 3mm
Product Class 1: Must be earthed
Grid-IT Product Class 1: Face plate must be earthed
Ambient Operating Temperature: -5 to +40 C

Cable Outlet Size Flexible: Min 0.75mm²
 Max 2.5mm²
Location: Internal Use Only
Max Installation Altitude: 2000m

STANDARDS:

BS EN ISO Standard:
 Switched Fuse/Unswitched Fuse with halo BS 1363-4
 Fuse with halo BS 5733
 Fuse with halo + fuselink BS 5733 and BS1362
 Cable outlet BS 5733

TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Switched/Fuse + Halo Terminal Capacity			3	2	1
Switched/Fuse + Halo Earth Terminal Capacity	6	5	3	2	1
Cable Outlet Terminal Capacity	5	4	2	2	
Cable Outlet Earth Terminal Capacity	6	5	3	2	1
FO/FOC Terminal Capacity	5	4	3	1	1
FO/FOC Earth Terminal Capacity	6	5	3	2	1

Fixing Centres:

SWITCHED FUSE

FUSE WITH HALO

CABLE OUTLET

FUSE UNIT

60.3mm



SP

SPN

SPNC

FN

CO

FO

FOC

Fits one Grid-IT aperture



GFN



GC20

Hamilton Technical Specification

TELEVISION COAXIAL AND DATA SOCKETS

CATEGORY:

TV/DATA/TELEPHONE SOCKETS AND FLOOR SOCKETS

Technical Insert Ref: Description:

TV	1 gang Non-Isolated Television 1 In/1 Out
TV2	2 gang Non-Isolated Television 2 In/2 Out
TVFM	Isolated TV/FM Diplexer 1 In/2 Out
TVI	1 gang Isolated Television 1 In/1 Out
TVSAT	2 gang Non-Isolated TV + Satellite 2 In/2 Out
SATN	1 gang Non-Isolated Satellite
SATI	1 gang Isolated Satellite
J12	1 gang RJ12 Outlet Unshielded
2J12	2 gang RJ12 Outlet Unshielded
J45	1 gang RJ45 CAT 5E Outlet Unshielded
2J45	2 gang RJ45 CAT 5E Outlet Unshielded
TCS	1 gang Telephone Slave
TCM	1 gang Telephone Master

EUROFIX TV/DATA/TELEPHONE SOCKET MODULES

Technical Insert Ref: Description:

MOD-TV	1 gang Non-Isolated TV 1 In/1 Out
MOD-TV1	1 gang Isolated TV 1 In/1 Out
MOD-TVFM	Isolated TV/FM Diplexer 1 In/2 Out
MOD-SATI	1 gang Isolated Satellite
MOD-SATN	1 gang Non-Isolated Satellite
MOD-J12	1 gang RJ12 Outlet Unshielded
MOD-J45-C5	1 gang RJ45 CAT 5E Outlet Unshielded
MOD-J45-C6	1 gang RJ45 CAT 6 Outlet Unshielded
MOD-J45-C6S	1 gang RJ45 CAT 6S Outlet Shielded
MOD-TCS	1 gang Telephone Slave
MOD-TCM	1 gang Telephone Master

MOD-CAT6A and MOD-CAT7 are available on request

TECHNICAL SPECIFICATION:








IP Rating:	IP2XD
Product Class 1:	Face plate must be earthed (ref BS7671 415.2.1)
Ambient Operating Temperature:	-5 to +40 C
Location:	Internal Use Only
Max Installation Altitude:	2000m

Note: Mains operated and extra low voltage products must not be installed in the same face plate aperture. When installing within the same back box phase barriers MUST be used to separate the two voltages. See BS 7671 Wiring regulations for further details.

Note for SATI only: Isolated F-type satellite outlet, where a DC signal back to the LNB unit on the satellite dish is not required.

TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Earth Terminal Capacity	5	4	3	1	1

Fixing Centres:	TELEVISION COAXIAL	DATA OUTLETS	TELEPHONE SOCKET
60.3mm	 <p>TV/TVI TV2 TVFM TVSAT</p> <p>SATI / SATN</p> <p>TV</p>	 <p>J12 / J45 2J12/2J45</p> <p>J12 J45</p>	 <p>TCM/TCS</p> <p>TCM/TCS</p>
Fits one Euro1 aperture	 <p>MOD-SATN MOD-TV MOD-SATI MOD-TV1</p>	 <p>MOD-J12 MOD-J45-C6 MOD-J45-C5 MOD-J45-C6S</p>	 <p>MOD-TCM MOD-TCS</p>
Fits one Euro2 aperture	 <p>MOD-TVFM</p>		

Hamilton Technical Specification

DIGITAL TELEVISION SOCKETS - Screened Non-Isolated, DAB compatible

CATEGORY:

DIGITAL TV COAXIAL SOCKETS

Technical Insert Ref: Description:

DENT	Non-Isolated TV/FM/Satellite 1/Satellite 2 Quadplex 2 In/ 4 Out
DSAT+	Non-Isolated TV/FM/Satellite 1/Satellite 2 Quadplex 2 In/ 4 Out + TVF + TCS
DTRID	Non-Isolated TV/FM/Satellite Triplexer 1 In/3 Out
DSAT	1 gang Non-Isolated Satellite
DTVf	1 gang Non-Isolated TV (female)
DTVM	1 gang Non-Isolated TV (male)

EUROFIX MODULES

Technical Insert Ref: Description:

MOD-DENT	Non-Isolated TV/FM/Satellite 1/Satellite 2 Quadplex 2 In/ 4 Out
MOD-DSAT	1 gang Non-Isolated Satellite
MOD-DTRID	Non-Isolated TV/FM/Satellite Triplexer 1 In/3 Out
MOD-DTVf	1 gang Non-Isolated TV (female)
MOD-DTVM	1 gang Non-Isolated TV (male)

TECHNICAL SPECIFICATION:

IP Rating:	IP2XD
Product Class 1:	Must be earthed (ref BS7671 415.2.1)
Ambient Operating Temperature:	-5 to +40 C
Location:	Internal Use Only
Max Installation Altitude:	2000m

Note: Mains operated and extra low voltage products must not be installed in the same face plate aperture. When installing within the same back box phase barriers MUST be used to separate the two voltages. See BS 7671 Wiring regulations for further details.

TERMINAL CAPACITY:


	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Earth Terminal Capacity	5	4	3	1	1

FREQUENCIES:


Module	Frequency 1	Frequency 2	Frequency 3	Frequency 4	DC	Frequency Range
DTVM	Frequency 1				FM DC	5-2200 MHz
DSAT	Frequency 1				SAT DC	5-2200 MHz
DTVf	Frequency 1				TV DC	5-2200 MHz
DENT/DTRID/DSAT+	Frequency 1				TV	5-68 MHz 125-860 MHz
	Frequency 2				FM	88-108 MHz
	Frequency 3				SAT DC	950-2200 MHz
DSAT+	Frequency 4				TV DC	5-2200 MHz

Fixing Centres:

DIGITAL TELEVISION SOCKETS



EUROFIX DIGITAL TV SOCKET MODULES



Hamilton Technical Specification

EUROFIX AV/AUDIO/HDMI

CATEGORY:

EUROFIX AV/AUDIO/HDMI SOCKETS

Technical Insert Ref: Description:

MOD-BAN2	2 x Gold Binding Post Socket*
MOD-HDMI	HDMI Chassis Mounted Socket Type A* (Female Mounted, Female Free)
MOD-MP3	3.5mm Stereo Socket (MP3) Screened*
MOD-RCA1	1 x Gold Phone/Audio Socket**
MOD-RCA2	2 x Gold Phone/Audio Socket**
MOD-RCA3	3 x Gold Composite Video/Audio**
MOD-USBAFF	USB2 Panel Mounted Socket Type A* (Female Mounted, Female Free)
MOD-USBAFM	USB2 Panel Mounted Socket Type A* (Female Mounted, Male Free)

EUROFIX AV/AUDIO/HDMI SOCKETS

Technical Insert Ref: Description:

MOD-DIN25	D-Range PC Socket 25 Pin*
MOD-DIN9	D-Range PC Socket 9 Pin*
MOD-SVGA	D-Range SVGA Socket 15 Pin*

Current Rating: 15 Amp
Voltage: 120VAC

MOD-XLR Latching Audio Connector 3 Pin XLR Socket*

TECHNICAL SPECIFICATION:

IP Rating:	IP2XD
Ambient Operating Temperature:	-5 to +40 C* -25 to +70 C**
Location:	Internal Use Only
Max Installation Altitude:	2000m


Note: Mains operated and extra low voltage products must not be installed in the same face plate aperture. When installing within the same back box phase barriers MUST be used to separate the two voltages. See BS 7671 Wiring regulations for further details.

	Current Rating	Voltage
Eurofix D-range sockets	7.5amps per contact	300V
Eurofix Latching Audio Connector	15amp	120V AC

EUROFIX AV/AUDIO/HDMI MODULES

EUROFIX AUDIO SOCKET MODULES

Fits a Euro1 aperture



Hamilton Technical Specification

EUROFIX USB CHARGER MODULE

CATEGORY:

EUROFIX USB CHARGER MODULE

Technical Insert Ref: Description:

MOD-USB Eurofix USB Charger Module

TECHNICAL SPECIFICATION:

Current Rating (at full load):	0.3A Single 0.6A Twin	Product Class 1:	Must be earthed
Current Rating (at standby):	1.3m A Single 2.5m A Twin	Ambient Operating Temperature:	0 to +40 C
Voltage:	220/250V AC 47-53Hz	Location:	Internal Use Only
Max Load Output:	1.0A per socket	Max Installation Altitude:	2000m
Output Voltage:	5Vdc \pm 5%	STANDARDS:	
Contact Gap Minimum:	5mm	BS EN ISO Standard:	BS EN 60950-1 BS EN 61000-6-1

	1.0mm ²	1.5mm ²	2.5mm ²
Terminal Capacity	2	2	1

EUROFIX USB CHARGER MODULE

Fits a Euro1 aperture



MOD-USB

Hamilton Technical Specification

LEADING EDGE DIMMER INFORMATION

NOTES FOR DIMMERS

Note A	Tungsten filament GU10 lamps must be branded with a fuse base.
Note B	When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
Note C	When using mains voltage halogen load transformers - maximum rating is 210VA.
Note D	To only be used with Touch Master Dimmers.
Note E	When dimming LED lamps de-rated by 75% - please contact our Technical Department for compatibility.

Leading Edge Resistive Dimmers - METAL PLATES								
Number of dimmer switches per plate	Nominal plate size mm	Dimmer type	Max plate load W (Watts)	Lamp type				
				Tungsten Filament including halogen		Linea Halogen	GU10 LED	
				Min	Max	Max	Min	Max
1	88x88	1 x 40	400	40	400	300	10	100
2	88x88	2 x 40	600	40	300	300	10	100
3	88x146	3 x 40	1200	40	400	300	10	100
4	88x146	4 x 40	1200	40	300	250	10	100
6	150x150	6 x 40	1800	40	300	250	10	100
8	150x150	8 x 40	1800	40	300	250	10	100
9	150x210	9 x 40	2250	40	250	250	10	100
12	150x210	12 x 40	2250	40	200	150	10	100
12	210x280	12 x 40	3600	40	300	200	10	100
16	210x280	16 x 40	3600	40	225	200	10	100
1	88x88	1 x 60	600	100	600	450	15	150
1	88x146	1 x 1K	1000	150	1000	750	25	250

Leading Edge Resistive Dimmers - WOOD PLATES								
Number of dimmer switches per plate	Nominal plate size mm	Dimmer type	Max plate load W (Watts)	Lamp type				
				Tungsten Filament including halogen		Linea Halogen	GU10 LED	
				Min	Max	Max	Min	Max
1	88x88	1 x 40	400	40	400	300	10	100
2	88x146	2 x 40	600	40	300	300	10	100
3	88x146	3 x 40	900	40	300	300	10	100
4	88x146	4 x 40	1000	40	250	200	10	100
6	150x150	6 x 40	1200	40	200	200	10	100
9	150x210	9 x 40	1800	40	200	200	10	100

Leading Edge Resistive Dimmers - PLASTIC PLATES								
Number of dimmer switches per plate	Nominal plate size mm	Dimmer type	Max plate load W (Watts)	Lamp type				
				Tungsten Filament including halogen		Linea Halogen	GU10 LED	
				Min	Max	Max	Min	Max
1	88x88	1 x 40	400	40	400	300	10	100
2	88x88	2 x 40	600	40	300	300	10	100
3	88x146	3 x 40	900	40	300	300	10	100
4	88x146	4 x 40	1000	40	250	250	10	100

Hamilton Technical Specification

LEADING EDGE INDUCTIVE PUSH ON/OFF DIMMERS

CATEGORY:

200VA INDUCTIVE DIMMER

See Notes for Dimmers: Note E

Wattage: 200VA (low voltage) per gang
Current Rating: 0.8 Amp
Max Load: 200VA (low voltage) per gang
Min Load: 25VA

Technical Insert Ref: Description:

1X2V 1 gang 200VA 2 way
 2X2V 2 gang 200VA 2 way

GRID-IT 200VA INDUCTIVE DIMMER MODULE

See Notes for Dimmers: Note E

1X2V 1 gang 200VA 2 way

300VA INDUCTIVE DIMMER

See Notes for Dimmers: Note E

Wattage: 300VA (low voltage)
Current Rating: 1.25 Amp
Max Load: 300VA (low voltage)
Min Load: 50VA

Technical Insert Ref: Description:

1X3V 1gang 300VA 2 way

TECHNICAL SPECIFICATION:




Voltage: 220/250V AC
IP Rating: IP2XD
Switched Poles: Single
Contact Gap Minimum: None

Product Class 1: Face plate must be earthed
Ambient Operating Temperature: -5 to +40 C
Location: Internal Use Only
Max Installation Altitude: 2000m

TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
200VA Terminal Capacity	2	2			
200VA Earth Terminal Capacity	5	4	3	1	1
300VA Terminal Capacity	2	2			
300VA Earth Terminal Capacity	5	4	3	1	1

LEADING EDGE TECHNOLOGY DIMMERS for use with low voltage toroidal transformers and some LED lamps.

Fixing Centres:	200VA INDUCTIVE DIMMER	300VA INDUCTIVE DIMMER	GRID-IT INDUCTIVE DIMMER MODULE
60.3mm	 <p>1X2V 2X2V</p>	 <p>1X3V</p>	 <p>1X2V</p>

Note: It is recommended to contact the manufacturer of the transformer to confirm that it is dimmable and is considered to be an inductive load.

Hamilton Technical Specification

LEADING EDGE PUSH ON/OFF RESISTIVE DIMMERS

CATEGORY:

400W PUSH ON/OFF RESISTIVE DIMMER

See Notes for Dimmers: Note A,B,E

Wattage: 400W
Current Rating: 1.66 Amp
Max Load: 400W Resistive per gang

Technical Insert Ref: Description:

1X40	1 gang 400W 2 Way
2X40	2 gang 400W 2 Way, max 300W per gang
3X40	3 gang 400W 2 Way
4X40	4 gang 400W 2 Way, max 300W per gang
WD2X40	2 gang 400W 2 way, max 300W per gang
W3X40	3 gang 400W 2 way, max 300W per gang
W4X40	4 gang 400W 2 way, max 250W per gang
P3X40	3 gang 400W 2 way, max 300W per gang
P4X40	4 gang 400W 2 way, max 250W per gang

GRID-IT 400W PUSH ON/OFF RESISTIVE DIMMER MODULE

See Notes for Dimmers: Note A,B,E

D40	1 gang 400W 2 way Switched Poles: not applicable* Contact Gap Minimum: 3mm**
-----	--

600W PUSH ON/OFF RESISTIVE DIMMER

See Notes for Dimmers: Note A,B,E

Wattage: 600W
Current Rating: 2.5 Amp
Max Load: 600W Resistive per gang

Technical Insert Ref: Description:

1X60	1 gang 600W 2 Way
WD1X60	1 gang 600W 2 Way

1KW PUSH ON/OFF RESISTIVE DIMMER

See Notes for Dimmers: Note A,B,E

Wattage: 1KW
Current Rating: 4.16 Amp
Max Load: 1KW Resistive per gang

Technical Insert Ref: Description:

1X1K	1 gang 1000W 2 Way
------	--------------------

TECHNICAL SPECIFICATION:

Voltage: 220/250V AC
IP Rating: IP2XD
Switched Poles: Single*
Contact Gap Minimum: N/A**
Product Class 1: Face plate must be earthed
Ambient Operating Temperature: -5 to +40 C







Location: Internal Use Only
Max Installation Altitude: 2000m

STANDARDS:

BS EN ISO Standard: 400W/600W Resistive Dimmer BS EN 60669-2-1

TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Terminal Capacity	2	2			
Earth Terminal Capacity	5	4	3	1	1

Fixing Centres:	400W PUSH ON/OFF DIMMER	600W PUSH ON/OFF DIMMER	1KW PUSH ON/OFF DIMMER	GRID-IT 400W PUSH ON/OFF DIMMER MODULE
60.3mm	 1X40 2X40	 1X60		
120.6mm	 3X40 / P3X40 / W3X40 4X40 / P4X40 / W4X40		 1X1K	
	 WD2X40 Woods range			
Fits one Grid-IT aperture				 D40

Hamilton Technical Specification

TRAILING EDGE DIMMER INFORMATION

NOTES FOR DIMMERS

Note A	Tungsten filament GU10 lamps must be branded with a fuse base.
Note B	When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
Note C	When using mains voltage halogen load transformers - maximum rating is 210VA.
Note D	To only be used with Touch Master Dimmers.
Note E	When dimming LED lamps de-rated by 75% - please contact our Technical Department for compatibility.

Trailing Edge Resistive Dimmers - METAL PLATES								
Number of dimmer switches per plate	Nominal plate size mm	Dimmer type	Max plate load W (Watts)	Lamp type				
				Tungsten Filament including Halogen		Linea Halogen	GU10 LED	
				Min	Max	Max	Min	Max
1	88x88	1XTE, 1XTM	250	25	250	200	7	62
2	88x88	2XTE, 2XTM	500	25	250	200	7	62
3	88x146	3XTE, 3XTM	750	25	250	200	7	62
4	88x146	4XTE, 4XTM	1000	25	250	200	7	62
6	150x150	6XTE, 6XTM	1500	25	250	200	7	62
8	150x150	8XTE, 8XTM	1800	25	225	200	7	62
9	150x210	9XTE, 9XTM	2250	25	250	200	7	62
12	150x210	12XTE, 12XTM	2250	25	200	200	7	62
12	210x280	12XTE, 12XTM	3000	25	250	200	7	62
16	210x280	16XTE, 16XTM	3600	25	225	200	7	62

Trailing Edge Resistive Dimmers - WOOD PLATES								
Number of dimmer switches per plate	Nominal plate size mm	Dimmer type	Max plate load W (Watts)	Lamp type				
				Tungsten Filament including Halogen		Linea Halogen	GU10 LED	
				Min	Max	Max	Min	Max
1	88x88	1XTE	250	25	250	200	7	62
2	88x88	2XTE	400	25	200	200	7	62
3	88x146	3XTE	750	25	250	150	7	62
4	88x146	4XTE	800	25	200	150	7	62
6	150x150	6XTE	1200	25	200	150	7	62
8	150x150	8XTE	1600	25	200	150	7	62
9	150x210	9XTE	1800	25	200	150	7	62
12	150x210	12XTE	2250	25	200	150	7	62

Trailing Edge Resistive Dimmers - PLASTIC PLATES								
Number of dimmer switches per plate	Nominal plate size mm	Dimmer type	Max plate load W (Watts)	Lamp type				
				Tungsten Filament including Halogen		Linea Halogen	GU10 LED	
				Min	Max	Max	Min	Max
1	88x88	1XTE, 1XTM	250	25	250	200	7	62
2	88x88	2XTE, 2XTM	500	25	250	200	7	62
3	88x146	3XTE, 3XTM	750	25	250	150	7	62
4	88x146	4XTE, 4XTM	1000	25	250	150	7	62

Hamilton Technical Specification

TRAILING EDGE PUSH ON/OFF DIMMERS

CATEGORY:

TRAILING EDGE DIMMER

See Notes for Dimmers: Note A,B, C, E

Technical Insert Ref: Description:

1XTE	1 gang 250W/210VA Multi-Way Dimmer
2XTE	2 gang 250W/210VA Multi-Way Dimmer
3XTE	3 gang 250W/210VA Multi-Way Dimmer
4XTE	4 gang 250W/210VA Multi-Way Dimmer
W2XTE	2 gang 250W/210VA Multi-Way Dimmer max 200W per gang
W4XTE	4 gang 250W/210VA Multi-Way Dimmer max 200W per gang

GRID-IT TRAILING EDGE DIMMER MODULE

See Notes for Dimmers: Note A,B, C, E

Technical Insert Ref: Description:

DTE	1 gang 250W/210VA Multi-Way Dimmer Module
-----	--

TECHNICAL SPECIFICATION:

Wattage:	250W Resistive 210VA Inductive
Current Rating:	1.1 Amp per gang
Max Load:	250W Resistive 210VA Inductive
Minimum Load:	25W/25VA
Voltage:	220/250V AC
IP Rating:	IP2XD
Switched Poles:	Single

Contact Gap Minimum:	None
Product Class 1:	Face plate must be earthed
Ambient Operating Temperature:	-5 to +40 C
Location:	Internal Use Only
Max Installation Altitude:	2000m

STANDARDS:






BS EN ISO Standard:	BS EN 60669-2-1
----------------------------	-----------------

TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Terminal Capacity	2	2			
Earth Terminal Capacity	5	4	3	1	1

TRAILING EDGE TECHNOLOGY DIMMERS. Are suitable for control of both resistive and inductive loads. When used for dimming low voltage electronic halogen transformers it must be noted that the dimmer controls the primary side of the transformer.

Fixing Centres: TRAILING EDGE DIMMER GRID-IT TRAILING EDGE DIMMER MODULES

60.3mm	 1XTE	 2XTE W2XTE	Fits one Grid-IT aperture	 DTE
120.6mm	 3XTE	 4XTE W4XTE		

Note: For multi-way switching a push to make retractive switch should be installed in the other positions. (Note: standard two way switches will not work with this product).

Hamilton Technical Specification

TRAILING EDGE TOUCH DIMMERS

CATEGORY:

TRAILING EDGE TOUCH MASTER MULTI-WAY DIMMER

See Notes for Dimmers: Note A,B,C,E

Technical Insert Ref: Description:

1XTM	1 gang 250W/210VA Multi-Way Touch Master
2XTM	2 gang 250W/210VA Multi-Way Touch Master
3XTM	3 gang 250W/210VA Multi-Way Touch Master
4XTM	4 gang 250W/210VA Multi-Way Touch Master

GRID-IT TOUCH MASTER MULTI-WAY DIMMER MODULE

See Notes for Dimmers: Note A,B,C,E

DTM	1 gang Multi-Way Touch Master Module
-----	--------------------------------------

TOUCH SLAVE CONTROLLER

See Notes for Dimmers: Note A,B,C,D

Technical Insert Ref: Description:

1XTS	1 gang 250W/VA Multi-Way Touch Slave
2XTS	2 gang 250W/VA Multi-Way Touch Slave
3XTS	3 gang 250W/VA Multi-Way Touch Slave
4XTS	4 gang 250W/VA Multi-Way Touch Slave

GRID-IT TOUCH SLAVE CONTROLLER MODULE

See Notes for Dimmers: Note A,B,C,D

DTS	1 gang Multi-Way Touch Slave Controller Module
-----	--

Touch slave controllers to be used only with touch master dimmers.

TECHNICAL SPECIFICATION:

Wattage:	250W Resistive 210VA Inductive
Current Rating:	1.1 Amps
Max Load:	250W Resistive 210VA Inductive
Minimum Load:	25W/VA
Voltage:	220/250V AC
IP Rating:	IP2XD
Product Class 1:	Face plate must be earthed

Ambient Operating Temperature:	-5 to +40 C
Location:	Internal Use Only
Max Installation Altitude:	2000m

STANDARDS:

BS EN ISO Standard:	BS EN 60669-2-1
----------------------------	-----------------

TERMINAL CAPACITY:



	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Terminal Capacity	2	2			
Earth Terminal Capacity	5	4	3	1	1

Fixing Centres:



TOUCH MASTER DIMMER

TOUCH SLAVE CONTROLLER

60.3mm



120.6mm



GRID-IT TOUCH MASTER DIMMER MODULE

GRID-IT TOUCH SLAVE CONTROLLER MODULE

Fits 1 Grid-IT aperture



Hamilton Technical Specification

PUSH ON/OFF SWITCHES AND BALLAST CONTROLLER

CATEGORY:

WHITE PLASTIC PUSH ON/OFF SWITCH

Current Rating:	5 Amps
Voltage:	230/240V AC
Technical Insert Ref:	Description:
1X5A	1 gang 5A Push On/Off Switch
2X5A	2 gang 5A Push On/Off Switch
3X5A	3 gang 5A Push On/Off Switch
4X5A	4 gang 5A Push On/Off Switch

GRID-IT PUSH ON/OFF SWITCH MODULES

Current Rating:	3 Amps
Technical Insert Ref:	Description:
DIP	3A Intermediate Push On/Off Module
Current Rating:	6 Amps
DPS	6A 2 way Push On/Off Switch Module

GRID-IT HIGH FREQUENCY BALLAST CONTROL MODULE

Current Rating:	1-10V
Technical Insert Ref:	Description:
DHF	1-10DC High Frequency Ballast Control Module (No Off)

Note: Normally used in conjunction with Hamilton 10 or 20amp rocker switch. The 1-10v module will not switch mains voltage. It is designed to control a 1-10volt signal only.

TECHNICAL SPECIFICATION:

Voltage:	220/250V AC
IP Rating:	IP2XD
Contact Gap Minimum:	3mm
Product Class 1:	Face plate must be earthed
Ambient Operating Temperature:	-5 to +40 C





Location:	Internal Use Only
Max Installation Altitude:	2000m

STANDARDS:

BS EN ISO Standard:	BS EN 60669-1
Push on/off switch	

TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Terminal Capacity	2	2			
Earth Terminal Capacity	5	4	3	1	1

Fixing Centres:	PUSH ON/OFF SWITCH	GRID-IT PUSH ON/OFF SWITCH MODULE	GRID-IT HIGH FREQUENCY BALLAST CONTROL MODULE
60.3mm	 <p>1X5A 2X5A</p>	Fits 1 Grid-IT aperture  <p>DIP /DPS</p>	 <p>DHF</p>
120.6mm	 <p>3X5A 4X5A</p>		

Hamilton Technical Specification

GRID-IT NEON AND NEON HALO MODULES

CATEGORY:

GRID-IT NEON HALO MODULES

Technical Insert Ref:	Description:
GN	Neon Modules

GRID-IT NEON ONLY MODULES

Technical Insert Ref:	Description:
GNO	Neon Only Modules

TECHNICAL SPECIFICATION:

Voltage:	220/250V AC
IP Rating:	IP2XD
Product Class 1:	Face plate must be earthed
Ambient Operating Temperature:	-5 to +40 C
Location:	Internal Use Only
Max Installation Altitude:	2000m

STANDARDS:

BS EN ISO Standard:	BS 5733
----------------------------	---------

TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Terminal Capacity	5	4	2	2	1
Earth Terminal Capacity	6	5	3	2	1

GRID-IT NEON HALO MODULES

Fits 1 Grid-IT aperture



GN

GRID-IT NEON ONLY MODULES







GNO

Hamilton Technical Specification

LARGE PLATES DIMENSIONS

Note: Large plastic not available in Perception CFX®, Hartland Colours CFX®. White Plastic.

Note: You can mix 'n' match dimmers as long as you don't go over the maximum wattage for the plate.




See dimmer information for Linea Halogen and GU10 LED

Head Office and Showroom:

R. Hamilton & Co. Ltd.,
 Quarry Industrial Estate,
 Mere,
 Wiltshire BA12 6LA
 Tel: +44 (0)1747 860088
 Fax: +44 (0)1747 861032
 Email: info@hamilton-litestat.com
 www.hamilton-litestat.com


Please contact to arrange a personal viewing of our extensive range of accessories.



Bristol Showroom:

R. Hamilton & Co. Ltd,
 Unit 10,
 Carrick Business Centre,
 7-10 Bonville Road,
 Brislington,
 Bristol BS4 5NZ

Please contact to arrange a personal viewing of our extensive range of accessories.



London Showroom:

R. Hamilton & Co. Ltd,
 Product Galleries Location,
 Lower Ground Floor J8,
 The Building Centre,
 26 Store Street,
 London WC1E 7BT
 Tel: +44 (0)207 692 4000

Opening Hours:
 Monday to Friday:
 9.30 am - 6.00 pm
 Saturday: 10.00 am - 5.00 pm
 Closed on Sundays and all Bank Holidays.



The Hamilton® Collection

excellence and elegance...

All products listed conform to current British or European standards and the product information is correct at the time of going to press.

It is the policy of the company to improve products as part of our development programme.
Therefore, we reserve the right to alter designs and dimensions without prior notice.

Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding.

Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes.



R Hamilton & Co Ltd
Quarry Industrial Estate • Mere • Wiltshire • BA12 6LA • UK
Tel: +44 (0)1747 860088 • Fax: +44 (0)1747 861032
Email: info@hamilton-litestat.com
www.hamilton-litestat.com