

Beacon Projector Framing 4K

Beacon Muse Framing Projector DIM 4000k single circuit track - white

2055168



Range features

- The Beacon Projector Framing combines an award winning Beacon housing with four adjustable arms allowing the beam to be framed to the desired size shape (square/rectangle or irregular 4 sided shapes thus framing the object with light
- High output 26W cutting-edge LED
- IR/UV free light source without heat radiation
- High colour rendering index, typical Ra95
- Fully dimmable from 100% to 3% using discrete on-board dimming (DALI 0%)
- Long life up to 50K hours
- Low maintenance and discrete lighting solution



PRODUCT OVERVIEW

Ordering number	2055168
Technology	LED
EAN code	5025768551682
Mount	Single circuit track
Housing	Steel
CRI (Ra)	95
Beam angle(°)	Flood, Spot
Colour temperature (K)	4000
Dimming range	Dimmable
Voltage (V)	230
Lamps	LED 26W
Colour	White
Included lamp	Integrated LED

Beacon Projector Framing 4K

Beacon Muse Framing Projector DIM 4000k single circuit track - white

2055168

DATA TABLE

General data

Technology	LED
Ordering number	2055168
EAN code	5025768551682
Mount	Single circuit track
Long description	The Beacon Projector Framing combines an award winning Beacon housing with four adjustable arms allowing the beam to be framed to the desired size shape (square/rectangle or irregular 4 sided shapes thus framing the object with light). High output 26W cutting-edge LED. IR/UV free light source without heat radiation. High colour rendering index, typical Ra95. Fully dimmable from 100% to 3% using discrete on-board dimming (DALI 0%). Long life up to 50K hours. Low maintenance and discrete lighting solution
Product name	Beacon Muse Framing Projector DIM 4000k single circuit track - white
Environment	Interior
General application	Museum & Gallery
Housing	Steel
Specific application	Museum & Gallery, Retail, Track lighting
Sales pack quantity	1

Optical data

CRI (Ra)	95
Beam angle(°)	Flood, Spot
Colour temperature (K)	4000
Dimming range	Dimmable
Distribution type	Adjustable

Electrical data

Voltage (V)	230
Electrical protection	Class I
Lamps	LED 26W
Number of circuits	1
Number of heads	1
Transformer availability	Included
Transformer mounting	Integral
Total number of lamps	1

Beacon Projector Framing 4K

Beacon Muse Framing Projector DIM 4000k single circuit track - white

2055168

Physical data


Weight (kg)	1.37
Colour	White
Lamp included	Yes
Included lamp	Integrated LED
Height (mm)	215
Diameter (mm)	80
Reflector finish	Aluminium
Reflector material	PC Resin
Single package dimensions (L x W x H) (cm)	32.00 x 15.50 x 13.00
Outer package dimensions (L x W x H) (cm)	32.00 x 15.50 x 13.00

Beacon Projector Framing 4K

Beacon Muse Framing Projector DIM 4000k single circuit track - white

2055168

TECHNICAL DRAWINGS



ENERGY LABEL

