

Syl-Rack

SYL-RACK 349 EB WD 840

0057840



Range features

- T5 Low Bay luminaire with 3 x 49W T5 lamps, electronic control gear and bright aluminium wide beam reflectors. Body made of sheet steel finished white, supplied with fixing brackets; as Sylvania Syl-Rack

PRODUCT OVERVIEW

| | |
|------------------------|--|
| Ordering number | 0057840 |
| Light colour | Neutral White |
| Technology | Fluorescent |
| Dimmable | Non-dim / not dimmable (switched only) |
| EAN code | 5410288578408 |
| Mount | Surface/Suspended |
| Housing | Sheet Steel |
| CRI (Ra) | >80 |
| Colour temperature (K) | 4000 |
| Voltage (V) | 220-240 |
| Lamps | FHO 49W/T5/840 |
| Colour | White |
| Included lamp | 0002777 |

Syl-Rack

SYL-RACK 349 EB WD 840

0057840

DATA TABLE

General data

| | |
|----------------------------------|---|
| Ordering number | 0057840 |
| Technology | Fluorescent |
| Dimmable | Non-dim / not dimmable (switched only) |
| EAN code | 5410288578408 |
| Mount | Surface/Suspended |
| Long description | T5 Low Bay luminaire with 3 x 49W T5 lamps, electronic control gear and bright aluminium wide beam reflectors. Body made of sheet steel finished white, supplied with fixing brackets; as Sylvania Syl-Rack |
| Product name | SYL-RACK 349 EB WD 840 |
| Control gear availability | Integral |
| Control gear type | Electronic |
| Environment | Interior |
| General application | Industrial Areas, Warehousing and Distribution Cent |
| Housing | Sheet Steel |
| Sales pack quantity | 1 |

Optical data

| | |
|-------------------------------|----------------------------|
| Light colour | Neutral White |
| CRI (Ra) | >80 |
| Colour temperature (K) | 4000 |
| Distribution type | Direct |
| Optical system | Bright Aluminium Reflector |

Electrical data

| | |
|------------------------------------|----------------|
| Total power consumption (W) | 147 |
| Voltage (V) | 220-240 |
| Electrical protection | Class 1 |
| Lamps | FHO 49W/T5/840 |
| Total number of lamps | 3 |

Physical data

| | |
|----------------------|---------|
| Colour | White |
| Lamp included | Yes |
| Included lamp | 0002777 |

Syl-Rack

SYL-RACK 349 EB WD 840


0057840

PHOTOMETRY

| | | |
|-----|--------------|--|
| 0.5 | 1.33 1.51 | E(0°) 14434 E(C90) 53.0° 1578 E(C0) 56.5° 1570 |
| 1.0 | 2.65 3.02 | E(0°) 3609 E(C90) 53.0° 394 E(C0) 56.5° 393 |
| 1.5 | 3.98 4.53 | E(0°) 1604 E(C90) 53.0° 175 E(C0) 56.5° 174 |
| 2.0 | 5.31 6.04 | E(0°) 902 E(C90) 53.0° 99 E(C0) 56.5° 98 |
| 2.5 | 6.64 7.55 | E(0°) 577 E(C90) 53.0° 63 E(C0) 56.5° 63 |
| 3.0 | 7.96 9.07 | E(0°) 401 E(C90) 53.0° 44 E(C0) 56.5° 44 |

Distance [m] Cone diameter [m] Illuminance [lx]

— C0 - C180 (Half beam angle: 113.0°)
— C90 - C270 (Half beam angle: 106.0°)



TECHNICAL DRAWINGS

