



*Your complete
decking system*





How to buy Arbordeck

Visit www.arbordeck.co.uk or contact us by phone, fax or email sales@arborforestproducts.co.uk

How to build Arbordeck

Are you a DIY enthusiast? Visit www.arbordeck.co.uk and download our How to Build brochure. Alternatively contact us by phone, fax or email for the brochure to be posted to you.

If you would like your deck professionally installed please contact us and we can put you in touch with a Timber Decking Association 'DeckMark™ accredited' installer.

Timber is a natural product

Arbordeck is manufactured from natural timbers and, when exposed to the elements, there may be some surface degradation, movement and checking due to the action of sunlight and moisture. This is a natural process and does not affect the strength of the timber.

The colour of your decking will change naturally over time too. Some options available are to apply a regular coat of maintenance oil; completely change your decks appearance with the addition of paint and stains or alternatively leave it to weather naturally to an attractive silver-grey.



The mark of responsible forest management



wood. for good.



TIMBER DECKING ASSOCIATION



DeckMark™ is a quality assurance scheme introduced by the Timber Decking Association to confirm manufacturers compliance with Best Practice guidance and all relevant British Standards. For further information please contact the TDA on 01977 558147.



Arbordeck uses timber from forest sources that are managed to strict international environmental standards.



Arbor Forest Products Ltd
Barrow Road, New Holland
North Lincolnshire
DN19 7RR


Tel 01469 532 300
Fax 01469 531 867
Email sales@arborforestproducts.co.uk
Web www.arbordeck.co.uk

The information contained within this publication is given in good faith. Every effort has been made to ensure that the guidance given is accurate and Arbordeck cannot accept any liability for loss or damage arising from the information contained herein. All photography and colours are reproduced as accurately as the print process will allow.

Arbordeck would like to thank the following for their assistance in providing the projects photographed in this brochure:

- Atkins Vause, Blackburn**
- Distinctive Landscapes, Mansfield**
- Gisborne Homes, Derby**
- GMS Leisure Ltd, Truro**
- Halcyon Days, Nottingham**
- Timberscapes, Sheffield**
- Warwickshire Building & Maintenance Ltd**
- Whalley Construction, Darwen**

The installers whose projects are shown in this brochure are independently owned and operated, and are neither affiliated with nor agents or representatives of Arbordeck. Arbordeck makes no representations or warranties as to, and is not responsible for, the performance, acts or omissions of these installers.



Designed for living

Welcome to the 2013 Arbordeck® brochure, the first step in extending your home into the garden!

Manufactured by a British company with more than 170-years' experience in the timber industry, Arbordeck offers arguably the widest choice of decking products on the market.

The range includes smooth and grooved softwood boards, a choice of enhanced grip deck boards, joists and a wide selection of contemporary and traditional balustrades with a range of finishes for both commercial and domestic applications.



NEW for 2013
Enhanced Grip deck boards

See pages 14-15



smooth boards with inset feature
lights offer a dramatic solution

sustainable in every sense

Arbordeck is a founder member of Forests Forever, the environmental voice of the industry and we work closely with both FSC® and PEFC.

We're proud to be one of the few manufacturers to offer a full Chain of Custody Certified decking system.

This provides full traceability, ensuring that all of our products come from well-managed sources.

Sustainability is also about providing a deck that will look good for years to come. This is why we only use the highest quality European timbers from northern latitudes, where the wood fibres offer a closely packed structure and increased strength and stability.

We also treat all our softwood products in the Arbordeck range with Naturewood, an advanced preservative, including even the components you don't see when your deck is complete!



The mark of responsible forest management





Practical Solutions

Your Arbordeck deck can bring in to use difficult or inaccessible garden areas that would be near impossible to undertake with other landscaping materials.

The introduction of a relatively straightforward deck on a steeply sloping site can produce an area for relaxing and entertaining with excellent storage space below the deck.

So, whether you're looking for a practical and attractive solution for a balcony or a cost-effective alternative to a conventional lawn, decking can provide a year round extension to your living space and, with only minimal maintenance, will be as good in years to come as the day it was installed.

"My sloping garden has been transformed into an area where I can relax and entertain!"


Products to suit your style & budget...

Not only practical and cost-effective, with careful design decking can add real value to your home.

Clever changes of board direction, mixing smooth and grooved boards, introducing more than one deck level, creating shapes, careful selection of balustrade style or the addition of design features such as rope and deck planters will create an individual design statement.


You can even add a simple gazebo using Arbordeck deck boards and support timbers.

The creative options are endless with Arbordeck!



More design ideas at: www.arbordeck.co.uk





A combination of smooth and grooved boards create a striking design statement



create a relaxing seating area



Introduce different shapes and levels



Add special design features such as deck planters



request a free sample

Scan the code, call 01469 532 300 or visit:
www.arbordeck.co.uk/sample.html

solution for your... **£600 budget**

For just £600* you can extend your house into your garden, much like the photograph shown. Contemporary or classic, we have the products to make your design a reality.

The budget includes the cost for all the timber products needed for a DIY installation. Plus, if you're not sure how to install the boards, simply visit www.arbordeck.co.uk for a copy of our easy to follow, How to Build brochure!

need an installer?

Scan the code, call 01469 532 300 or visit:
www.arbordeck.co.uk/installer.aspx



*Budget is indicative for the required deck materials and should be used as a guide only, individual projects may differ in terms of required materials and costs. Budget shown includes VAT at the prevailing rate.

for a sloping garden £1,800 budget

If you've a sloping garden, **for around £1,800*** you can transform it from an unused space to a place to relax, unwind and entertain like the deck shown! Plus, whether your tastes are modern or traditional, we have the product to make your dream a reality.

The budget includes the cost for all the timber and railing products needed for a DIY installation. In addition, if you're not sure how to install the boards, simply visit www.arbordeck.co.uk for a copy of our easy to follow, How to Build brochure!



request a free sample

Scan the code, call 01469 532 300 or visit:
www.arbordeck.co.uk/sample.html

arborail®
deck rails made easy

convenience in kit form

Arborail starter kits

Available in ten distinctive styles, the Arborail® range of starter kits include the handrail, two newel posts, base rail and a choice of spindles; all ironmongery, fixings, caps and fitting instructions - everything you need to complete your deck.

All Arborail kits are professionally boxed and are easier and more convenient to handle than loose railing products.

Each kit is designed for domestic decks with a deck board height of no greater than 600mm from ground level. For higher or commercial decks please consult Arbordeck or a TDA registered installer.

Overall finished size including two newels: approximately 1.98m.

Arborail extender kits

The ultimate in flexibility, Arborail extender kits can be added together to provide any desired rail length. Available in all ten designs, the kits comprise of a handrail, one newel post, base rail, a choice of spindles, all ironmongery and fixings, caps and fitting instructions.

Overall finished size including one newel: approximately 1.89m.





arborail® *classic range*



Kit 1 Turned starter kit
Kit 1a Turned extender kit



Kit 2 Stop Chamfered starter kit
Kit 2a Stop Chamfered extender kit



Kit 3 Square starter kit
Kit 3a Square extender kit

arborail® *contemporary range*



Kit 4 Contemporary starter kit
Kit 4a Contemporary extender kit




Kit 5 Chevron starter kit
Kit 5a Chevron extender kit




Kit 6 Sunset starter kit
Kit 6a Sunset extender kit

arborail® *Aluminium range*



Kit 7 Black Baroque starter kit
Kit 7a Black Baroque extender kit



Kit 8 Black Arc starter kit
Kit 8a Black Arc extender kit



Kit 9 Classic Black starter kit
Kit 9a Classic Black extender kit

arborail® *safety glass range*



Kit 10 Clear Safety Glass starter kit
Kit 10a Clear Safety Glass extender kit

A wooden deck with a ramp and steps made of Arbordeck Enhanced Grip boards. The deck is made of light-colored wood planks. The ramp and steps are made of a textured material with a light-colored surface and a darker wood-like border. The ramp leads from a brick-paved area up to the deck. In the background, there are wooden chairs and a railing.

Arbordeck Enhanced Grip boards are ideal for access ramps and steps

where safety is paramount...

*one strip reeded boards
are used in this college
breakout area*



Arbordeck offers a range of solutions for those areas where you need extra grip properties, such as steps and ramps, or even for a complete deck, particularly useful for schools and colleges.

All our enhanced grip products easily surpass the minimum requirement for 'low-slip potential' (see below).

You can also be assured of quality and longevity with all Arbordeck enhanced grip boards. Machined from high quality, slow grown joinery timbers and treated with Osmose Naturewood to protect against rotting and insect attack, they are sure to stand the test of time and require only minimal maintenance. For maintenance information please contact Arbordeck.

Low-slip Testing

To meet the HSE's recommendation for low-slip potential, products need to achieve a minimum reading of **36 on the pendulum test** in both wet and dry conditions. Arbordeck *enhanced grip boards* easily surpass this requirement when perpendicular to the direction of traffic.

For further advice and support please contact Arbordeck.



One Strip Reeded

70 (dry) / 66 (wet)
(Pass rate: min. 36)



Two Strip Smooth

74 (dry) / 68 (wet)
(Pass rate: min. 36)



Two Strip Grooved

73 (dry) / 70 (wet)
(Pass rate: min. 36)



request a free sample

Scan the code, call 01469 532 300 or visit:
www.arbordeck.co.uk/sample.html

The professionals' choice for commercial & domestic projects...

Strong environmental accreditations and a wide choice of materials and finishes makes Arbordeck the natural choice for the specifier.

Perfect for projects as diverse as schools and leisure parks, office break-out areas, restaurants, pubs and clubs, Arbordeck is more than a match for even the most demanding applications.



If you require information on commercial regulations please contact Arbordeck for advice and support





request a free sample

Scan the code, call 01469 532 300 or visit:
www.arbordeck.co.uk/sample.html



Deck Boards (depth / width)

001. **Hardwood Grooved & Reeded Reversible Board**

Lengths: various
21mm x 145mm
Code: g021145RE
28mm x 145mm
Code: g028145RE

002. **Smooth & Grooved Reversible Board**

33mm x 120mm
Lengths: various
Code: g038125RE

003. **Grooved & Reeded Reversible Board**

27.5mm x 144mm
Lengths: various
Code: g032150RE

004. **Smooth & Grooved Reversible Board**

27mm x 145mm
Lengths: various
Code: g032150REV

005. **Smooth & Grooved Reversible Board**

27.5mm x 118mm
Lengths: various
Code: g032125RED

006. **Grooved & Reeded Reversible Board**

33mm x 120mm
Lengths: various
Code: g038125RED

007. **Reversible Board**

20mm x 95mm
Lengths: various
Code: g025100RDC

008. **One Strip Reeded Enhanced Grip Board**

33mm x 120mm
Lengths: various
Code: mrg038125AGGR

009. **Two Strip Smooth Enhanced Grip Board**

33mm x 120mm
Lengths: various
Code: mrg038125AGG3

010. **Two Strip Grooved Enhanced Grip Board**

33mm x 120mm
Lengths: various
Code: mrg038125AGG2

Joists, Rails & Support Timber

(depth / width / length)

011. **Standard Joist**

Regularised, graded and treated
Sizes: various
Lengths: various

012. **Utility Rail**

For use as both hand and base rail
32mm x 66mm x 1.8m
Code: g032066TR
32mm x 66mm x 3.6m
Code: g032066TR36

013. **Utility Rail**

For use as both hand and base rail; requires fillet
45mm x 70mm
Lengths: 1.8m, 3.6m
Code: g045070TR

014. **Fillet**

For use with the 45mm Utility Rail
15mm x 41mm
Code: g015041TFR

015. **Contemporary 4 Smooth Rail & Smooth Deck Board**

For use as both rail and deck board
33mm x 95mm
Lengths: 3.6m, 4.8m
Code: g038100TR

016. **Contemporary 6 Smooth Rail & Smooth Deck Board**

For use as both rail and deck board
33mm x 145mm
Lengths: 3.6m, 4.8m
Code: g038150TR

017. **Planed Support Post**

Treated to Use Class 4 for in-ground contact
94mm x 94mm x 2.4m
Code: mrg100100TP

017a. **Turned Support Newel**

Treated to Use Class 4 for in-ground contact
90mm x 90mm x 1.8m
Code: g090090TT18

017b. **Chamfered Support Newel**

Treated to Use Class 4 for in-ground contact
90mm x 90mm x 1.8m
Code: g090090SC18



014.



015.



016.



017.

Spindles, Newels & Infill Panels (depth / width / length)

018. **Turned Spindle**
41mm x 41mm x 0.9m
Code: g041041TTS

019. **Stop Chamfered Spindle**
41mm x 41mm x 0.9m
Code: g041041SCTS

020. **Square Spindle**
41mm x 41mm x 0.9m
Code: g041041TS

021. **Modern Spindle**
With 45 degree chamfer at the base
41mm x 41mm x 1.0m
Code: g041041

022. **Turned Newel**
83mm x 83mm
Lengths: 1.25m, 1.5m
Code: g083083TT
90mm x 90mm x 1.25m
Code: g090090TTN



023. **Stop Chamfered Newel**
83mm x 83mm
Lengths: 1.2m, 1.5m
Code: g083083SCT
90mm x 90mm x 1.2m
Code: g090090SCTN

024. **Square Newel**
83mm x 83mm x 1.2m
Code: g083083TNP
90mm x 90mm x 1.2m
Code: g090090TNP

025. **Patrice Newel**
83mm x 83mm x 1.2m
Code: g083083TPN
83mm x 83mm x 1.5m
Code: g083083TPN15

026. **Chevron Panel**
32mm x 760mm x 1130mm
Code: mrgINFILLCHEV

027. **Sunset Panel**
32mm x 760mm x 1130mm
Code: mrgINFILLSUN



026.

027.

Deckorators™ System

028. **Classic Balusters**
Available in Black
Code: gDECBLK10

028a. **Classic Balusters - Connectors**
Code: gDECCONEC


028b. **Classic Balusters - Stair Connectors**
Code: gDECSTAIRC

029. **Baroque Balusters**
Available in Black
Code: gDECBLK05

030. **Arc Balusters**
Available in Black
Code: gDECARKBLK

031. **5 Panel Safety Glass Balusters Pack**
Available in Clear
Code: gDECGLASSC

032. **Deckorators™ Post Cap**
Black cap that works with Square & Stop Chamfered Newel Posts
Code: gDECBLKCAP



032.

Brackets, Finials, Stair Stringers & Treatments

033. **3 Step Stringers**
Code: gaSTRING3

034. **2 Step Stringers**
Code: gaSTRING2

035. **Composite Bench Bracket**
Code: gDZBBPTG01

036. **Composite Stair Bracket**
Code: gDZSBPTG01

037. **Patrice Cap**
Code: gaPATCAP110

038. **Ball Cap**
Code: gaBALLCAP

039. **Temple Cap**
Code: gaTEMPLECAP125

040. **End-grain Preservative (1.0L)**
Must be applied to any cuts or notches made to the timber during construction to maintain the integrity of the preservative treatment.
Code: gtENDCOAT1



038.

037.

039.

040.