

Construction

Yarn system BCF Solution Dyed Nylon (PA6.6)

Backing system Graphlex²

Recycled Content

	Total	Pre Consumer	Post Consumer
Yarn average	20,52%	19,69%	0,83%
Product average	51,82%	51,72%	0,10%

Recycled content can be subject to differences between colours. See details for individual colours on next page.

Carbon Footprint Global Warming Potential (kgs CO₂ equivalents/sq meter)

Raw materials and Production: 8.3 kg CO₂ eq./m²

Delivery and installation: 0.32 kg CO₂ eq./m²

Use (10 years): 2 kg CO₂ eq./m²

End of life (waste to energy): 4.6 kg CO₂ eq./m²

TOTAL (10 years' lifetime): 15.22 kg CO₂ eq./m²

CO₂ compensation Carbon neutral Cool Carpet[®] is standard

Manufacturing

Location Scherpenzeel, NL

Factory is certified ISO 14001 since 1996 and ISO 9001 since 1990

Installation Impacts

TacTiles™ Optimised for glue-free installation with TacTiles™ connectors with virtually zero VOCs

In a typical installation* using the installation method below:

Installation Waste Non directional - 1 to 2% installation waste

For reference: 2 metre wide broadloom typically generates 7-10 % installation waste

* In a rectangular building, installed before walls.

End-of-life

Reuse: Can be cleaned and reused in a non-critical location to extend its useful life

Alternatives to landfill Recycling: Can be returned through the Interface ReEntry scheme and be re-used as raw material in new carpet tiles

Waste-to-Energy: Can be incinerated in appropriate waste to energy plant

Indoor Air Quality

GUT (Gemeinschaft umweltfreundlicher Teppichboden) The product passes all requirements of GUT's testing criteria regarding hazardous substances, emissions and odour.

GUT PRODIS certificate : Applied for

CRI (Carpet & Rug Institute) Compliant to LEED IQ 4.3 credit (tested in Eurofins to the equivalent test of the CRI Green Label Plus)

Compliance to Green Building Schemes

See next page to check how our products contribute to the main green building certification schemes (BREEAM, LEED, HQE and DGNB)

Type III Environmental Product Declaration

EPD according to ISO 14025 This product is covered by the Environmental Product Declaration [EPD-IFF-2011711-E](#)

Recycled content – colour level

Colourway	Total Recycled Content	Pre consumer recycled content	Post consumer recycled content	Total yarn recycled content	Yarn pre-consumer	Yarn post-consumer
303001 Reflect	51,20%	51,20%	0,00%	18,89%	18,89%	0,00%
303002 Diffuse	51,50%	51,50%	0,00%	21,06%	21,06%	0,00%
303003 Solitude	51,70%	51,70%	0,00%	23,05%	23,05%	0,00%
303004 Tranquil	51,40%	51,40%	0,00%	20,39%	20,39%	0,00%
303005 Serene	51,40%	51,40%	0,00%	20,73%	20,73%	0,00%
303006 Calm	51,80%	51,80%	0,00%	23,56%	23,56%	0,00%
303007 Transcribe	52,13%	51,98%	0,15%	20,30%	19,10%	1,20%
303008 Isolation	51,35%	51,35%	0,00%	20,22%	20,22%	0,00%
303009 Content	52,46%	52,46%	0,00%	22,88%	22,88%	0,00%
303010 Ponder	52,41%	52,41%	0,00%	22,51%	22,51%	0,00%
303011 Soothe	51,28%	51,13%	0,15%	19,68%	18,48%	1,20%
303012 Retreat	52,22%	52,22%	0,00%	20,98%	20,98%	0,00%
303013 Temperate	51,49%	51,49%	0,00%	21,35%	21,35%	0,00%
303014 Comtemplate	51,40%	51,40%	0,00%	20,64%	20,64%	0,00%
303015 Harmonious	50,33%	49,34%	0,99%	12,17%	4,37%	7,80%
303016 Reserved	52,15%	52,15%	0,00%	20,41%	20,41%	1,20%
303017 Seclusion	52,14%	51,98%	0,15%	20,32%	19,12%	1,20%
303018 Regard	51,96%	51,80%	0,15%	18,89%	17,69%	1,20%
303019 Patience	51,25%	51,10%	0,15%	19,43%	18,23%	1,20%
303020 Secure	52,27%	52,11%	0,15%	21,35%	20,15%	1,20%
303021 Deliberate	52,36%	52,36%	0,00%	22,05%	22,05%	0,00%

Compliance to Green Building Schemes

BREEAM (UK and international)	BRE Green Guide Ratings: Office - Not Available Education - Not Available Health Care - Not Available Retail (by fashion) - Not Available Potential contribution to following categories and credits: Hea 02 - Indoor air quality – minimising sources of air pollution Hea 05 - Acoustic Performance Mat 01 - Life Cycle Impacts Mat 05 - Designing for robustness Wst 01 - Construction Waste Management
LEED 2009 US	Potential direct or indirect contribution to following categories and credits: Indoor Environmental Quality Credit 4.1 Low Emitting Materials: Adhesive & Sealants Credit 4.3 Low Emitting Materials: Carpet Systems Materials and Resources Credit 2.1 Construction Waste Management Credit 4.1 Recycled content Credit 5.1 Regional Materials Innovation and Design Credits 1-4 1 Pilot Credit 43, Certified Products
HQE (FR)	Potential direct or indirect contribution to several points within following targets: 2. Integrated choice of products and construction materials 3. Low site nuisance 9. Acoustic comfort 10. Visual comfort 11. No unpleasant smells 12. Sanitary quality of areas 13. Sanitary air quality
DGNB (D)	Potential direct or indirect contribution to following criterion ENVIRONMENTAL QUALITY ENV1.2 Local Environmental Impact ECONOMIC QUALITY ECO1.1 Building-Related Lifecycle Costs ECO2.1 Efficient Use of Space SOCIOCULTURAL AND FUNCTIONAL QUALITY SOC1.2 Indoor Air Quality SOC1.3 Acoustic Comfort TECHNICAL QUALITY TEC1.5 Ease of Cleaning and Maintenance TEC1.6 Ease of Dismantling and Recycling