

46 Compact Fluorescent

sfb

opal (16) & (32)





Two luminaires of identical length and differing width offer a use of identical lamps over a wide specification. Casings in pressure die-cast aluminium alloy, pretreated and polyester powder coated with black or white textured and grey gloss standard options. Silicon gasket seal.

Moulded opal polycarbonate diffuser with clear prism option as SFB.16. Screwed to case with stainless steel slotted and secret head captive screw option and retained by nylon suspension straps.



Control gear mounted to hinged gear tray with fused plug and socket connector. Mains and emergency versions are available.

Fixing to mounting surface directly and or to B.S. box with rear cable entry. Surface entry via 20mm threaded (AB) entries standard (20mm AB plugged + back entry by knock-out).

Dimensions (mm)



SFB (16)



SFB (32)

Fibre Optic Control

Dusk to Dawn - LUXICO FDD
 plug in module can be fitted to luminaires :
 SFB.111/16S/118/124
 SFB.32S /311/218/224

Order Ref. eg.
 SFB.16S/B/CL/C+L+FDD/AB



Order references (select from *)												
Ftg*	Lamp Opt.	Ref*	Finish	Ref*	Diffuser	Ref*	Circuit	Ref*	Entry	Ref*		
SFB.(16)	1x11W PL	11/	Black Text.	B/	Opal Prism.	OP/	Cap+Lamp	C+L/	AB 20mm	AB		
	2x8W T5 Par.	16P/	(Standard)				EHF+Lamp	HF+L/				
	2x8W T5 Ser.	16S/	White Text.	W/	Secret head	OPFR.SS/					Back only	BK
	2x8W T5 Ind.	16I/	White Gloss	WG/	screws							
	1x18W L	118/	Grey Gloss	G/								
	1x24W L	124/			Key for secret	WS.7115						
SFB.(32)	4x8W T5 Par.	32P/										
	4x8W T5 Ser.	32S/										
	4x8W T5 Ind.	32I/										
	2x16W 2D	216/					2EHF+Lamp	2EHF+L/				
	2x18W L	218/										
	2x24W L Par.	224/					3EHF+Lamp	3EHF+L/				
	3x11W PL Par.	311/										

Examples : SFB.(16) 1x18W L, White Textured, Opal Prismatic, with lamp, Back entry - Order Code = SFB.118/W/OP/EHF+L/BK
 SFB.(32) 3x11W PL, White Gloss, Opal Prismatic, with lamp, AB Entry - Order Code = SFB.311/WG/OP/3EHF+L/AB

Self contained EMERGENCY Order references (select from *)										
Ftg*	Lamp Opt.	Ref*	Finish	Ref*	Diffuser	Ref*	Circuit	Ref*	Entry	Ref*
SFB.(16)	1x8W T5 Non.Maint.	16-8-3NM3/	Black Text.	B/	Opal Prism.	OPFR/	Cap+Lamp	C+L/	AB 20mm	AB
	1x8W T5 Maint.	16-8-3M2/	(Standard)				HF - Lamp	HF-/		
SFB.(32)	2x8W T5 Non.Maint.	32-2SM-13NM3/	White Text.	W/	Secret head	OPFR.SS/			Back only	BK
	16W 2D Non.Maint.	216-16M-13NM4/	White Gloss	WG/	screws					
			Grey Gloss	G/	Key for secret	WS.7115				
					head screws					

Examples :

SFB.(16) 1x8W T5 Mains - 1x 8W T5 3Hr. Maint., Black, Opal, AB Entry - Order Code = SFB.16-8-3M2/B/OPFR/--L/AB

FREE LIGHTING
DESIGN SERVICE



2D



L



PL

IP.659
IK.10

SFB (16)

IP.657
IK.08

SFB (32)



White



Black



Grey
Gloss

48 Compact Fluorescent

sfb clear



Casing produced in high pressure die-cast aluminium alloy, pretreated & polyester powder coated textured finish. BLACK as standard with various colour options.

Clear prismatic injection moulded u.v. stabilised anti vandal polycarbonate. Secured to casing by Stainless Steel slotted head captive screws. Silicon sponge gasket provides seal.

Control gear mounted to formed gear tray which snap fits to pillar and secured by locking cap. A feature which in combination with hinge facility speeds up initial installation. HF and EHF ballasts as standard with fused plug and socket. High temperature resistant cabling.

Holes to secure direct to mounting surface with rear cable entry and B.S. box mounting. 20mm ET AB plugged + Back by knock out.

Fibre Optic Control


Dusk to Dawn - LUXICO FDD plug in module can be fitted to luminaires : SFB.118 / 124

Order Ref. eg. SFB.124/B/CL.SS/HF+L+FDD/AB

If used internally, lux levels will vary according to site, and different settings are available to meet this need.



Dimensions (mm)



Order references (select from *)										
Ftg*	Lamp Opt.	Ref*	Finish	Ref*	Diffuser	Ref*	Circuit	Ref*	Entry	Ref*
SFB.	1x18W L	118/	Black Text.	B/	Clear Prism.	CL/	HF+Lamp	HF+L/	AB 20mm	AB
	1x24W L	124/	(Standard)		Secret head	CL.SS/	2 EHF+Lamp	2EHF+L/	Back only	BK
	2x11W PL	211/	White Text.	W/	screws					
			White Gloss	WG/	Key for secret	WS.7115				
			Grey Gloss	G/	head screws					

Example : SFB 2x11W PL. Clear Prismatic secret head screws, Black, with lamp, Back entry - Order Code = SFB.211/B/CL.SS/2EHF+L/BK

FREE LIGHTING
DESIGN SERVICE



L



PL

IP.659
IK.10



White



Black



Grey
Gloss

higher wattage lamps with H.F. only ballasts.