



## profile

	BASE	TOP SOUND
<b>FEATURES</b>		
Length x width	cm 235(239) x 211(215)	235(239) x 211(215)
Height	cm 93	93
Seating capacity	n. 5-6 (1 lounge)	5-6 (1 lounge)
Framework	Metal	Metal
Base height	cm 16	16
Compensation tank	l ~300	~300
Insulation typology	Expanded Polyurethane	Expanded Polyurethane
Winter Pro Kit	●	●
<b>WEIGHT &amp; CAPACITY</b>		
Water capacity	l ~2110	~2110
Average fill	l ~1600	~1600
Spa net weight	kg ~400	~400
Max. spa weight	kg ~2510	~2510
Floor load	kg/m <sup>2</sup> ~558	~558
<b>EQUIPMENT</b>		
Jets	31	31
Self-draining shell	●	●
Automatic water refilling	●	●
Aromatherapy	●	●
Blowers	14	14
Waterfall	--	--
Underwater light	● Light System – Multicolour	● Light System – Multicolour
Stereo	--	● "In Sound"(with MP3 jack)
Remote control	--	●
Headrest	--	--
Cushion	--	--
<b>PUMPS</b>		
Pump I	2 HP/1.8kW, 1 speed	2 HP/1.8kW, 1 speed
Pump II	2 HP/1.8kW, 1 speed	2 HP/1.8kW, 1 speed
Circulation pump	●	●
<b>FILTRATION SYSTEM</b>		
Skimmer type	External Grid	External Grid
Performance kit - Sand filter	--	--
Cartridge (for filter)	Sq.Ft. 1 x 100	1 x 100
Backflow of filtered water	●	●
CLEARRAY™	●	●
<b>ELECTRIC REQUIREMENTS</b>		
Electrical requirement	220-240V 50Hz single-phase	220-240V 50Hz single-phase
Max absorption with electric heater	5.75 kW - 26 A	5.75 kW - 26 A
Electric heater	kW 3	3
Heater exchanger	kcal/h --	--
<b>CONTROL SYSTEM</b>		
Topside control panel	● Digital LCD	● Digital LCD
Diverter valves	--	--
Air adjustment	--	--
<b>FINISHINGS</b>		
Built-in version	--	--
Wooden panel version (colour)	● teak	● teak
Synthetic wood panelling	--	--
Cover	Ice (leatherette)	Ice (leatherette)
Available colours eu*	White, Ocean Blue Pearlescent, Silver Pearlescent	White, Ocean Blue Pearlescent, Silver Pearlescent



# santorini pro

## TOP

230 x 215  
90  
5 (2 lounge)  
Metal  
7  
Expanded Polyurethane



~1800  
~1250  
~300  
~2100  
~479

29



--



14

● Light System - Multicolour

--

--

● (3)



2 HP/1.8kW, 1 speed  
2 HP/1.8kW, 1 speed



Rectangular Cassette

--

2 x 50



220-240V 50Hz single-phase  
5.75 kW - 26 A  
3  
26.000

● Digital LCD

--



○ teak or veined oak

--

Ice (leatherette-fabric)  
White, Ocean Blue Pearlescent,  
Silver Pearlescent

## TOP SOUND

230 x 215  
90  
5 (2 lounge)  
Metal  
7  
Expanded Polyurethane



~1800  
~1250  
~300  
~2100  
~479

29



--



14

● Light System - Multicolour

● with MP3 bluetooth

--

● (3)



2 HP/1.8kW, 1 speed  
2 HP/1.8kW, 1 speed



Rectangular Cassette

--

2 x 50



220-240V 50Hz single-phase  
6 kW - 28 A  
3  
26.000

● Digital LCD

--



○ teak or veined oak

--

Ice (leatherette-fabric)  
White, Ocean Blue Pearlescent,  
Silver Pearlescent

## FEATURES

cm Length x width  
cm Height  
n. Seating capacity  
Framework  
cm Base height  
Insulation typology  
Winter Pro Kit

## WEIGHT & CAPACITY

l Water capacity  
l Average fill  
kg Spa net weight  
kg Max. spa weight  
kg/m<sup>2</sup> Floor load

## EQUIPMENT

Jets  
Self-draining shell  
Automatic water refilling  
Aromatherapy  
Blowers  
Waterfall  
Underwater light  
Stereo  
Remote control  
Headrest  
Cushion

## PUMPS

Pump I  
Pump II  
Circulation pump

## FILTRATION SYSTEM

Skimmer type  
Performance kit - Sand filter  
Sq.Ft. Cartridge (for filter)  
CLEARARRAY™

## ELECTRIC REQUIREMENTS

Electrical requirement  
Max absorption with electric heater  
kW Electric heater  
kcal/h Heater exchanger

## CONTROL SYSTEM

Topside control panel  
Diverter valves  
Air adjustment

## FINISHINGS

Built-in version  
Wooden panel version (colour)  
Synthetic wood panelling  
Cover  
Available colours eu\*

Jets

● Included

● Optional

○ Please contact your local retailer for specifications

\* Please contact your local retailer for colour availability



# delos

	BASE	PRO	PRO SOUND
<b>FEATURES</b>			
Length x width	cm 215 x 190	215 x 190	215 x 190
Height	cm 80	80	80
Seating capacity	n. 4 (1 lounge)	4 (1 lounge)	4 (1 lounge)
Framework	Metal	Metal	Metal
Base height	cm 8	8	8
Insulation typology	Expanded Polyurethane	Expanded Polyurethane	Expanded Polyurethane
Winter Pro Kit	●	●	●
<b>WEIGHT &amp; CAPACITY</b>			
Water capacity	l ~1390	~1390	~1390
Average fill	l ~860	~860	~860
Spa net weight	kg ~250	~250	~250
Max. spa weight	kg ~1640	~1640	~1640
Floor load	kg/m <sup>2</sup> ~459	~459	~459
<b>EQUIPMENT</b>			
Jets	16	16	16
Self-draining shell	●	●	●
Automatic water refilling	--	--	--
Aromatherapy	--	--	●
Blowers	--	--	10
Waterfall	--	●	●
Underwater light	● White spotlight	● White spotlight	● Light System - Multicolour
Stereo	--	--	● with MP3 bluetooth
Remote control	--	--	--
Headrest	●	● (3)	● (3)
Cushion	●	●	●
<b>PUMPS</b>			
Pump I	2 HP/1.8kW, 2 speed	2 HP/1.8kW, 1 speed	2 HP/1.8kW, 1 speed
Pump II	--	--	--
Circulation pump	● with Performance kit	●	●
<b>FILTRATION SYSTEM</b>			
Skimmer type	Rectangular Cassette	Rectangular Cassette	Rectangular Cassette
Performance kit - Sand filter	●	--	--
Cartridge (for filter)	Sq.Ft. 2 x 50	2 x 50	2 x 50
CLEARRAY™	●	●	●
<b>ELECTRIC REQUIREMENTS</b>			
Electrical requirement	220-240V 50Hz single-phase	220-240V 50Hz single-phase	220-240V 50Hz single-phase
Max absorption with electric heater	3.5 kW - 16 A	5.15 kW - 23 A	6 kW - 28 A
Electric heater	kW 2	3	3
Heater exchanger	kcal/h --	26.000	26.000
<b>CONTROL SYSTEM</b>			
Topside control panel	● Digital LED	● Digital LCD	● Digital LCD
Diverter valves	--	--	--
Air adjustment	●	●	●
<b>FINISHINGS</b>			
Built-in version	○	○	○
Wooden panel version (colour)	○ teak	○ teak or veined oak	○ teak or veined oak
Synthetic wood panelling	--	--	--
Cover	Ice (leatherette-fabric)	Ice (leatherette-fabric)	Ice (leatherette-fabric)
Available colours eu*	White, Ocean Blue Pearlescent, Silver Pearlescent	White, Ocean Blue Pearlescent, Silver Pearlescent	White, Ocean Blue Pearlescent, Silver Pearlescent

Jets
 ● Included
● Optional
○ Please contact your local retailer for specifications
\* Please contact your local retailer for colour availability



delfi

**BASE**

190 x 190  
80  
4 (1 lounge)  
Metal  
8

Expanded Polyurethane

~1170  
~700  
~220  
~1390  
~460

16

- 
- 
- 
- 
- 
- White spotlight
- 
- 
- 
- 

2 HP/1.8kW, 2 speed  
--  
● with Performance kit

Rectangular Cassette  
●  
2 x 50  
●

220-240V 50Hz single-phase  
3.5 kW - 16 A  
2  
--

● Digital LED  
--  
●

○  
○ teak  
--

Ice (leatherette-fabric)  
White, Ocean Blue Pearlescent,  
Silver Pearlescent

**PRO**

190 x 190  
80  
4 (1 lounge)  
Metal  
8

Expanded Polyurethane

~1170  
~700  
~220  
~1390  
~460

16

- 
- 
- 
- 
- 
- White spotlight
- 
- 
- (2)
- 

2 HP/1.8kW, 1 speed  
--  
●

Rectangular Cassette  
--  
2 x 50  
●

220-240V 50Hz single-phase  
5.75 kW - 26 A  
3  
26.000

● Digital LCD  
--  
●

○  
○ teak or veined oak  
--

Ice (leatherette-fabric)  
White, Ocean Blue Pearlescent,  
Silver Pearlescent

**PRO SOUND**

190 x 190  
80  
4 (1 lounge)  
Metal  
8

Expanded Polyurethane

~1170  
~700  
~220  
~1390  
~460

16

- 
- 
- 
- 10
- 
- Light System - Multicolour  
● with MP3 bluetooth
- 
- (2)
- 

2 HP/1.8kW, 1 speed  
--  
●

Rectangular Cassette  
--  
2 x 50  
●

220-240V 50Hz single-phase  
6 kW - 28 A  
3  
26.000

● Digital LCD  
--  
●

○  
○ teak or veined oak  
--

Ice (leatherette-fabric)  
White, Ocean Blue Pearlescent,  
Silver Pearlescent

**FEATURES**

- cm Length x width
- cm Height
- n. Seating capacity
- Framework
- cm Base height
- Insulation typology
- Winter Pro Kit

**WEIGHT & CAPACITY**

- l Water capacity
- l Average fill
- kg Spa net weight
- kg Max. spa weight
- kg/m<sup>2</sup> Floor load

**EQUIPMENT**

- Jets
- Self-draining shell
- Automatic water refilling
- Aromatherapy
- Blowers
- Waterfall
- Underwater light
- Stereo
- Remote control
- Headrest
- Cushion

**PUMPS**

- Pump I
- Pump II
- Circulation pump

**FILTRATION SYSTEM**

- Skimmer type
- Performance kit - Sand filter
- Sq.Ft. Cartridge (for filter)
- CLEARRAY™

**ELECTRIC REQUIREMENTS**

- Electrical requirement
- Max absorption with electric heater
- kW Electric heater
- kcal/h Heater exchanger

**CONTROL SYSTEM**

- Topside control panel
- Diverter valves
- Air adjustment

**FINISHINGS**

- Built-in version
- Wooden panel version (colour)
- Synthetic wood panelling
- Cover
- Available colours eu\*

Jets

● Included

● Optional

○ Please contact your local retailer for specifications

\* Please contact your local retailer for colour availability



# unique

		BASE	TOP
<b>FEATURES</b>			
Length x width	cm	190 x 150	190 x 150
Height	cm	80	80
Seating capacity	n.	3 (1 lounge)	3 (1 lounge)
Framework		Metal	Metal
Base height	cm	8	8
Insulation typology		Expanded Polyurethane	Expanded Polyurethane
Winter Pro Kit		●	●
<b>WEIGHT &amp; CAPACITY</b>			
Water capacity	l	~1030	~1030
Average fill	l	~630	~630
Spa net weight	kg	~240	~240
Max. spa weight	kg	~1270	~1270
Floor load	kg/m <sup>2</sup>	~552	~552
<b>EQUIPMENT</b>			
Jets		14	14
Self-draining shell		●	●
Automatic water refilling		--	--
Aromatherapy		●	●
Blowers		--	● (10)
Waterfall		●	●
Underwater light		● Light System - Multicolour	● Light System - Multicolour
Stereo		--	● MP3
Remote control		--	--
Headrest		● (3)	● (3)
Cushion		--	--
<b>PUMPS</b>			
Pump I		2 HP/1.8kW, 2 speed	2 HP/1.8kW, 1 speed
Pump II		--	--
Circulation pump		--	--
<b>FILTRATION SYSTEM</b>			
Skimmer type		Floating Weir	Floating Weir
Performance kit - Sand filter		--	--
Cartridge (for filter)	Sq.Ft.	1 x 50	1 x 50
CLEARRAY™		●	●
<b>ELECTRIC REQUIREMENTS</b>			
Electrical requirement		220-240V 50Hz single-phase	220-240V 50Hz single-phase
Max absorption with electric heater		3.5 kW - 16 A	3.5 kW - 16 A
Electric heater	kW	2	2
Heater exchanger	kcal/h	--	--
<b>CONTROL SYSTEM</b>			
Topside control panel		● Digital LED	● Digital LED
Diverter valves		--	--
Air adjustment		--	--
<b>FINISHINGS</b>			
Built-in version		●	●
Wooden panel version (colour)		● teak or wenge	● teak or wenge
Customizable panels		●	●
Synthetic wood panelling		--	--
Cover		Ice (leatherette), Ice (fabric), Ice (Sunbed)	Ice (leatherette), Ice (fabric), Ice (Sunbed)
Available colours eu*		White, Ocean Blue Pearlescent, Silver Pearlescent	White, Ocean Blue Pearlescent, Silver Pearlescent

Jets
 ● Included
● Optional
○ Please contact your local retailer for specifications
\* Please contact your local retailer for colour availability