

JOHNSON • TILES

Select Collection



5 Colours



2 Finishes



2 Sizes

# Concept

Glazed Ceramic  
Wall and Floor Tiles



---


**Concept** includes **two sizes**, perfectly designed for seamless installation.

---

**Size**



850 x 280mm



450 x 450mm

---

**Thickness**

850 x 280mm tiles in this range are 10mm thick.  
450 x 450mm tiles in this range are 9mm thick.

---

**NB**

850 x 280mm décor tiles are suitable for internal wall areas only.



---

**Concept Smoke and Grey Décor**

---

**Five colours** offering a neutral and contemporary palette.



**Oyster**



**Smoke**



**Putty**



**Beige Décor**



**Grey Décor**

---

**Two finishes** combine form and function.

Examples below are not to scale but have been enlarged to show detail:



**Matt**



**Matt Structured**



**Oyster**

**PEI IV**

---

## Oyster

Size	Finish	
	Matt	Matt Structured
450 x 450mm	CONC2F	-
850 x 280mm	CONC2A	-

---



**Smoke**

**PEI III**

---

## Smoke

Size	Finish	
	Matt	Matt Structured
450 x 450mm	CONC1F	-
850 x 280mm	CONC1A	-

---



**Putty**

**PEI III**

---

## Putty

Size	Finish	
	Matt	Matt Structured
450 x 450mm	CONC3F	-
850 x 280mm	CONC3A	-

---



**Beige Décor**

---

### **Beige Décor**

<b>Size</b>	<b>Finish</b>	
	Matt	Matt Structured
850 x 280mm	-	CONC2D

---




**Grey Décor**

---

### **Grey Décor**

<b>Size</b>	<b>Finish</b>	
	Matt	Matt Structured
850 x 280mm	-	CONC1D

---



---

**Concept Smoke and  
Grey Décor**

---

**Concept**, a range of contemporary ceramic wall and floor tiles. Choose from three neutral shades and two co-ordinating structured décor tiles.

For more details on suitability, or advice on any technical issues, please contact our technical helpline below.

---

### Specification

Wall	Floor	Wet barefoot	Material	Finish
Internal	Internal	-	Glazed Ceramic	Various

### Floor values

Colour	Pendulum 4S	R value	Shade variation	Wet ramp	Traffic
Oyster	Dry 36+ Wet 25 - 35	-	V2	-	Commercial
All other colours	Dry 36+ Wet 25 - 35	-	V2	-	Domestic

Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. Given this, we suggest you refer to our website or call our technical helpline for the most up-to-date information.

---

### Light reflectance properties

Code	Colour	NCS	Reflectance Y
CONC2A/2F	Oyster	1505-Y60R	62
CONC3A/3F	Putty	3005-Y50R	40
CONC1A/1F	Smoke	3005-Y80R	42

**Note:** These results are from Johnson Tiles' internal test reports and are to be used for guidance only.

Due to colour variance of CONC1D and CONC2D, an accurate Light Reflectance Value and colour notation cannot be accurately calculated. For further information, please contact our technical helpline.

Front cover image: **Concept Smoke and Grey Décor**

---

### Samples

Tel: +44 (0)1782 524043  
Fax: +44 (0)1782 577379  
Email: [samples@johnson-tiles.com](mailto:samples@johnson-tiles.com)



---

### Technical helpline

Tel: +44 (0)1782 524111  
Fax: +44 (0)1782 577379  
Email: [techadvice@johnson-tiles.com](mailto:techadvice@johnson-tiles.com)

---

**[www.johnson-tiles.com](http://www.johnson-tiles.com)**

© 2015 Johnson Tiles.  
All rights reserved.  
Printed in England.