


Roof hood

HN



Dimensions



Description

Ventilation hood for air exit above roof, suitable for both industrial and comfort ventilation. The air is ejected in an upwards-directed jet. This avoids contaminating the air in the vicinity of the hood, and soiling of the area around the hood. The ejection is so effective that you can install a fresh air inlet in the immediate vicinity of the hood, without any special precautions.


The hood is made of galvanised sheet steel, and can also be supplied in other materials such as stainless steel sheet 1.4301, stainless acid-resistant steel sheet 1.4404, aluzinc AZ185 and painted in various colours, to special order. It has a net over the opening and an internal rain funnel to collect rainwater and snow, which is drained out of the hood through a hose. The hose can withstand temperatures of between -45 and +65 °C.

The hood has a female connection, which fits outside a ventilation duct. The hood can be ordered with other connections, however.


As special delivery the hood can be supplied with three anchoring wire-loops.
















Ød nom	ØD mm	H mm	h mm	m kg	Roof through connection TGR	
					50 mm	100 mm
					Size	
80	130	160	310	0,66	3	3
100	180	220	360	0,96	3	3
125	225	240	380	1,26	3	4
160	280	340	475	1,95	3	4
200	345	420	555	2,92	3	4
250	430	505	640	4,31	4	5
315	550	620	755	6,75	5	6

Technical data



Ordering example



Roof hood	<p style="text-align: center;">HN</p> 							
Roof transition connection piece, upper	<p style="text-align: center;">AGIS</p> 			<p style="text-align: center;">TGR-OA</p> 		Sits around the roof transition		
Roof transition	SR	SRI	SRIP	<p style="text-align: center;">GISOL / GISOLP</p> 	<p style="text-align: center;">TGR</p> 			<p style="text-align: center;">VHING / VHINP</p> 
						<p style="text-align: center;">UG</p> 	Roof weather protection, inner	
						<p style="text-align: center;">MG / MGL</p> 		Vapour membrane
						<p style="text-align: center;">SBG1</p> 		Roof transition fastener
Roof transition connection piece, lower					<p style="text-align: center;">TGR-NA</p> 			
Ducting	<p style="text-align: center;">SR</p> 			<p style="text-align: center;">LKR</p> 				

This diagram shows principally all possible combinations of how the products can be joined together. Normally only one alternative is chosen and sometimes some options are omitted.

For some combinations the needed size of a product isn't presented in the catalogue. In these cases the size needed most often can be produced and delivered to order.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18