


# construct

low stool / barstool / table



## design


The construct low stool, barstool and coffee table range is a wonderfully useful product range that can be dropped into almost any situation. Construct has a fine balance of materials with a solid oak top and a folded steel base that wears its construction method on its sleeve.

## technical

Construct is made from laser cut, folded steel and held together with aluminium aircraft rivets. The base is then finished with a polyester powder coat. The top is cut from solid oak then finished with a light matt lacquer. The standard base colour is white with RAL colours on request. The standard top variety is oak, with other woods and materials available on request. \*All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch.




## sizes



**02**  
CON-BS  
metric (mm)  
W435 D435 H760  
imperial (in)  
W17 D17 H30



**01**  
CON-LO  
metric (mm)  
W345 D345 H450  
imperial (in)  
W13.5 D13.5 H17.5



CON-TAB  
metric (mm)  
W600 D600 H350  
imperial (in)  
W23.5 D23.5 H14

## base finishes



Black powder coated base as standard.



White powder coated base as standard.



RAL colour powder coated base available upon request.

## top options



Solid Oak top.



Black stained Oak top.

## support

all images here plus many more are available at [www.naughtone.com](http://www.naughtone.com) alternatively, get in touch to request our dropbox link to our full library.

**CAD** 3D visualisation models and 2D dwg files are available of all naughtone products. Download the files from our website [www.naughtone.com](http://www.naughtone.com) or request a full CD.

Construct low stool designed by Lee Walsh



### general manufacture description

The Construct low stool is available in a range of finishes, for the purpose of this document we have a specific example from the range:

Construct low stool.  
CON-LO (Oak seat)

Please use the material index and the breakdown of component mass below to establish the environmental qualities of other finish options in this range.

The Construct low stool is made from laser cut, folded mild steel and held together by aluminium aircraft rivets. The components are further attached with discreet welds. The single piece frame is finished with a polyester powder coat.


The solid oak top is pieced together with individual planks, before being sanded smooth and CNC cut to the required size. It is then finished with a hard wearing spray matt lacquer.

The top and frame are assembled together by hand using minimal fixings and can be easily disassembled if necessary.

### facts

- 100% FSC certified timber
- naughtone is FISP and ISO14001 certified
- 5.2kg Total weight
- 73.5% Recyclable (frame & fixings)
- 26.5% Compostable (top & feet)
- 51.4% Recycled content (frame, fixings & top)
- 26.5% Reusable content
- 124.9% Recycled & Recyclable content

### contents



- Frame (mild steel) - 73.1%
- Top (solid oak) - 26.3%
- Feet (rubber) - < 1%
- Fixings (mild steel) - < 1%

### support

further information for all our products can be downloaded from the website [www.naughtone.com](http://www.naughtone.com).

\* where sustainable sources are quoted and a chain of custody is required by a customer - this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover.



Construct barstool designed by Lee Walsh

### general manufacture description

The Construct barstool is available in a range of finishes, for the purpose of this document we have a specific example from the range:

Construct barstool.  
CON-BS (Oak seat)

Please use the material index and the breakdown of component mass below to establish the environmental qualities of other finish options in this range.

The Construct barstool is made from laser cut, folded mild steel and held together by aluminium aircraft rivets. The components are further attached with discreet welds. The single piece frame is finished with a polyester powder coat.



The solid oak top is pieced together with individual planks, before being sanded smooth and CNC cut to the required size. It is then finished with a hard wearing spray matt lacquer.

The top and frame are assembled together by hand using minimal fixings and can be easily disassembled if necessary.

### facts

- 100% FSC certified timber
- naughtone is FISP and ISO14001 certified
- 8.9kg Total weight
- 84.4% Recyclable (frame & fixings)
- 15.7% Compostable (top & feet)
- 55.4% Recycled content (frame, fixings & top)
- 15.7% Reusable content
- 139.8% Recycled & Recyclable content

### contents



### support

further information for all our products can be downloaded from the website [www.naughtone.com](http://www.naughtone.com).

\* where sustainable sources are quoted and a chain of custody is required by a customer - this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover.