

SAFETY DATA SHEET

NULLIFIRE FS700 SPRAY ACRYLIC SEALANT

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	NULLIFIRE FS700 SPRAY ACRYLIC SEALANT
PRODUCT NO.	11016
APPLICATION	Sealant
SUPPLIER	Nullifire Ltd Torrington Avenue Coventry CV4 9TJ England Tel : +44 (0) 24 7685 5000 Fax : +44 (0) 24 7646 9547 email : protect@nullifire.com
EMERGENCY TELEPHONE	+44 (0) 1942 258011 (UK)

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
AMMONIA ...%	215-647-6	1336-21-6	< 0.5%	C;R34 N;R50
ZINC OXIDE	215-222-5	1314-13-2	< 0.5%	N;R50/53

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

INGESTION

Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention if any discomfort continues.

SKIN CONTACT

Wash skin with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention promptly if symptoms occur after washing.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable.

Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Avoid contact with eyes and prolonged skin contact.

NULLIFIRE FS700 SPRAY ACRYLIC SEALANT

ENVIRONMENTAL PRECAUTIONS

Avoid release to the environment.

SPILL CLEAN UP METHODS

Collect with absorbent, non-combustible material into suitable containers.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Read and follow manufacturer's recommendations. Avoid inhalation of vapours and spray mists. Avoid contact with skin and eyes.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry and cool place. Store above freezing.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT



ENGINEERING MEASURES

Well-ventilated area.

RESPIRATORY EQUIPMENT

If ventilation is insufficient, suitable respiratory protection must be provided.

HAND PROTECTION

Use protective gloves.

EYE PROTECTION

Use eye protection.

OTHER PROTECTION

Wear appropriate clothing to prevent repeated or prolonged skin contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Viscous liquid		
COLOUR	According to product specification		
ODOUR	Mild		
RELATIVE DENSITY	~ 1.05	FLASH POINT (°C)	n/a

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

MATERIALS TO AVOID

Strong acids. Strong oxidising substances. Strong reducing agents.

11 TOXICOLOGICAL INFORMATION

INHALATION

Vapour may irritate respiratory system or lungs.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

Liquid may irritate skin.

EYE CONTACT

May cause temporary eye irritation.

NULLIFIRE FS700 SPRAY ACRYLIC SEALANT

12 ECOLOGICAL INFORMATION

ECOTOXICITY

The product is not expected to be hazardous to the environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

WASTE CLASS

EWC Code: 08 04 10

14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

NC Not classified.

UK REGULATORY REFERENCES

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 ("CHIP 4")

EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC.

16 OTHER INFORMATION

REVISION COMMENTS

This is first issue.

REVISION DATE

12/03/2010

SDS NO.

11163

RISK PHRASES IN FULL

R34	Causes burns.
R37	Irritating to respiratory system.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R50	Very toxic to aquatic organisms.

DISCLAIMER

This information is offered in good faith but without guarantee or liability. In cases of doubt, users should consult with relevant authority. Information given herein is supplied for your guidance only and is based upon the results of controlled tests and experience obtained in the application of the product referred to by Nullifire Ltd. As the supplier only, Nullifire Ltd has no control over the method or conditions of application of the product and consequently no warranties expressed or implied are intended to be given as to the coverage or performance of the products mentioned or referred to herein and no liability will be expected for any loss, damage or physical injury resulting from the use or application of the information, data or products mentioned or referred to herein.