

## Declaration of Performance

Nullifire SC901 and SC902  
EN 13381-8:2013

<b>1. Product Type</b> Unique identification code of the product type:	Nullifire SC901 or SC902
<b>2. Type</b> batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):	SC901 or SC902 batch no. refer to packaging
<b>3. Intended Use</b> Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:	Two part intumescent coating for fire protection of various sizes of structural steel for a fire resistance classification of up to R120 and for design temperatures in the range of 350°C to 750°C
<b>4. Name, Registered Trade Name</b> or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):	Nullifire tremco illbruck Limited Coupland Road, Hindley Green Wigan WN2 4HT United Kingdom
<b>5. Contact Address</b> Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):	Not relevant (see 4)
<b>6. AVCP</b> System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:	System AoC Level 1
<b>7. Notified Body (hEN)</b> In case of the declaration of performance concerning a construction product covered by a harmonised standard:	Not relevant
<b>8. Notified Body (ETA)</b> In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:	ETA - 14/0079 EN 13381-8:2013 CE 1121 - CPR - GA5018 Notified Certification Body N° 1121
<b>9. Declared Performance</b>	See table on following page

ETAG Clause N°	Essential Characteristics	Assessment of Characteristic	Technical Specification
5.2	<b>Safety in case of fire</b>		
5.2.1	Resistance to fire	Passed Annex A and Annex E I/H-sections, R30 up to R120 CHS-sections, R30 up to R60	EN 13501-2 EN 13381-8:2013 EN 1363-2:1999
5.2.2	Reaction to fire	Pass with topcoat: Class C-s2, d0 Pass without topcoat: Class B-s2, d0	EN 13501-1
5.3	<b>Hygiene, Health and Environment</b>		
5.3.2	Release of dangerous substances	The product specification has been compared with Annex XVII of REACH and the ECHA Candidate List of Substances of Very High Concern to verify that it does not contain such substances above the acceptable limits	
5.7	<b>Related Aspects of Serviceability</b>		
5.7.2.1	Primer compatibility	Compatible with generic types: 2 pack solvent based epoxy	ETAG 018-2
	Topcoat compatibility	Compatible with: Nullifire TS818, 2k water based PU Nullifire TS819, 2k solvent based PU Carboxane 2000TC, 2k polysiloxane	
	Environmental conditions	Passed Types: Y, Z2, Z1 without topcoat X, Y, Z2, Z1 with approved topcoat	



tremco illbruck Limited

14

1121-CPR-GA5018

EN 14/0079

ETAG 18, Parts 1 and 2


Essential characteristics - See declaration of performance

tremco illbruck Coatings Limited  
Declaration of Performance  
Declaration N°: SC900 20140618  
Version N°: 1

## 10. Declaration

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance (DoP) is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:



Mike Liptrot  
Manufacturing

1 May 2014

tremco illbruck Coatings Limited  
Declaration of Performance  
Declaration N°: SC900 20140618  
Version N°: 1

### Ecology, Health & Safety Information (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

### Legal Note

tremco illbruck products are manufactured to rigid standards of quality. Any product which has been applied (a) in accordance with tremco illbruck

written instructions and (b) in any application recommended by Tremco illbruck, but which is proved to be defective, will be replaced free of charge.

No liability can be accepted for the information provided in this leaflet although it is published in good faith and believed to be correct. tremco illbruck Limited reserves the right to alter product specifications without prior notice, in line with Company policy of continuous development and improvement.



**tremco illbruck Limited**  
Coupland Road, Hindley Green  
Wigan WN2 4HT  
United Kingdom  
T: +44 1942 251400  
F: +44 1942 251410

info.uk@tremco-illbruck.com  
www.tremco-illbruck.co.uk