


# workspace loop


BREEAM 'A' Rated | Total recycled content of up to 50% | Heavy contract

heavy contract  
30 colourways







Indigo  
(LRV - L24.81 Y4.37)



Blue Moon  
(LRV - L33.23 Y7.68)



Dark Blue  
(LRV - L25.59 Y4.62)




Slate Blue  
(LRV - L38.34 Y10.33)



Petrol  
(LRV - L26.99 Y5.10)




Onyx  
(LRV - L17.78 Y2.47)



Moorland  
(LRV - L37.89 Y10.05)




Graphite  
(LRV - L28.09 Y5.51)




Lavender  
(LRV - L34.31 Y8.20)




Charcoal  
(LRV - L30.11 Y6.36)




Teal  
(LRV - L43.09 Y13.25)




Midnight  
(LRV - L24.21 Y4.17)



Azure  
(LRV - L42.98 Y13.22)




Cobalt  
(LRV - L33.57 Y7.88)



Blue Berry  
(LRV - L35.11 Y8.61)



Platinum  
(LRV - L34.94 Y8.62)



Fuchsia  
(LRV - L23.67 Y4.00)




Silver  
(LRV - L43.07 Y13.24)



Rose  
(LRV - L30.27 Y6.36)



Smoke  
(LRV - L48.88 Y17.50)



Ruby  
(LRV - L27.69 Y5.35)



Sandstone  
(LRV - L48.54 Y17.28)




Pampas  
(LRV - L37.89 Y10.13)




Brandy  
(LRV - L37.29 Y9.73)



Leaf Green  
(LRV - L40.77 Y11.81)



Mint  
(LRV - L36.37 Y9.23)




Spice  
(LRV - L30.87 Y6.64)



Emerald  
(LRV - L27.74 Y5.36)



Sepia  
(LRV - L32.20 Y7.20)



Kingfisher  
(LRV - L37.96 Y10.12)

## Heavy Contract

## 10 Year Warranty

## 100% Solution Dyed Nylon

## Suitable for Commercial, Education, Health and Retail markets

## Recyclable - Product can be repurposed at the end of its lifecycle as a non standard option

## BREEAM 'A+' Rated Total recycled content of up to 50%



Style  
Tufted Loop Pile 1/10" gauge



Yarn Construction  
100% Solution Dyed Nylon



Pile Yarn Weight  
580 gsm



Pile Height  
3mm



Pile Density  
172,000 tufts per m<sup>2</sup>



Total Weight  
4350 gsm



Total Thickness  
6mm



Backing  
Bitumen Backed



Dimensions  
50cm x 50cm



Wear Classification  
Heavy Contract



Anti-static  
Suitable for use in computer rooms



Colour Fastness  
To Light BS EN (ISO105 - B02) Better than 6  
To Shampoo BS 1006 - UK - TB Change in shade 4 - 5  
To Rubbing BS EN (ISO105 - X12) Wet 4 - 5, Dry 4 - 5



Flammability  
Floorcoverings tested to BS4790 (Hot Metal Nut Test) Low Radius of Char



Euroclass Flammability (BS EN ISO 9239) Bfl-s1 (BS EN ISO 11925-2)



Castor Chair Test  
BS EN 985 r value 2.8 Suitable for continuous use



Warranty  
10 Years

### INSTALLATION

Sub floors should be clean, dry and flat and prepared in accordance with BS5325. Timber floors should be covered with plywood or other appropriate sheet materials. For tiles use F Ball tackifier F41 or Laybond 79. Tiles may be laid tessellated or broadloom. Tiles should be allowed to condition for a minimum of 24 hours at the expected temperature and humidity prevailing when the building is in use. Further installation information is available from the Paragon Sales Office.

### COLOUR

For technical reasons, as with all textile materials, it may not be possible to colour match from different batches. Orders requiring colour match should be placed at the same time. Production may therefore show variations to the sample card.

### MAINTENANCE

It is recommended that a maintenance schedule be initiated from the date of installation to achieve maximum life expectancy of the product. Regular vacuum cleaning with a twin motored upright vacuum cleaner is essential. All spillages and stains should be attended to immediately. For detailed information, please consult the Paragon cleaning and maintenance guide. It is imperative that all internal carpets are well protected from outside soiling and moisture by the use of barrier matting such as MatWorks, also available from Paragon.



# paragon

CARPETS

Farfield Park  
Manvers  
Wath-upon-Dearne  
Rotherham, S63 5DB.

T. +44 (0) 1709 763 839  
F. +44 (0) 1709 763 813  
E. [sales@paragon-carpets.co.uk](mailto:sales@paragon-carpets.co.uk)  
W. [www.paragon-carpets.co.uk](http://www.paragon-carpets.co.uk)