

Sound Absorption α_w , Construction Depth 200 mm	0.95	EN 13964:2004/A1:2006 (EN ISO 354 / EN ISO 11654)
---	------	---

Property	Value	According to
Practical Sound Absorption Class	A	EN 13964:2004/A1:2006 (EN ISO 354 / EN ISO 11654)

Mechanical Properties

Tensile Flexural/Strength		
Property	Value	According to
Flexural Tensile Strength	NPD	EN 13964:2004/A1:2006

Other Mechanical Properties		
Property	Value	According to
Shatter Properties	NPD	EN 13964:2004/A1:2006

Emissions

Release of Dangerous Substances to the Indoor Environment		
Property	Value	According to
Release of Formaldehyde	E1	EN 13964:2004/A1:2006
Release of Asbestos	No content of asbestos	EN 13964:2004/A1:2006

Durability

Durability of Reaction to Fire Against Heat, Weathering, Ageing/Degradation: The fire performance of mineral wool does not deteriorate with time. The Euroclass classification of product is related to the organic content, which cannot increase with time.

Facings

Facing Material: Glass fiber tissue
 Light Reflectance: approx. 85 %

Colours




White (NCS ca. S 0500-N)


Edges

Treatment of Edges: White metal frame, backing tissue

Edge Variations



A



A

Installation

Installed in system developed for Corrido

Maintenance

May be cleaned using a soft brush, by vacuum cleaning or by wiping with a damp sponge.

Disposal and Recycling

May be used as thermal insulation or taken to a dump. Metal frame may be recycled.

Head Office: PAROC GROUP, P.O. Box 240 (Energiakuja 3), FI-00181 Helsinki Finland, Tel. +358 46 876 8000, www.paroc.com

The information in this brochure describes the conditions and technical properties of the disclosed products, valid at the time of publication of this document and until replaced by the next printed or digital version. The latest version of this brochure is always available on the Paroc website. Our information material presents applications for which the functions and technical properties of our products have been approved. However, the information does not mean a commercial guarantee. We do not assume liability of the use of third party components used in the application or the installation of our products. We cannot warrant the suitability of our products if used in an area or conditions which are not provided in our information material. As a result of constant further development of our products we reserve the right to make alterations to our information material at any time. PAROC is a registered trademark of Paroc Group. This data sheet is valid in following countries: international use (general information).