

DOOR COLLECTION

2017



We create for you.

polyrey

Properties

Polyrey HPL



1. Protective overlay for printed decors.
2. Decorative paper impregnated with melamine resin.
3. Layers of kraft paper impregnated with phenolic resin.



- Excellent impact and scratch resistance.
- Versatile and hygienic surface.
- Impervious to water and humidity.
- Silver ion-treated. Antibacterial Sanitized® grade.



crack resistant



impact resistant



abrasion resistant



moisture resistant



colour fastness under artificial light



scratch resistant



heat resistant



ease of maintenance



resistant to cigarette burns



resistant to chemical and household products

Availability




HPL Door solutions

All 82 Polyrey decors are available in High Pressure Laminate and in 2 sheet sizes specific to door applications from our network of distributors: 2150mm x 970mm and 2450mm x 1240mm.



Fire retardant

Polyrey High Pressure Laminate (HPL) meets all the building and fire safety regulations with respect to construction and interior fitting materials. All our decors in door sheet sizes are available in fire retardant grade on request.




New texture: Extramat

Polyrey door decors benefit from a new texture, Extramat; a matt appearance offering a coarse rough feel, in addition to the FA finish.


16 Woodgrain decors are available in Extramat.



Colours



B069 *Blanc Courchevel* FA



B004 *Blanc Lys* FA




B117 *Blanc Artic* FA




B068 *Blanc Chamonix* FA




B070 *Blanc Megève* FA




B015 *Blanc Menuires* FA



G030 *Blanco Especial* FA



G029 *Gris Tourterelle* FA



G044 *Gris Dauphin* FA



G149 *Gris Paloma* FA



G003 *Gris Perle* FA



F006 *Fer* FA



B116 *Beige Nature* FA



F026 *Feutre* FA



M100 *Muscade* FA




M101 *Marron Glacé* FA



P001 *Pierre de Lune* FA



C116 *Chocolat* FA



E021 *Ecrû* FA



C017 *Coquille d'Œuf* FA



P043 *Pamplemousse* FA




G031 *Genêt* FA



N001 *Nectarine* FA



C120 *Caramel* FA



O077 *Orchidée* FA



Y022 *Rose Bougainvillée* FA



R045 *Rose Pivoine* FA



C062 *Capucine* FA



R036 *Rouge Cerise* FA



G024 *Grenade* FA



P016 *Pervenche* FA



B119 *Bleu Turquoise* FA



B001 *Bleu Flash* FA



B086 *Bleu Caraïbes* FA




B118 *Bleu Nuit* FA



C018 *Chardon* FA



P092 *Pomme Verte* FA



A014 *Aigue Marine* FA



G013 *Gris Averse* FA



G059 *Gris Orage* FA



N005 *Noir* FA



O005 *Noir Classique* FA

Due to the limitations of the printing process we recommend viewing actual samples prior to final colour selection.



Woods



C128 *Chêne Alaska*

EXM



S040 *Cérusé Clair*

FA



H028 *Hêtre Bergen*

FA




E028 *Erable Nordique*

FA



C129 *Chêne Bastide*

EXM



E009 *Erable Blanc*

FA



P039 *Poirier des Flandres*

FA



B102 *Bouleau de Sibérie*

EXM



C102 *Chêne Clair Horizontal*

EXM FA



C098 *Chêne de Fil Naturel*

EXM FA




O083 *Orme Lubéron*

FA



M105 *Merisier Horizontal*

EXM FA



C003 *Chêne de Macédoine*

FA



H029 *Hêtre Stockholm*

FA



N024 *Noyer Tropical*

EXM



Z008 *Zebano Naturel*

FA



C104 *Cœur de Pommier*

EXM FA



H025 *Pommier de Honfleur*

FA



A057 *Aulne Naturel*

FA



P009 *Poirier de Corrèze*

FA



Woods



C103 *Chêne Lavé* FA




C105 *Chêne Quebec* EXM



N056 *Noisetier Naturel* EXM




N027 *Noyer Vénitien* FA




A022 *Acajou de Floride* FA




C101 *Chêne Brun Horizontal* EXM FA



N026 *Noyer Ombré* FA



C091 *Chêne de Fil Brun* EXM FA



P115 *Palmier Brun Horizontal* FA



C047 *Chêne Wengé* FA




B100 *Baniam Blanchi* EXM FA




T051 *Tulipier Fumé* FA



E040 *Erable Cendré* EXM



B101 *Baniam Noirci* EXM FA



C131 *Chêne Murano* FA




F012 *Fruittier Cendré* EXM



O082 *Orme d'Autrefois* FA



Patterns



M106 *Mosaic Blanc* FA



M107 *Mosaic Gris* FA



B092 *Brossé Gris* FA

Colours

PRODUCT	Polyrey High Pressure Laminate POLYREY HPL®	
SIZE	215 x 97 cm	245 x 124 cm
GRADE & THICKNESS	Standard Grade Phenolic Core 0.8mm	Postforming Grade Phenolic Core 0.8mm

CODE	DECOR NAME	COLLECTION	FINISH	
005	Noir Classique	Papago	FA	FA
030	Blanco Especial	Papago	FA	FA
149	Gris Paloma	Papago	FA	FA
A014	Aigue Marine	Papago	FA	FA
B001	Bleu Flash	Papago	FA	FA
B004	Blanc Lys	Papago	FA	FA
B015	Blanc Menuires	Papago	FA	FA
B068	Blanc Chamonix	Papago	FA	FA
B069	Blanc Courchevel	Papago	FA	FA
B070	Blanc Megève	Papago/Color Premier	FA	FA
B086	Bleu Caraïbes	Papago	FA	FA
B116	Beige Nature	Papago/Color Premier	FA	FA
B117	Blanc Artic	Papago/Color Premier	FA	FA
B118	Bleu Nuit	Papago/Color Premier	FA	FA
B119	Bleu Turquoise	Papago/Color Premier	FA	FA
C017	Coquille d'Œuf	Papago/Color Premier	FA	FA
C018	Chardon	Papago	FA	FA
C062	Capucine	Papago	FA	FA
C116	Chocolat	Papago/Color Premier	FA	FA
C120	Caramel	Papago	FA	FA
E021	Ecru	Papago/Color Premier	FA	FA
F006	Fer	Papago/Color Premier	FA	FA
F026	Feutre	Papago/Color Premier	FA	FA
G003	Gris Perle	Papago	FA	FA
G013	Gris Averse	Papago/Color Premier	FA	FA
G024	Grenade	Papago/Color Premier	FA	FA
G029	Gris Tourterelle	Papago/Color Premier	FA	FA
G031	Genêt	Papago	FA	FA
G044	Gris Dauphin	Papago	FA	FA
G059	Gris Orage	Papago	FA	FA
M100	Muscade	Papago	FA	FA
M101	Marron Glacé	Papago	FA	FA
N001	Nectarine	Papago	FA	FA
N005	Noir	Papago/Color Premier	FA	FA
O077	Orchidée	Papago	FA	FA
P001	Pierre de Lune	Papago/Color Premier	FA	FA
P016	Pervenche	Papago	FA	FA
P043	Pamplemousse	Papago	FA	FA
P092	Pomme Verte	Papago/Color Premier	FA	FA
R036	Rouge Cerise	Papago/Color Premier	FA	FA
R045	Rose Pivoine	Papago	FA	FA
Y022	Rose Bougainvillée	Papago/Color Premier	FA	FA

For co-ordination of our colours with other decorative materials, you can find the corresponding NCS® - RAL® - BS® - Pantone® matches in the Polyrey Collection 2017 brochure.

All our decors in door sheet sizes are available in fire retardant grade on request.

Woods

PRODUCT	Polyrey High Pressure Laminate POLYREY HPL®	
SIZE	215 x 97 cm	245 x 124 cm
GRADE & THICKNESS	Standard Grade Phenolic Core 0.8mm	Postforming Grade Phenolic Core 0.8mm

CODE	DECOR NAME	COLLECTION	FINISH	
A022	Acajou de Floride	Origine	FA	FA
A057	Aulne Naturel	Origine	FA	FA
B100	Banien Bianchi	Origine & Premier	FA - EXM	FA
B101	Banien Noirci	Origine & Premier	FA - EXM	FA
B102	Bouleau de Sibérie	Origine Premier	EXM	FA
C003	Chêne de Macédoine	Origine	FA	FA
C047	Chêne Wengé	Origine	FA	FA
C091	Chêne de Fil Brun	Origine & Premier	FA - EXM	FA
C098	Chêne de Fil Naturel	Origine & Premier	FA - EXM	FA
C101	Chêne Brun Horizontal	Origine & Premier	FA - EXM	FA
C102	Chêne Clair Horizontal	Origine & Premier	FA - EXM	FA
C103	Chêne Lavé	Origine	FA	FA
C104	Cœur de Pommier	Origine & Premier	FA - EXM	FA
C105	Chêne Quebec	Origine Premier	EXM	FA
C128	Chêne Alaska	Origine Premier	EXM	FA
C129	Chêne Bastide	Origine Premier	EXM	FA
C131	Chêne Murano	Origine	FA	FA
E009	Erable Blanc	Origine	FA	FA
E028	Erable Nordique	Origine	FA	FA
E040	Erable Cendré	Origine Premier	EXM	FA
F012	Fruitier Cendré	Origine Premier	EXM	FA
H025	Pommier de Honfleur	Origine	FA	FA
H028	Hêtre Bergen	Origine	FA	FA
H029	Hêtre Stockholm	Origine	FA	FA
M105	Merisier Horizontal	Origine & Premier	FA - EXM	FA
N024	Noyer Tropical	Origine Premier	EXM	FA
N026	Noyer Ombré	Origine	FA	FA
N027	Noyer Vénitien	Origine	FA	FA
N056	Noisetier Naturel	Origine Premier	EXM	FA
O082	Orme d'Autrefois	Origine	FA	FA
O083	Orme Lubéron	Origine	FA	FA
P009	Poirier de Corrèze	Origine	FA	FA
P039	Poirier des Flandres	Origine	FA	FA
P115	Palmier Brun Horizontal	Origine	FA	FA
S040	Cérusé Clair	Origine	FA	FA
T051	Tulipier Fumé	Origine	FA	FA
Z008	Zebrano Naturel	Origine	FA	FA

Patterns

B092	Brossé Gris	Metallic	FA	FA
M106	Mosaïc Blanc	Expression	FA	FA
M107	Mosaïc Gris	Expression	FA	FA

We recommend viewing actual samples prior to colour selection.



Antibacterial Sanitized®



The Sanitized® antibacterial treatment destroys more than 99.9% of bacteria



Polyrey's HPL panels benefit from active silver-ion based protection.

The antiseptic action of silver is beneficial in restaurants, health centres and public spaces.

Effectiveness tested on seven bacteria according to standard JIS Z801⁽¹⁾:

- *Escherichia coli* ATCC 8739
- *Enterococcus hirae* ATCC 8043
- *Listeria monocytogenes* ATCC 15313
- *Staphylococcus aureus* (MRSA) ATCC 33592
- *Staphylococcus aureus* ATCC 6538
- *Salmonella enteritidis* ⁽²⁾ ATCC 13076
- *Mycobacterium smegmatis* ATCC 19420

⁽¹⁾ Japanese standard internationally recognised by the International Standardisation Organisation (ISO).

⁽²⁾ 99.84% effectiveness.

Environment



Committed to protecting the environment, Polyrey has an active policy of reducing the impact of its activities through every stage of the manufacturing process and the **lifecycle of its products**.

Polyrey procures its core boards from **PEFC certified suppliers**. Today, all Polyrey HPL Panels are PEFC certified. PEFC is a trademark guaranteeing that the wood used in the manufacturing process comes from sustainable managed forests.

Polyrey has put in place an **FSC chain of custody (COC)** for its supply of kraft and decorative papers and has FSC certification for the majority of its product ranges.



Our two industrial sites are **ISO 9001 and ISO 14001 certified**.

Polyrey's HPL is composed of 65% paper obtained from **renewable wood resources** and respects the European environmental standard.

Polyrey HPL composition



Polyrey HPL meets the requirements for a sustainable green building: **LEED and BREEAM**.



DOOR COLLECTION

**samples
express**

Samples requested before 3pm are dispatched on the same day.

We will do everything possible to ensure that you will receive your samples within 48 hours.

To receive samples please contact us by

Tel: + 44 (0) 1923 202700 or

Email: polyrey.uk@polyrey.com

POLYREY UK

Victoria House, 49 Clarendon Road,
Watford WD17 1HP.

Tel: +44 (0) 1923 202700

Fax: +44 (0) 1923 202729

Email: polyrey.uk@polyrey.com

www.polyrey.com



FSC® C068151

The mark
of responsible
forestry



This company
certified its chain
control.
www.pefc.org



Uniclass
L411:L663:P91
CI/SfB
[(31.59)] Ty