

Uniclass
L384:P91
CI/SfB
(22.3) Ry

05/12

Rey Partitions

Partitions & Wall Linings

2012

Melamine
Faced
Plasterboard



 We create for you

Specify in confidence

A decorative choice


- 43 high quality decors featuring classic, contemporary and distinctive designs to fulfil all your design aspirations.
- Most decors are available in door sheet size in High Pressure Laminate to achieve complete coordination between doors and partitions.



The Rey Partitions decorative panels can be used in conjunction with any specified system.

A safe choice


- The Class 0 and Euroclass B-s1, d0 classifications, together with a low calorific value ensures that Rey Partitions will meet and exceed many regulatory requirements including public areas. Rey Partitions doesn't contribute to fire propagation and no black smoke or toxic gases are produced whilst burning.
- The negligible formaldehyde emissions of Rey Partitions ($0.02\text{g}/\text{m}^2$ per year) makes it the lowest on the market.
- With an A+ classification, Rey Partitions achieves the lowest VOC emission rating therefore contributing to a safer interior environment.



Bespoke Range

Decors available on request (Short lead time)

Please contact us for lead times, minimum order quantities and distribution details.



Tel: +44 (0) 1923 202700
Fax: +44 (0) 1923 202729
E-mail: polyrey.uk@polyrey.com
Internet: www.polyrey.com




T 038
Tadelakt Caramel FA



T 041
Tadelakt Tomate FA



T 037
Tadelakt Amande FA



T 042
Tadelakt Vanille FA



R 036
Rouge Cerise FA



V 011
Vert d'Eau FA




G 028
Gris Flanelle FA



T 039
Tadelakt Gingembre FA



B 092
Brossé Gris FA




B 053
Béton Gris FA



P 001
Pierre de Lune FA



M 017
Mastic FA



B 068
Blanc Chamonix FA




G 029
Gris Tourterelle FA




P 039
Poirier des Flandres FA



C 098
Chêne de Fil Naturel FA



S 039
Cérusé Rose FA



B 100
Banian Blanchi FA



F 013
Fruitier Naturel FA



C 104
Coeur de Pommier FA




C 102
Chêne Clair Horizontal FA




C 101
Chêne Brun Horizontal FA



B 074
Bouleau Doré FA




N 024
Noyer Tropical FA



N 027
Noyer Vénitien FA



P 040
Poirier du Calvados FA



Z 009
Zebrano Ambré FA



T 052
Tulipier Tabac FA



T 051
Tulipier Fumé FA



C 091
Chêne de Fil Brun FA




Express Range

Ex-stock for immediate delivery

13 express decors cover common everyday requirements and design driven applications.

- Sheet size 3000 x 1200mm in stock.
- Sheet size 2600 x 1200mm with a short lead time.



B 109
Blanc Sancy FA




E 009
Erable Blanc FA




H 025
Pommier de Honfleur FA



F 011
Fruitier Ambré FA



B 069
Blanc Courchevel FA




D 024
Damask Porcelaine FA




A 057
Aulne Naturel FA



F 012
Fruitier Cendré FA




156
Crème Classique FA




B 057
Béton Naturel FA



C 103
Chêne Lavé FA



C 047
Chêne Wengé FA



149
Gris Paloma FA

Decorative harmony

All Rey Partitions Express and most of Rey Partitions Bespoke decors are available in **HPL door sheet size** (2150 x 970mm).


Rey Partitions decors are available in **HPL, Panoprey and Compact** to easily create a matching or contrasting environment with partitions, walls, doors and furniture.

Product Offer

Melamine Plasterboard Partitions & Wall Linings

Product composition

A high quality plasterboard substrate faced with a decorative paper impregnated with melamine resin.



Key Partitions - Partitions & wall linings product offer:

Sheet Size	3000 x 1200mm 2600 x 1200mm
Thickness	12.5mm as standard - 15mm on request
Finish	FA - slightly textured
Fixing	Suitable for all types of frames & profiles
Fire classification	UK Class O & Euroclass B-s1, d0
Decors	13 decors in stock from the Express range 30 additional decors available on request



Rapid service

- Nationwide distribution for **fast delivery**.
- Polyrey's experienced sales force work on an everyday basis with architects, interior designers, manufacturers and distributors to ensure projects run smoothly from concept to completion.
- **Samples requested before 3pm will be dispatched on the same day.** We will do everything possible to ensure that you receive your samples within 48 hours.



**samples
express
information**

Tel: +44 (0) 1923 202700
Fax: +44 (0) 1923 202729
E-mail: polyrey.uk@polyrey.com
Internet: www.polyrey.com

Aesthetic & Acoustic

A conscientious choice

- The plaster used in the manufacturing of Rey Partitions originates from Gypsum quarries. These quarries operate to optimal environmental standards in their manufacturing processes.
- We achieved the ISO 14001 Environmental Management System certification.
- The gypsum core can be extracted and recycled back into the manufacturing of plasterboard.




A quieter choice

- Rey Partitions' key benefit is a higher density (9.4kg/m^2) compared to a normal plasterboard (average of 8kg/m^2) therefore helps to achieve the desired acoustic attenuation of 40dB when forming part of a Partition system.



RW+C 40dB



A durable choice

- Our melamine surface is impact, abrasion and stain resistant (Coffee, Felt-tip pen etc.). The superior performance it achieves on impact testing is testament to the quality of its gypsum core, compared to its PVC & Vinyl counterparts.



Impact Resistance



www.polyrey.com

samples express information

Polyrey UK

Langley Place
99 Langley Road
WATFORD
WD17 4AU

UK & Ireland

Tel: +44 (0) 1923 202700
Fax: +44 (0) 1923 202729
e-mail: polyrey.uk@polyrey.com
Internet: www.polyrey.co.uk

If you need a quick response from us on a project, contact us.

Samples requested before 3pm will be dispatched on the same day.

We will do everything possible to ensure that you receive your samples within 48 hours.



www.polyrey.com