



PORTMAN

*Pocket door systems
Sliding door gear*

Space making doorsets


ARCHITRAVE free

For installations where a minimal aesthetic is required and where the door opening needs to be frameless (i.e. without architrave), Portman offers a range of heavy duty custom door frame beading sections. These sections enable the skim coat to be painted/finished to blend in with the door frame for a minimalist aesthetic.

As standard, kits accommodate maximum 44mm thick door leaves. Kits are also supplied with flush bracket sets (see flush bracket kit for details).

N.B. Self closing and simultaneous opening (for double doors) cannot be specified with Architrave free/flush bracket sets.

*Can accommodate frameless glass leaves of up to 1280mm wide. Please add part suffix "G" to either standard OR intermediate width options below, for further information and glass panel dimensions please see P1280 on page 23. For glass doors, the leading edge jamb is a "flat" rather than a rebated section. When using P1280 clamps with P7300 kits the door leaf to wall aperture dimensions differ from those stated below, please refer to dimensions in appropriate boxes.



Dimensions

Single Door

| | |
|------------------------|--------------|
| Wp = Door panel width | Sp = Wp+24mm |
| Hp = Door panel height | Op = Wp-28mm |
| W = (2Wp)+12mm | Oh = Hp+14mm |
| H = Hp+70mm | |

Dimensions (using P1280 glass clamps)

Single Door

| | |
|------------------------|--------------|
| Wp = Door panel width | Sp = Wp+11mm |
| Hp = Door panel height | Op = Wp-25mm |
| W = (2Wp)-12mm | Oh = Hp+64mm |
| H = Hp+119mm | |

For doors over 2400mm high the use of the P5700 reinforcing kit is recommended (see page 27 for details).



Single door kits

Standard door leaves (up to 2100mm high)

| Description | Part No |
|---|------------|
| Standard width door leaf 626–926mm wide | P7300 SDE* |
| Intermediate width door leaf 927–1300mm wide | P7300 IDE* |
| Wide door leaf 1301–1500mm wide | P7300 WDE |

Tall door leaves (up to 2700mm high)

| Description | Part No |
|--|-------------|
| Tall door leaf 626–926mm wide | P7300 TDE* |
| Tall/Intermediate width door leaf 927–1300mm wide | P7300 ITDE* |
| Tall/Wide door leaf 1301–1500mm wide | P7300 WTDE |



Dimensions
Double Doors
 Wp = Door panel width Sp = Wp+24mm
 Hp = Door panel height Op = (2Wp)-32mm
 W = (4Wp)+18mm Oh = Hp+14mm
 H = Hp+70mm

Dimensions (using P1280 glass clamps)
Double Doors
 Wp = Door panel width Sp = Wp+11mm
 Hp = Door panel height Op = (2Wp)-50mm
 W = (4Wp)-26mm Oh = Hp+64mm
 H = Hp+119mm



Double door kits

Standard door leaves (up to 2100mm high)

Description

Standard width door leaf
 626–926mm wide

Intermediate width door leaf
 927–1300mm wide

Wide door leaf
 1301–1500mm wide

Part No

P7300 DDE*

P7300 IDDE*

P7300 WDDE

Tall door leaves (up to 2700mm high)

Description

Tall door leaf
 626–926mm wide

Tall/Intermediate width door leaf
 927–1300mm wide

Tall/Wide door leaf
 1301–1500mm wide

Part No

P7300 TDDE*

P7300 ITDDE*

P7300 WTDDE

PORTMAN

Portman Pocket Door Systems Sales Office and showroom

Bilton Road
Cadwell Lane
Hitchin

SG4 0SB

Tel: 01462 444466

Fax: 01462 444433

e-mail: sales@portman-pocketdoors.co.uk

www.portman-pocketdoors.co.uk

Due to the progressive development, Portman
Pocket Door Systems reserve the right to modify
specifications and descriptions without prior notice.

