

# Rawson

Contract Carpet Solutions



[www.rawsoncarpets.co.uk](http://www.rawsoncarpets.co.uk)



# CONTENTS...



3	Introduction		
4	Bespoke Carpets		
	<b>Fibre Bonded Products</b>		
6	Eurocord		
7	Eurocord Cont...		
8	Freeway		
9	Freeway Cont...		
10	New Felkirk		
11	New Felkirk Cont...		
12	Primary Colours		
13	Castle		
14	Champion		
15	Denby		
	<b>Barrier Matting Range</b>		
17	Dominator Plus		
18	Trackmaster		
19	Hercules 2000		
20	Spikemaster		
			<b>Outdoor Carpet</b>
21	Patio		
			<b>Tufted Products</b>
22	Eden		
23	Jazz		
24	Starquest Loop		
25	Starquest Cut		
26	Calder		
27	Fanfare		
28	Tidal		
			<b>Sound Barrier Products</b>
30	Classmate		
31	Classmate Cont...		



## PLEASE NOTE:

We have tried to represent the exact colour, pattern and overall finish in the high quality of our photographs. However, we cannot guarantee that the finished product will match identically to the photographs herein. By virtue of the dye technology very slight variances may occur from batch to batch. For this reason we ask that all decisions are made only after you have viewed an actual carpet sample from the range of your choice. These samples are available on request from our sample department at the number below.

All tolerances are quoted to a plus/minus 10% variance. We do reserve the right, as new technology, economic or other factors dictate, to change or modify specifications. This right will only be exercised in the mutual interest of all parties.

# INTRODUCTION...



## RAWSON CARPETS

Founded in the late 19<sup>th</sup> century WE Rawson Limited is a privately owned family company specialising in the manufacture and distribution of a wide range of non woven textiles to a vast cross section of UK and international industry.

As with many long established companies we at Rawson Carpets Limited have, over the years, built a solid foundation with our customers and our suppliers and we value these relationships and the people associated with them very highly.

Our policy of re-investing back into the business has ensured our continued success and resulted in the most modern and technologically sophisticated machinery - staffed by experts in their respective fields.

Our commitment to deliver a quality, ever improving service forms the basis of our business philosophy.

This Carpet Brochure is designed to offer ideas to a wide audience requiring a specific solution to their individual flooring and sound barrier needs.

We hope it will enable you to make an informed decision when next you need to choose or specify a contract floor covering.

PLEASE NOTE - we have tried to portray the styles, ranges and colours as best we can. However, we do encourage you to request samples and advice from our sales team.

### ENVIRONMENTAL POLICY

As a company, we at W E Rawson Ltd firmly believe we have a responsibility to the environment as well as to future generations as we conduct our day to day operations. We recognise the impact we can have upon our surroundings and embrace our duty of care in this regards in the objectives and practices of our business. We adhere to the highest standards expected of a responsible corporate member of society and aim to reduce to an absolute minimum any adverse effect we may have upon the environment.

Being a family owned enterprise with textile recycling a core part of its business dating back to the 19th Century, we have gained a vast amount of knowledge and expertise in our field, enabling us to understand the areas where we can most effectively develop a sustainable approach to our manufacturing activities. The continuity of leadership that is the very nature of our family owned company brings invaluable and vital experience in all areas of the manufacturing process, from the sourcing of raw materials through production itself and finally to the business of recycling and re-use of the small amount of waste which is unavoidably generated. Our end product is long lasting and enduring, helping to reduce wastage, pollution and landfill.

Our respect for the environment commits us to a continuing strategy of development and investment in ways designed to improve our production plans and processes.

Our concern for the welfare of all those ultimately affected by our activities, both now and in the future, ensures that our environmental policies are at the very heart of our company's business objectives.

# BESPOKE CARPETS...

## Custom Products

Rawsons offer a bespoke service which are able to make custom products in tile or sheet for a vast variety of applications from outdoor & marine use. From a crazy golf course to Indoor bowling mats, logo barrier mats, roll up carpet for occasional temporary use as well as acoustic insulation for buildings & for the motor industry.

If you have a carpeting idea we would be pleased to help you develop it & bring it to market.



## Colour Matching

Colour Matching Technology today makes it possible for us to colour match just about any product. This makes those specific corporate carpet requirement an economical possibility. Special computerised programmes allow us to scientifically scan the colour, texture and weight of almost any product and synthesise our fibre ranges to best marry all components into a matching blend.

All we need is a small sample of the product you wish us to match and technology does the rest.




## Inserts

Have you ever wanted to enhance your entrance foyer or public space with a customised or bespoke carpet including a replica of your company logo, a religious symbol or something similar?

With today's technology and our carpet designs and styles this is possible.

Cutting machinery, programmes and scanners enable perfect replicas to be cut out and inserted in contrasting colours to best display the message you have.

Our sales team would be delighted to assist you!



## Non Standard Sizes

As a rule of thumb our carpet sheets are made 2 metres wide by 30 metres long. Some of the heavier products are standard in shorter lengths. However we are able to cut to length and width to best suit your absolute needs.

Tiles are normally 500mm x 500mm. However, we can produce in a different standard. For instance we have supplied 1 metre square tiles for the exhibition industry and 600mm by 600mm for many specific applications.



**We also manufacture a number of other products for the architectural, education and automotive industries.**

These include non woven needle punch products in panel format for acoustic control and sound deadening in buildings, flat or preformed boot, door, bonnet and dashboard insulation panels for the automotive trades and wall panels in school classrooms that combine very effective noise absorbing and reduction characteristics with a pin board facility.

Detailed information is just a phone call away.



## What can non-woven floor coverings do for you?

**Versatility** - Options of both carpet sheet products and carpet tile products are available across most ranges offering a vast spectrum of performance criteria, design options, price points and functionality.

**Easy Installation** - Contract carpet sheets and tiles are well known for their ease of installation on a variety of floor substrates thus saving time and money on new builds and refurbishments.

**Reduces Maintenance** - Whilst we do recommend a planned maintenance schedule is adhered to, non woven floor covering do offer substantial cost benefits over the long term due to their hard wearing, easy to clean and functional design attributes.

**Comfort** - Textile floor coverings are much more comfortable underfoot and offer superior thermal and acoustic properties resulting in virtual elimination of footsteps, echoes and resonance to create a calmer, balanced and more productive working environment.

# EUROCORD...

## HEAVY CONTRACT CARPET TILES AND SHEET



### Technical Specification

	SHEET	TILE
Fibre Type	80% polypropylene 20% Polyester.	
Fibre Weight (± 10%)	900g/m <sup>2</sup>	900g/m <sup>2</sup>
Total Carpet Weight (± 10%)	1150g/m <sup>2</sup>	4150g/m <sup>2</sup>
Total Thickness (mm) (± 10%)	5.8	6.7
Dimensions	2x30m	50x50cm
Backing Material	Bitumen	
Tiles per Box	20	

### Industry Suitability

All private and public sector buildings. showrooms, corridors, halls, banks, offices and places of worship.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut	BS-EN-ISO-354 SOUND ABSORPTION
>80% RECOVERY	6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS	CLASS. 'E'	
Light Reflectance Value. (BS8493:2008).								Light reflectance values for all products and colours are available from our sales office staff.

### COLOUR RANGE



Cobalt  
TILE EUT534  
SHEET EU534



Midnight  
TILE EUT536  
SHEET EU536



Cosmic  
TILE EUT538  
SHEET EU538



Quasar  
TILE EUT540  
SHEET EU540



Sapphire  
TILE EUT542  
SHEET EU542



Bluebell  
TILE EUT544  
SHEET EU544



Saratoga  
TILE EUT546  
SHEET EU546



Charcoal  
TILE EUT548  
SHEET EU548



Oatmeal  
TILE EUT550  
SHEET EU550



Lavendar  
TILE EUT520  
SHEET EU520



Diamond  
TILE EUT508  
SHEET EU508




Ruby  
TILE EUT552  
SHEET EU552



Chocolate  
TILE EUT506  
SHEET EU506



Sea  
TILE EUT526  
SHEET EU526



Sky  
TILE EUT530  
SHEET EU530

### Description

A heavy contract carpet sheet or tile. This durable, fine ribbed product has revolutionised the contract carpet market in educational buildings and public areas across the UK and beyond. A wide range of colours offer ideal styling options for the creative. A practical and hard wearing floor solution that delivers to your promise.

# EUROCORD...

HEAVY CONTRACT CARPET TILES AND SHEET



Damson  
TILE EUT554  
SHEET EU554



Thunder  
TILE EUT556  
SHEET EU556



Cashmere  
TILE EUT504  
SHEET EU504



Sand  
TILE EUT524  
SHEET EU524



Artic  
TILE EUT502  
SHEET EU502



Silver  
TILE EUT528  
SHEET EU528



Oban  
TILE EUT514  
SHEET EU514



Peacock  
TILE EUT518  
SHEET EU518



Ocean  
TILE EUT516  
SHEET EUT516



Vine  
TILE EUT532  
SHEET EU532



Lincoln  
TILE EUT512  
SHEET EU512



Red  
TILE EUT522  
SHEET EU522

# FREEWAY...

## HEAVY CONTRACT CARPET TILES AND SHEET



### Technical Specification

	SHEET	TILE
Fibre Type	80% Polypropylene	20% Polyester.
Fibre Weight ( $\pm 10\%$ )	900g/m <sup>2</sup>	900g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	1100g/m <sup>2</sup>	4100g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	6.0	7.0
Dimensions	2x30m	50x50cm
Backing Material		Bitumen
Tiles per Box		20

### Industry Suitability

Classrooms, corridors, stairs, offices, retail shops, banks, places of worship, pubs, exhibitions, caravans, mobile homes, public and private sector buildings.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut	BS-EN-ISO-354 SOUND ABSORPTION
>80% RECOVERY	6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS	CLASS. 'E'	
Light Reflectance Value. (BS8493:2008).						Light reflectance values for all products and colours are available from our sales office staff.		

### COLOUR RANGE



Atlantic  
TILE FRT502  
SHEET FR502



Indigo  
TILE FRT518  
SHEET FR518



Stellar  
TILE FRT540  
SHEET FR540



Mars  
TILE FRT522  
SHEET FR522



Pacific  
TILE FRT530  
SHEET FR530



Zircon  
TILE FRT546  
SHEET FR1546



Sherwood  
TILE FRT538  
SHEET FR538



Graphite  
TILE FRT550  
SHEET FR550



Pebble  
TILE FRT532  
SHEET FR532



Purple  
TILE FRT554  
SHEET FR554




Azure  
TILE FRT548  
SHEET FR548



Scarlet  
TILE FRT556  
SHEET FR556



Earth  
TILE FRT510  
SHEET FR510



Emerald  
TILE FRT512  
SHEET FR512



Astral  
TILE FRT500  
SHEET FR500

### Description

A durable broad ribbed heavy contract carpet sheet and tile. The range of colours is specifically designed to satisfy the most discerning of clients and tastes. This versatile carpet is suitable for installation in the following areas: schools, universities, receptions and public buildings, places of worship, hospitals, sport and social clubs, exhibition and conference venues, caravans, boats and libraries etc.

# FREEWAY...

HEAVY CONTRACT CARPET TILES AND SHEET



## COLOUR RANGE



Mulberry  
TILE FRT528  
SHEET FR528



Storm  
TILE FRT542  
SHEET FR542



Latte  
TILE FRT520  
SHEET FR520



Beige  
TILE FRT504  
SHEET FR504



Moonlight  
TILE FRT526  
SHEET FR526



Gunmetal  
TILE FRT516  
SHEET FR516



Brown  
TILE FRT506  
SHEET FR506



Summer  
TILE FRT544  
SHEET FR544



Coral  
TILE FRT508  
SHEET FR508



Meadow  
TILE FRT524  
SHEET FR524



Forest  
TILE FRT514  
SHEET FR514



Poppy  
TILE FRT534  
SHEET FR534

# NEW FELKIRK...

## HEAVY CONTRACT CARPET TILES AND SHEET



### Technical Specification

	SHEET	TILE
Fibre Type	100% Polypropylene.	
Fibre Weight ( $\pm 10\%$ )	1000g/m <sup>2</sup>	1000g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	1300g/m <sup>2</sup>	4300g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	9.0	9.0
Dimensions	2x30m	50x50cm
Backing Material	Bitumen	
Tiles per Box	16	

### Industry Suitability

Schools, universities, residences, offices, retail outlets, commercial institutions and general public and private sector buildings.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut	BS-EN-ISO-354 SOUND ABSORPTION
>80% RECOVERY	6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS	CLASS. 'E'	
Light Reflectance Value. (BS8493:2008).							Light reflectance values for all products and colours are available from our sales office staff.	

### COLOUR RANGE



Galaxy  
TILE FET07  
SHEET CM07



Red  
TILE FET24  
SHEET CM24



Mulberry  
TILE FET53  
SHEET CM53



Russet  
TILE FET115  
SHEET CM115



Rouge  
TILE FET116  
SHEET CM116



Jazz  
TILE FET02  
SHEET CM02



Fuchsia  
TILE FET118  
SHEET CM118



Brazil  
TILE FET29  
SHEET CM29



Fawn  
TILE FET110  
SHEET CM110



Powder  
TILE FET119  
SHEET CM119




Anthracite  
TILE FET93  
SHEET CM93



Crystal Grey  
TILE FET40  
SHEET CM40



Electric  
TILE FET120  
SHEET CM120



Fairway Green  
TILE FET09  
SHEET CM09



Lovat  
TILE FET113  
SHEET CM113

### Description

This 100% Polypropylene luxury velour finished carpet sheet is engineered to meet and exceed the stringent demands of a dynamic school and office environment. Combining a lasting elegance with superb resistant to stains. Felkirk has earned it's reputation as a hard wearing and modern answer for busy floors.

# NEW FELKIRK...


HEAVY CONTRACT CARPET TILES AND SHEET



Ocean Green  
TILE FET105  
SHEET CM105



Blackout  
TILE FET121  
SHEET CM121



Peacock  
TILE FET48  
SHEET CM48



Sapphire  
TILE FET112  
SHEET CM112



Olive  
TILE FET14  
SHEET CM14



Lagoon  
TILE FET06  
SHEET CM06



Fjord Blue  
TILE FET92  
SHEET CM92




Hyacinth  
TILE FET54  
SHEET CM54



Silver Grey  
TILE FET111  
SHEET CM111

# PRIMARY COLOURS...

HEAVY CONTRACT CARPET TILES AND SHEET



## Technical Specification

	SHEET	TILE
Fibre Type	100% Polypropylene.	
Fibre Weight ( $\pm 10\%$ )	1000g/m <sup>2</sup>	1000g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	1300g/m <sup>2</sup>	4250g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	8.0	9.0
Dimensions	2x30m	50x50cm
Backing Material	Bitumen	
Tiles per Box	16	

## Industry Suitability

Nursery and junior schools and crèches, play group areas, children's bedrooms etc.

## Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut	BS-EN-50-354 SOUND ABSORPTION
>80% RECOVERY	6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS	CLASS. 'E'	
Light Reflectance Value. (BS8493:2008).					Light reflectance values for all products and colours are available from our sales office staff.			

## COLOUR RANGE



Blue  
TILE PCT01  
SHEET PCS01



Green  
TILE PCT02  
SHEET PCS02



Orange  
TILE PCT03  
SHEET PCS03



Red  
TILE PCT04  
SHEET PCS04



Turquoise  
TILE PCT05  
SHEET PCS05



## Description

Available in sheet or tile to help you create that exciting designed area.

Primary colours is a soft feeling hard wearing carpet made in a finer denier fibre just right for children to play & sit on.

# CASTLE...

## HEAVY CONTRACT CARPET TILES



### Technical Specification

	TILE	
Fibre Type	100% Polypropylene	
Fibre Weight ( $\pm 10\%$ )	950g/m <sup>2</sup>	
Total Tile Weight ( $\pm 10\%$ )	4150g/m <sup>2</sup>	
Total Thickness (mm) ( $\pm 10\%$ )	6.5mm	
Backing Material	Rubber	Bitumen
Dimensions	50x50cm	
Tiles per Box	20	

### Industry Suitability

Private and public sector buildings, schools, banks, retail shops and places of worship.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut	BS-EN-ISO-354 SOUND ABSORPTION
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS	CLASS 'E'
Light Reflectance Value. (BS8493:2008).					Light reflectance values for all products and colours are available from our sales office staff.			

### COLOUR RANGE



Conway  
CAST01



Berwick  
CAST02



Sandal  
CAST03



Windsor  
CAST04



York  
CAST05



Dover  
CAST06



Leeds  
CAST07



Skipton  
CAST08



Stirling  
CAST09



Aberdeen  
CAST10




### Description

A heavy contract carpet tile for when you need to combine performance with a bit more design. This hard wearing tile can also be used in barrier matt area's & is often used in a different darker colour in doorways. You can then select a more aesthetically pleasing colour for the rest of the area.

# CHAMPION...

## HEAVY CONTRACT CARPET TILES AND SHEET



### Technical Specification

	SHEET	TILE
Fibre Type	80% Polypropylene	20% Polyester
Fibre Weight ( $\pm 10\%$ )	900g/m <sup>2</sup>	900g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	1100g/m <sup>2</sup>	4100g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	6.6	8.5
Dimensions	2x30m	50x50cm
Backing Material		Bitumen
Tiles per Box		20

### Industry Suitability

All types of public and private sector buildings, shops, offices, commercial institutions, retail, banks, health, sport and leisure centres.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut	BS-EN-ISO-354 SOUND ABSORPTION
>80%		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS	CLASS. 'E'
Light Reflectance Value. (BS8493:2008).					Light reflectance values for all products and colours are available from our sales office staff.			

### COLOUR RANGE



Saratoga  
TILE CHT201  
SHEET CH201



Blue  
TILE CHT202  
SHEET CH202



Cashmere  
TILE CHT203  
SHEET CH203



Storm  
TILE CHT204  
SHEET CH204



Seaspray  
TILE CHT205  
SHEET CH205



Plum  
TILE CHT206  
SHEET CH206



Cobalt  
TILE CHT207  
SHEET CH207



Pearl  
TILE CHT208  
SHEET CH208



Sand  
TILE CHT209  
SHEET CH209



Claret  
TILE CHT210  
SHEET CH210



Anthracite  
TILE CHT211  
SHEET CH211



Sky  
TILE CHT212  
SHEET CH212



### Description

Heavy contract sheet and tile material in an interesting and innovative "cobble" construction. Ideally suited for the discerning designer looking for both style and practicality. This popular product remains the choice of many looking for a high wearing, easy to fit and economical answer to a flooring need.

# CASTLE...

## HEAVY CONTRACT CARPET TILES



### Technical Specification

TILE	
Fibre Type	100% Polypropylene
Fibre Weight ( $\pm 10\%$ )	950g/m <sup>2</sup>
Total Tile Weight ( $\pm 10\%$ )	4150g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	6.5mm
Backing Material	Rubber Bitumen
Dimensions	50x50cm
Tiles per Box	20

### Industry Suitability

Private and public sector buildings, schools, banks, retail shops and places of worship.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut	BS-EN-ISO-354 SOUND ABSORPTION
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS	CLASS. 'E'
Light Reflectance Value. (BS8493:2008).								Light reflectance values for all products and colours are available from our sales office staff.

### COLOUR RANGE



Conway  
CAST01



Berwick  
CAST02



Sandal  
CAST03



Windsor  
CAST04



York  
CAST05



Dover  
CAST06



Leeds  
CAST07



Skipton  
CAST08



Stirling  
CAST09



Aberdeen  
CAST10



### Description

A heavy contract carpet tile for when you need to combine performance with a bit more design. This hard wearing tile can also be used in barrier matt area's & is often used in a different darker colour in doorways. You can then select a more aesthetically pleasing colour for the rest of the area.

# CHAMPION...

## HEAVY CONTRACT CARPET TILES AND SHEET



### Technical Specification

	SHEET	TILE
Fibre Type	80% Polypropylene	20% Polyester
Fibre Weight ( $\pm 10\%$ )	900g/m <sup>2</sup>	900g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	1100g/m <sup>2</sup>	4100g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	6.6	8.5
Dimensions	2x30m	50x50cm
Backing Material		Bitumen
Tiles per Box		20

### Industry Suitability

All types of public and private sector buildings, shops, offices, commercial institutions, retail, banks, health, sport and leisure centres.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut	BS-EN-ISO-354 SOUND ABSORPTION
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS	CLASS. 'E'
Light Reflectance Value. (BS8493:2008).					Light reflectance values for all products and colours are available from our sales office staff.			

### COLOUR RANGE



Saratoga  
TILE CHT201  
SHEET CH201



Blue  
TILE CHT202  
SHEET CH202



Cashmere  
TILE CHT203  
SHEET CH203



Storm  
TILE CHT204  
SHEET CH204



Seaspray  
TILE CHT205  
SHEET CH205



Plum  
TILE CHT206  
SHEET CH206



Cobalt  
TILE CHT207  
SHEET CH207



Pearl  
TILE CHT208  
SHEET CH208



Sand  
TILE CHT209  
SHEET CH209



Claret  
TILE CHT210  
SHEET CH210



Anthracite  
TILE CHT211  
SHEET CH211



Sky  
TILE CHT212  
SHEET CH212



### Description

Heavy contract sheet and tile material in an interesting and innovative "cobble" construction. Ideally suited for the discerning designer looking for both style and practicality. This popular product remains the choice of many looking for a high wearing, easy to fit and economical answer to a flooring need.

# DENBY...

## HEAVY CONTRACT CARPET SHEET



### Technical Specification

	<b>SHEET</b>
Fibre Type	80% Polypropylene 20% Polyester
Fibre Weight ( $\pm 10\%$ )	720g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	860g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	5.0
Dimensions	2x30m

### Industry Suitability

Public and private sector buildings, halls, schools, retail, commercial institutions, and libraries etc.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut	BS-EN-ISO-354 SOUND ABSORPTION
>80% RECOVERY	6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS	CLASS. 'E'	
Light Reflectance Value. (BS8493:2008).						Light reflectance values for all products and colours are available from our sales office staff.		

### COLOUR RANGE



Bluebell  
SHEET DE201



Pearl  
SHEET DE202



Cherry  
SHEET DE204



Sapphire  
SHEET DE205



Olive  
SHEET DE206



Pomegranate  
SHEET DE212




Anthracite  
SHEET DE208



Heath  
SHEET DE209



Spring  
SHEET DE210



### Description

One of our original floorcoverings. This hard wearing, easily maintained and very economical product is still consistently specified for areas requiring a functional, decorative floor surface. A first choice for exhibition flooring.

# BARRIER MATTING...



Our Barrier Matting range has been produced to offer an affordable, very high quality walk off entrance product.

A range that elegantly protects your flooring investment inside whilst still offering an effective cleaning process to reduce internal maintenance and accidents.

Available in either sheet or tile, across 20 colours (including Trackmaster, Hercules and Dominator Plus) this range comprises a combination of very hard wearing versatile products that are easy to maintain, aesthetically pleasing and cost effective.

Sold extensively for use in supermarket chains, corporate outlets, schools, laboratories, hospitals, university halls and residences, banking, commercial institutions and care homes.

This range has proven to be an economical preventative maintenance necessity across almost all types of entrances and all heavy weather entrance areas.

# DOMINATOR PLUS...

HEAVY CONTRACT BARRIER MATTING AND TILES



## Technical Specification

	SHEET	TILE
Fibre Type	100% Polypropylene	
Fibre Weight ( $\pm 10\%$ )	1500g/m <sup>2</sup>	1500g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	2650g/m <sup>2</sup>	4600g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	10.5	11.5
Dimensions	2x12.5m	50x50cm
Backing Material	Rubber	Bitumen
Tiles per Box		12

## Industry Suitability

Entrances to all types of private and public sector buildings including, offices, retail centres, banks, corporate outlets, schools, sports and leisure centres and changing rooms.

## Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS
Light Reflectance Value. (BS8493:2008).					Light reflectance values for all products and colours are available from our sales office staff.		

## COLOUR RANGE



Ocean Green  
TILE DOM105  
SHEET DMS105



Fjord Blue  
TILE DOM92  
SHEET DMS92



Mulberry  
TILE DOM53  
SHEET DMS53



Mid Grey  
TILE DOM112  
SHEET DMS112



Anthracite  
TILE DOM93  
SHEET DMS93



Saratoga Green  
TILE DOM05  
SHEET DMS05



## Description

A very heavy duty contract product. Available in both sheet and tile, This top selling range has proved itself across a number of diverse applications requiring a functional and easy to clean barrier carpet. Protects your investment inside.

# TRACKMASTER...

## HEAVY CONTRACT BARRIER MATTING



### Technical Specification

	SHEET
Fibre Type	100% Polypropylene
Fibre Weight ( $\pm 10\%$ )	1250g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	2400g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	11.0
Dimensions	2x25m
Backing Material	Rubber

### Industry Suitability

Entrances to all types of private and public sector buildings including, offices, retail centres, banks, corporate outlets, schools, sports and leisure centres and changing rooms.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS
Light Reflectance Value, (BS8493:2008).				Light reflectance values for all products and colours are available from our sales office staff.			

### COLOUR RANGE



Silver Grey  
SHEET TMP07



Red  
SHEET TMP05



Wild Rice  
SHEET TMP01



Charcoal  
SHEET TMP02



Jupiter  
SHEET TMP10



Cobalt  
SHEET TMP09



Olive  
SHEET TMP14



Cotswold  
SHEET TMP16



### Description

Supplied extensively to protect internal floor coverings. Effective, hard wearing and easy to install, an economical answer for your entrance area.

# HERCULES 2000...

## HEAVY CONTRACT BARRIER MATTING



### Technical Specification

	<b>SHEET</b>
Fibre Type	100% Polypropylene
Fibre Weight ( $\pm 10\%$ )	1400g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	2820g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	10.5
Dimensions	2x25m
Backing Material	Rubber

### Industry Suitability

Entrances to all types of private and public sector buildings including, offices, retail centres, banks, corporate outlets, schools, sports and leisure centres and changing rooms.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS
Light Reflectance Value. (BS8493:2008).				Light reflectance values for all products and colours are available from our sales office staff.			

### COLOUR RANGE



Charcoal  
SHEET HER204



Silver Grey  
SHEET HER206



Chocolate  
SHEET HER202



Azure  
SHEET HER203



Albany Red  
SHEET HER205



Satatoga Green  
SHEET HER201



### Description

The name speaks for itself. Used in many entrance areas across the U.K., an economical answer to clean and safe internal environments.

# SPIKEMASTER...

## HEAVY CONTRACT CARPET TILES



### Technical Specification

	TILE
Fibre Type	85% Polypropylene 15% Polyester
Fibre Weight ( $\pm 10\%$ )	1500g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	4700g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	11.0
Dimensions	50x50cm
Backing Material	Bitumen
Tiles per Box	12

### Industry Suitability

All types of public and private sector sports buildings including golf clubs, driving ranges, cricket, hockey and rugby pavilions, changing rooms and sports shops.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS
Light Reflectance Value. (BS8493:2008).				Light reflectance values for all products and colours are available from our sales office staff.			

### COLOUR RANGE



Cotswold  
TILE SMT16



Mid Grey  
TILE SMT112



Brick  
TILE SMT50



Charcoal  
TILE SMT01



Bronze  
TILE SMT30



Sandstone  
TILE SMT04



Lovat  
TILE SMT113



Saratoga Green  
TILE SMT05



Ford Blue  
TILE SMT92



Cobalt  
TILE SMT118



Wild Berry  
TILE SMT24



Red  
TILE SMT100



### Description

A heavy duty dense pile, spike resistant contract carpet tile. This anti static, modern range is ideally suited for use in golf and sports clubs where a heavy contract, easy to lay and maintain and aesthetically pleasing floor finish is required at a low installed cost. A first choice in specification.

# PATIO...

## INDOOR/OUTDOOR HEAVY CONTRACT CARPET SHEET



### Technical Specification

SHEET	
Fibre Type	100% Polypropylene U.V. Stabilised
Fibre Weight ( $\pm 10\%$ )	1000g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	1200g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	9.5
Dimensions	2x30m

### Industry Suitability

Poolside areas, patios, roof gardens, children's play areas, putting greens, walkways, exhibitions etc.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	BS1006 Solvent	IBM ICL	Castor Chair	BS4790 Hot Nut
>80% RECOVERY		6+	4+	4+	PASSES	PASSES	LOW RADIUS
Light Reflectance Value. (BS8493:2008). Light reflectance values for all products and colours are available from our sales office staff.							

### COLOUR RANGE



Yellow  
SHEET PATS01



Black  
SHEET PATS02



Burgundy  
SHEET PATS03



Fjord Blue  
SHEET PATS04



Grass  
SHEET PATS05



Navy  
SHEET PATS06



Olive  
SHEET PATS07



Red  
SHEET PATS08



Terracotta  
SHEET PATS09



### Description

An indoor/outdoor carpet sheet range that is velour styled across nine really modern exciting colours. This UV stabilised product makes it an ideal alternative for pool surrounds, boats, patios, roof gardens, crazy golf and children's play areas. This product is a winner internationally.

# EDEN...

## GENERAL CONTRACT CARPET TILES



### Technical Specification

TILE	
Fibre Type	100% Polypropylene
Fibre Weight ( $\pm 10\%$ )	370g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	4180g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	5.9
Dimensions	50x50cm
Tiles per Box	20

### Industry Suitability

Schools, offices, commercial, public and private sector buildings, residences, corporate outlets, domestic areas, care homes and other general flooring areas.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	BS4790 Hot Nut
>80% RECOVERY		6+	4+	<2 KV	PASSES	LOW RADIUS
Light Reflectance Value. (BS8493:2008).				Light reflectance values for all products and colours are available from our sales office staff.		

### COLOUR RANGE



Blue  
TILE EDEN01



Green  
TILE EDEN02



Pink  
TILE EDEN03



Red  
TILE EDEN04



Grey  
TILE EDEN05



Mustard  
TILE EDEN06




Silver  
TILE EDEN07



Azure  
TILE EDEN08



Atlantic  
TILE EDEN09



Navy  
TILE EDEN10



Anthracite  
TILE EDEN11



Lovat  
TILE EDEN12



### Description

A budget-conscious loose-lay tile for heavy domestic and general use. This loop pile constructed carpet tile gives excellent wear performance and is easily cleaned. The Eden Range is available across 12 practical colour ways suitable for most applications.

# JAZZ...

## HEAVY CONTRACT LOOP PILE CARPET TILES



### Technical Specification

	TILE
Fibre Type	100% Nylon Solution dyed
Fibre Weight ( $\pm 10\%$ )	500g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	4300g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	6.0
Dimensions	50x50cm
Tiles per Box	20

### Industry Suitability

General public and private sector areas, retail shops, student residences, domestic areas, care homes, offices and stairways.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS
Light Reflectance Value. (BS8493:2008).				Light reflectance values for all products and colours are available from our sales office staff.			

### COLOUR RANGE



Smoke  
TILE JLT01



Slate  
TILE JLT02



Moss  
TILE JLT03



Lovat  
TILE JLT04



Chilli  
TILE JLT05



Haze  
TILE JLT06



Sapphire  
TILE JLT07



Ice  
TILE JLT08



Azure  
TILE JLT09



Chocolate  
TILE JLT10



Lake  
TILE JLT11



Oak  
TILE JLT12



Sky  
TILE JLT13



Spice  
TILE JLT14

### Description

Heavy contract low loop pile carpet tile, available in 14 colourways.

# STARQUEST LOOP...

GENERAL CONTRACT LOOP PILE CARPET TILES



## Technical Specification

### TILE

Fibre Type	100% Polypropylene Meraklon BCF
Fibre Weight ( $\pm 10\%$ )	550g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	4400g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	7.0
Dimensions	50x50cm
Tiles per Box	20

## Industry Suitability

General public and private sector areas, retail shops, student residences, domestic areas, care homes, offices and stairways.

## Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS
Light Reflectance Value. (BS8493:2008).				Light reflectance values for all products and colours are available from our sales office staff.			

## COLOUR RANGE



Peacock  
TILE SLT06



Bark  
TILE SLT03



Rust  
TILE SLT11



Chilli  
TILE SLT12



Green  
TILE SLT05



Grey  
TILE SLT14



Charcoal  
TILE SLT09



Nightshade  
TILE SLT15



Ocean  
TILE SLT16



Claret  
TILE SLT07



Marine  
TILE SLT04

## Description

This heavy domestic/general contract range of loop and cut pile carpet tiles is ideally suited to those areas where a combination of style, class and durability is a prerequisite. Manufactured in 11 modern and vibrant designs Starquest encourages a creative cost effective solution to really special areas of your home or office.

# STARQUEST CUT...

GENERAL CONTRACT CUT PILE CARPET TILES



## Technical Specification

TILE	
Fibre Type	100% Polypropylene Meraklon BCF
Fibre Weight ( $\pm 10\%$ )	650g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	4500g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	9.0
Dimensions	50x50cm
Tiles per Box	16

## Industry Suitability

General public and private sector areas, retail shops, student residences, domestic areas, care homes, offices and stairways.

## Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL Chair	Castor Chair	BS4790 Hot Nut
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS
Light Reflectance Value. (BS8493:2008).				Light reflectance values for all products and colours are available from our sales office staff.			

## COLOUR RANGE



Peacock  
TILE SCTC09



Bark  
TILE SCT08



Rust  
TILE SCT11



Chill  
TILE SCT12



Green  
TILE SCT04



Grey  
TILE SCT01



Charcoal  
TILE SCT06



Nightshade  
TILE SCT15



Ocean  
TILE SCT16



Claret  
TILE SCT14



Marine  
TILE SCT02



## Description

This heavy domestic/general contract range of loop and cut pile carpet tiles is ideally suited to those areas where a combination of style, class and durability is a prerequisite. Manufactured in 11 modern and vibrant designs Starquest encourages a creative cost effective solution to really special areas of your home or office.

# CALDER...

## HEAVY CONTRACT CARPET TILES



### Technical Specification

	TILE
Fibre Type	100% BCF Nylon Space Dyed
Fibre Weight ( $\pm 10\%$ )	530g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	4380g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	6.7
Dimensions	50x50cm
Tiles per Box	20

### Industry Suitability

All national retailers and corporate outlets, public and private offices, halls and buildings, commercial offices, stairways, pubs, restaurants, schools and student residences.


### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS
Light Reflectance Value. (BS8493:2008).				Light reflectance values for all products and colours are available from our sales office staff.			

### COLOUR RANGE



Redcurrant  
TILE CALT01



Diplomat  
TILE CALT02



Spice  
TILE CALT03



Forest  
TILE CALT04



Lunar  
TILE CALT05



Graphite  
TILE CALT06



Osprey  
TILE CALT07



Blackberry  
TILE CALT08



Squirrel  
TILE CALT09



Pine  
TILE CALT10


### Description

Vibrant and colourful!

This 100% BCF Nylon collection of 10 colours has met and matched the demands of retail across the UK. Ideally suited for Heavy Contract applications in corporate outlets, busy offices, retail outlets and the like. Calder is an easy to lay, cost effective and practical solution for large expanses of busy retail floor.

# FANFARE...

## HEAVY CONTRACT CARPET TILES



### Technical Specification

	TILE
Fibre Type	100% Solution Dyed Polyamide
Fibre Weight ( $\pm 10\%$ )	750g/m <sup>2</sup>
Total Tile Weight ( $\pm 10\%$ )	4540g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	7.0mm
Dimensions	50x50cm
Backing Material	Bitumen with Glass crenette for stability
Tiles per Box	20

### Industry Suitability

Offices, Corridors, Schools

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut	BS7044 Spike Resist
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS	GRADE 1

### COLOUR RANGE



Coral  
TILE FFT001



Lt Green  
TILE FFT002



Ocean  
TILE FFT003



Marine  
TILE FFT004



Charcoal  
TILE FFT005



Chilli  
TILE FFT006



Grey  
TILE FFT007



Silver  
TILE FFT008



Pewter  
TILE FFT009



Black  
TILE FFT010



Rust  
TILE FFT011



Midnight  
TILE FFT012



### Description

Heavy Contract carpet tile suitable for offices, corridors, schools. With up to the minute colours ideally suited to the interior design market.

# TIDAL...

## HEAVY CONTRACT CARPET TILES



### Technical Specification

	TILE
Fibre Type	100% Polyamide
Fibre Weight ( $\pm 5\%$ )	670g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	4160g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	6
Dimensions	50x50cm
Tiles per Box	20

### Industry Suitability

Heavy Contract suitable for all retail outlets, Schools, Universities, public & commercial offices, Corridor & stair entrance areas.

### Performance / Durability

BS4939 Static	BS4052 Dynamic	BS1006 Light	BS1006 Shampoo	DD68 Body Voltage	IBM ICL	Castor Chair	BS4790 Hot Nut
>80% RECOVERY		6+	4+	<2 KV	PASSES	PASSES	LOW RADIUS
Light Reflectance Value. (BS8493:2008).				Light reflectance values for all products and colours are available from our sales office staff.			

### COLOUR RANGE



Adriatic  
TILE TDT01



Anthracite  
TILE TDT02



Baltic  
TILE TDT03



Fossil  
TILE TDT04



Granite  
TILE TDT05



Jet  
TILE TDT06



Ocean  
TILE TDT07



Pacific  
TILE TDT08



Pebble  
TILE TDT09



Polar  
TILE TDT10



Shale  
TILE TDT12





### Description

Ideal for the contract design market. Heavy Contract loose lay carpet tiles available in 11 different up to the minute colour ways.

# CLASSMATE

CREATIVE ACOUSTIC SOUND BARRIER



"a minimum of sound to a maximum of sense"

# CLASSMATE...

CREATIVE ACOUSTIC SOUND BARRIER



## Technical Specification

	SHEET	TILE
Fibre Type	100% polyester	
Total Thickness (mm) ( $\pm 10\%$ )	9-10mm	9-10mm
Dimensions	1.00m	50x50cm
Backing Material	100% polyester	
Width Tolerance	( $\pm 1\%$ )	
Bespoke Thicknesses available on request		

BS-EN-ISO354 Sound absorption CLASS. 'E' Noise reduction coefficient of 0.25

## Industry Suitability

This product meets the British Standards specifications for the use described. BS476 Part 7 (CLASS IY).

Classroom Walls, Hallways, Corridors, Lecture Theatres, Libraries, Staff Rooms, Computer Rooms, Music Rooms, Studios, Cinema's, Prisons, Police Interview rooms, School/Nursery, Telephone Call Centres

## Performance / Durability

Light Reflectance Value. (BS8493:2008). Light reflectance values for all products and colours are available from our sales office staff.

## COLOUR RANGE



Azure  
SHEET CZ501  
TILE CZT01



Noir  
SHEET CZ505  
TILE CZT05



Bright Blue  
SHEET CZ504  
TILE CZT04



Butter  
SHEET CZ503  
TILE CZT03



Coral  
SHEET CZ508  
TILE CZT08



Sage  
SHEET CZ509  
TILE CZT09



Silver  
SHEET CZ502  
TILE CZT02



SKY  
SHEET CZ506  
TILE CZT06



Stately  
SHEET CZ510  
TILE CZT10




Theatre  
SHEET CZ507  
TILE CZT07

**Classmate** is a range of effective acoustic wall insulation products designed to improve the quality of concentration levels by reducing negative acoustic noise.

**Reverberated Noise:** This is the amount of general noise produced within the room.


**Transmitted Noise:** This type of noise is that which travels into the room from outside.

Both Transmitted and Reverberated noise are considered negative acoustics and can have a detrimental effect on the concentration levels.



# CLASSMATE...

"a minimum of sound to a maximum of sense"



## THE PRODUCT...

**Classmate** is a new exciting range of decorative wall coverings that offer exceptional noise reducing properties. The product is specifically designed for installation onto walls in busy classrooms and educational facilities. In addition to the acoustic values **Classmate** is designed to improve it is also perfect as a thermal insulator.

Available in a comprehensive range of modern, practical colours **Classmate** also provides a useful display board. Hook and loop fasteners or drawing pins can be used without damaging the surface.

The product was developed as a result of extensive consultation with educators. It is designed for installation into classrooms and general education areas where noise reduction will enhance the learning experience.

**Classmate** will improve general acoustics, enhance space utilization and also thermally insulate walls against temperature extremes.

The excellent noise absorption qualities displayed are as a result of the unique non woven high density polyester construction. This construction meets the British Standards flammability rating for the purpose of its installation. The product is easy to install and the multi colour and functionality makes it the right choice for decorating classroom, corridor, music room, computer room and many other walls in the education sector.

General reverberated noise reduction of up to 40% is achieved using **Classmate**. This reduction in noise in the classroom will improve both the teaching and learning experience and generally enhance the acoustics within the room.

The concept, already internationally proven, is an ideal solution to noise reduction in classrooms.

Rawson Carpets Ltd is proud to introduce this new innovation to the education sector in the UK.

## INSTALLATION...



**Classmate** is easily installed from roll material. The product is installed lengthways down the chosen sector with each panel butt joining closely to its neighbour. The required fittings ie edging strips, joiners, internal and external finishes are easily sourced.

We can recommend a local fully trained contractor to undertake your installation.

Please contact our sales support team at 01924 382860.

## SOME AREAS OF APPLICATION...

- Classroom Walls
- Lecture Theatres
- Computer Rooms
- Cinema's
- School/Nursery
- Hallways
- Libraries
- Music Rooms
- Prison
- Telephone Call Centres
- Corridors
- Staff Rooms
- Studios
- Police Interview rooms

**Classmate** can be applied in any of these applications using a panel effect as described above for effective control of reverberated acoustic pollution. For the prevention of transmitted noise entire walls could be clad. This will also produce a marvellous thermal insulating wall thus saving on gas and electricity.

If it is just a small "pin board" you are after **Classmate** can be installed on selected walls to produce an effective display/notice board and still perform an effective acoustic function.



**RAWSON CARPETS LTD**

Castle Bank Mills  
Portobello Road  
Wakefield  
West Yorkshire  
WF1 5PS

Tel: 01924 382860

Fax: 01924 366204

Email: [rccsales@werawson.co.uk](mailto:rccsales@werawson.co.uk)

Website: [www.rawsoncarpets.co.uk](http://www.rawsoncarpets.co.uk)

**MEMBERS OF...**

We take great pride in our affiliation to many relevant organisations - all of which we believe add a great degree of value to our goals.

