



SCANDFIRE OPUS

THE ONE STOP SOLUTION FOR A REAL FIREPLACE IN YOUR HOME

Adaptable to a wide variety of installations in new builds or existing properties.



Schi

edel Chimney Systems, in collaboration with [Firepower Heating Ltd.](#), have designed a new minimalist inset system featuring the Opus Tempo 70i stove within a highly insulating pumice-based frame and chimney. This one-stop solution for architects and designers allows a real fire to be specified for any new build, with the chimney and installation design work already done.

And it's a Winner already! The ScandFire Opus won the Best Flueing and Ventilation Product at Hearth and Home this year; that's two years running!

Delivered as a complete package, the **ScandFire Opus** is a timeless design which creates an eye-catching focal point for any home interior. By combining integrated air supply in the chimney with a convection insert, heat is perfectly distributed in modern open plan spaces.





The ScandFire Opus can be freestanding or built into walls to save floor space and keep that minimalist Scandinavian look. The chimney and frame are made from pumice, which not only keeps heat in, but prevents high temperatures on the surface, making it suitable for locations where a fireplace wouldn't normally be recommended - perfect for timber-frame homes.

Features

- The complete solution - chimney breast, chimney and insert stove
- Designed with naturally insulating Pumice blocks
- Quick and simple to build
- Zero distance to combustibles
- DEFRA Approved for installation in Smoke Controlled Areas
- EcoDesign Ready
- Convection insert giving excellent natural heat distribution
- Choice of fire height
- Optional integrated log store

The ScandFire Opus is exclusively distributed by Firepower Heating Ltd. Their contact details are as follows:

- sales@firepower.co.uk
- Tel 01803 712735
- www.firepower.co.uk

Categories: [NEW!](#), [Isokern Pumice](#)



GALLERY IMAGES



Isokern Pumice Double Module DM is CE Certified to EN1858 TÜV Cert no. 0036 CPR 90219 001

Isokern Pumice Chimney Liner is CE certified to EN1857 TÜV Cert no. 0036 CPR 90219 002

Isokern Magnum Firechest has been tested at the Fraunhofer Institut, Stuttgart, Cert no. P8-094/2006

CE Designation

- Double Module DM System Chimney* T450 N1 D 3 G(00)
- Pumice Chimney Liner T450 N2 D 3 G



* Zero distance to combustibles on straight chimney systems with ventilated terminal.
38mm distance to combustibles on offset systems. and non-ventilated systems.