

## tile specifications

|              |                          |
|--------------|--------------------------|
| style name   | basic tile               |
| style number | 5T121                    |
| construction | multi-level pattern loop |
| fiber        | eco solution q® nylon    |
| dye method   | solution dyed            |

|                         | english                   | metric                  |
|-------------------------|---------------------------|-------------------------|
| -----                   |                           |                         |
| pattern repeat          | none                      |                         |
| tufted weight           | 13.0                      | 440.77 g/m <sup>2</sup> |
| gauge                   | 1/10                      | 39.37 per 10 cm         |
| stitches per inch       | 9.0                       | 35.43 per 10 cm         |
| finished pile thickness | 0.105                     | 2.67 mm                 |
| total thickness         | 0.228                     | 5.79 mm                 |
| average density         | 4457                      | 8.30 kilotex            |
| product size            | 24" x 24"                 | 60.96 cm x 60.96 cm     |
| primary backing         | synthetic                 |                         |
| secondary backing       | ecoworx® tile             |                         |
| protective treatments   | ssp® shaw soil protection |                         |


## testing

|                          |                  |
|--------------------------|------------------|
| radiant panel            | Class I          |
| nbs smoke                | less than 450    |
| electrostatic propensity | less than 3.5 kv |

## warranties

lifetime commercial limited

## installation method



## coordinating products

primary tile, centric tile, surround tile

## environmental certification

nsf140 platinum  
cradle to cradle silver certified





eco impacts

end of life

|                              |                          |
|------------------------------|--------------------------|
| recyclability                | 100% recyclable          |
| environmental guarantee      | free pick up & recycling |
| To recycle call 800.509.SHAW |                          |

materials

ingredients

|                                               |                               |
|-----------------------------------------------|-------------------------------|
| face fiber                                    | nylon 6                       |
| dye method                                    | 100% solution dyed            |
| backing                                       | polyolefin composite          |
| surface treatments                            | non c8 fluorocarban chemistry |
| does not contain PVC, phthalates, or PBD/PBDE |                               |

recycled content

|                                                 |                 |
|-------------------------------------------------|-----------------|
| total recycled content (by weight)              | 47.6 %          |
| pre-consumer                                    | 38.0 %          |
| post-consumer                                   | 9.6 %           |
| bio-based/rapidly renewable content (by weight) | 0.0 %           |
| packaging                                       | 100% recyclable |
| country of origin (manufacturer)                | USA             |

Meets or exceeds all local and national regulations in country of manufacture.  
Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.  
Recycled content is calculated using system allocation, mass balance, and direct insertion.  
The actual recycled content in this product will likely vary. For more information email [info@shawgreenedge.com](mailto:info@shawgreenedge.com).

third party certifications

|                                     |                    |
|-------------------------------------|--------------------|
| MBDC cradle to cradle               | silver certified   |
| NSF 140                             | platinum certified |
| CRI green label plus                | certified glp9968  |
| USGBC LEED                          | contributes        |
| Building Research Establishment     | certified          |
| Good Environmental Choice Australia | certified          |
| Singapore green label               | certified 039-003  |

Sustainability Through Innovation™ That's the Shaw Green Edge®