shaw contract group®

cloth tile

collection: Design Journey: Novice & Master

tile specifications

style name	cloth tile
style number	5T096
construction	multi-level pattern cut/loop
fiber	eco solution q® nylon
dye method	41% solution dyed / 59% yarn dyed

	english	**metric**
pattern repeat	none	
tufted weight	38.0	1,288.42 g/m²
gauge	1/10	39.37 per 10 cm
stitches per inch	10	39.37 per 10 cm
finished pile thickness	0.111	2.82 mm
total thickness	0.314	7.98 mm
average density	12324	22.95 kilotex
product size	24" x 24"	60.96 cm x 60.96 cm
primary backing	synthetic	
secondary backing	ecoworx® tile	
protective treatments	ssp® shaw soil protection	

testing

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5 kv

warranties

lifetime commercial limited

installation method



coordinating products

artisan loom, chok loom, artisan tile, plain weave tile, kit tile, chok tile, matmee tile

environmental certification

nsf140 platinum

cradle to cradle silver certified

Shaw
Specifications are subject to nominal manufacturing variances.
Material supply and/or manufacturing processes may necessitate changes without notice.

shaw contract group® roll over each term to see a definition

cloth tile

eco impacts

end of life

recyclability	100% recyclable
environmental guarantee	free pick up & recycling

To recycle call 800.509.SHAW

materials

ingredients

face fiber	nylon 6
dye method	41% solution dyed / 59% yarn dyed
backing	polyolefin composite
surface treatments	non c8 fluorocarban chemistry
does not contain PVC, phthalates, or PBD/PBDE	

recycled content

total recycled content (by weight)	47.0 %
pre-consumer	33.9 %
post-consumer	13.1 %
bio-based/rapidly renewable content (by weight)	0.0 %
packaging	100% recyclable
country of origin (manufacturer)	USA

Meets or exceeds all local and national regulations in country of manufacture.
Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.
Recycled content is calculated using system allocation, mass balance, and direct insertion.
The actual recycled content in this product will likely vary. For more information email info@shawgreenedge.com.

third party certifications

MBDC cradle to cradle	silver certified
NSF 140	platinum certified
CRI green label plus	certified glp9968
USGBC LEED	contributes
Good Environmental Choice Australia	certified
Singapore green label	certified 039-003