

tile specifications

style name	color form tile
style number	5T112
construction	multi-level pattern loop
fiber	eco solution q® nylon
dye method	100% solution dyed

	english	metric
pattern repeat	none	
tufted weight	17.0	576.40 g/m ²
gauge	1/12	47.24 per 10 cm
stitches per inch	10	39.37 per 10 cm
finished pile thickness	0.094	2.39 mm
total thickness	0.220	5.59 mm
average density	6511	12.12 kilotex
product size	9" x 36"	22.86 cm x 91.44 cm
primary backing	synthetic	
secondary backing	ecoworx® tile	
protective treatments	ssp® shaw soil protection	


testing

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5kv

warranties

lifetime commercial limited

installation method



coordinating products

color frame tile

environmental certification

nsf140 platinum
cradle to cradle silver certified





Specifications are subject to nominal manufacturing variances.
Material supply and/or manufacturing processes may necessitate changes without notice.

shawcontractgroup.com | 1 800.257.7429

eco impacts

color form tile

end of life

recyclability

100% recyclable

environmental guarantee

free pick up & recycling

To recycle call 800.509.SHAW

materials

ingredients

face fiber

nylon 6

dye method

100% solution dyed

backing

polyolefin composite

surface treatments

non c8 fluorocarbon chemistry

does not contain PVC, phthalates, or PBD/PBDE

recycled content

total recycled content (by weight)

47.5 %

pre-consumer

37.0 %

post-consumer

10.5 %

bio-based/rapidly renewable content (by weight)

0.0 %

packaging

100% recyclable

country of origin (manufacturer)

USA

Meets or exceeds all local and national regulations in country of manufacture.

Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.

Recycled content is calculated using system allocation, mass balance, and direct insertion.

The actual recycled content in this product will likely vary. For more information email

info@shawgreenedge.com.

third party certifications

MBDC cradle to cradle

silver certified

NSF 140

platinum certified

CRI green label plus

certified glp9968

USGBC LEED

contributes

Building Research Establishment

certified

Good Environmental Choice Australia

certified

Singapore green label

certified 039-003

Sustainability Through Innovation™ That's the Shaw Green Edge®