

**tile specifications**

style name	construct tile
style number	5T104
construction	multi-level pattern loop
fiber	solution q extreme® nylon
dye method	solution dyed

english	metric
---------	--------

-----

pattern repeat		
tufted weight	18	610.30 g/m <sup>2</sup>
gauge	1/12	47.24 per 10 cm
stitches per inch	10	39.37 per 10 cm
finished pile thickness	0.091	2.31 mm
total thickness	0.225	5.72 mm
average density	7121	13.26 kilotex
product size	24" x 24"	60.96 cm x 60.96 cm
primary backing	synthetic	
secondary backing	ecoworx® tile	
protective treatments	inherent stain resistance	

**testing**

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5 kv

**warranties**

lifetime commercial limited

**installation method**



**coordinating products**

copy tile, rotate tile, collage, digits

**environmental certification**

nsf140 platinum  
cradle to cradle silver certified



Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate changes without notice.



**eco impacts**

**end of life**

**recyclability**

100% recyclable

**environmental guarantee**

f

To recycle call 800.509.SHAW

**materials**

**ingredients**

face fiber

nylon 6

dye method

100% solution dyed

backing

polyolefin composite

does not contain PVC, phthalates, or PBD/PBDE

**recycled content**

total recycled content (by weight)

38.5 %

pre-consumer

33.0 %

post-consumer

5.5 %

bio-based/rapidly renewable content (by weight)

0.0 %

packaging

100% recyclable

country of origin (manufacturer)

USA

Meets or exceeds all local and national regulations in country of manufacture.

Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.

Recycled content is calculated using system allocation, mass balance, and direct insertion.

The actual recycled content in this product will likely vary. For more information email

info@shawgreenedge.com.

**third party certifications**

MBDC cradle to cradle

silver certified

NSF 140

platinum certified

CRI green label plus

certified glp9968

USGBC LEED

contributes

Building Research Establishment

certified

Good Environmental Choice Australia

certified

**Sustainability Through Innovation™ That's the Shaw Green Edge®**