

## tile specifications

|              |                          |
|--------------|--------------------------|
| style name   | surround tile            |
| style number | 5T125                    |
| construction | multi-level pattern loop |
| fiber        | eco solution q® nylon    |
| dye method   | solution dyed            |

|                         | english                   | metric                  |
|-------------------------|---------------------------|-------------------------|
| pattern repeat          | none                      |                         |
| tufted weight           | 15.0                      | 508.59 g/m <sup>2</sup> |
| gauge                   | 1/12                      | 47.24 per 10 cm         |
| stitches per inch       | 9.0                       | 35.43 per 10 cm         |
| finished pile thickness | 0.084                     | 2.13 mm                 |
| total thickness         | 0.222                     | 5.64 mm                 |
| average density         | 6429                      | 11.97 kilotex           |
| product size            | 24" x 24"                 | 60.96 cm x 60.96 cm     |
| primary backing         | synthetic                 |                         |
| secondary backing       | ecoworx® tile             |                         |
| protective treatments   | ssp® shaw soil protection |                         |


## testing

|                          |                  |
|--------------------------|------------------|
| radiant panel            | Class I          |
| nbs smoke                | less than 450    |
| electrostatic propensity | less than 3.5 kv |

## warranties

lifetime commercial limited

## installation method



## coordinating products

basic tile, primary tile, centric tile

## environmental certification

nsf140 platinum  
cradle to cradle silver certified





## eco impacts

---

### end of life

recyclability

100% recyclable

environmental guarantee

free pick up & recycling

To recycle call 800.509.SHAW

---

### materials

#### ingredients

face fiber

nylon 6

dye method

100% solution dyed

backing

polyolefin composite

surface treatments

non c8 fluorocarbon chemistry

does not contain PVC, phthalates, or PBD/PBDE

#### recycled content

total recycled content (by weight)

47.6 %

pre-consumer

37.6 %

post-consumer

10.0 %

bio-based/rapidly renewable content (by weight)

0.0 %

packaging

100% recyclable

country of origin (manufacturer)

USA

Meets or exceeds all local and national regulations in country of manufacture.

Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.

Recycled content is calculated using system allocation, mass balance, and direct insertion.

The actual recycled content in this product will likely vary. For more information email

info@shawgreenedge.com.

---

### third party certifications

MBDC cradle to cradle

silver certified

NSF 140

platinum certified

CRI green label plus

certified glp9968

USGBC LEED

contributes

Building Research Establishment

certified

Good Environmental Choice Australia

certified

Singapore green label

certified 039-003

**Sustainability Through Innovation™ That's the Shaw Green Edge®**