


**Key**

- ① Sika Liquid Plastics Liquid Applied Membrane using either Decothane, Decaflex or Sikalastic® 618
- ② Typical low parapet detail [<1100mm]
- Ⓐ Sika Liquid Plastics Versirail® freestanding roof edge protection system - Straight Upright
- Ⓑ Sika Liquid Plastics Versirail® freestanding roof edge protection system - Inclined Upright
- Ⓒ Sika Liquid Plastics Versirail® freestanding roof edge protection system - Curved Upright
- ③ Sika Liquid Plastics Versirail® - Counterweight [25kg] - Use two stacked on all open ends of handrail runs

**NOTE:** Please refer to the Product Data Sheets for comprehensive information



Sika Liquid Plastics  
 Sika House  
 Miller Street  
 Preston  
 Lancashire PR1 1EA  
 Telephone: 01772 259781  
 Email: [technical.customer.services@uk.sika.com](mailto:technical.customer.services@uk.sika.com)  
 Web: [www.liquidplastics.co.uk](http://www.liquidplastics.co.uk)

This drawing is solely intended to illustrate the correct application of Sika Liquid Plastics products and systems. It must be read in conjunction with the appropriate specification and current issue of relevant Product Data Sheets. All elements bearing reference to structural and/or thermal design are shown indicatively and should not be used in whole or in part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229:2003 (Code of Practice for Flat Roofs with Continuously Supported Coverings) or improved upon for instances where these standards are not met.

Site-specific details not covered by our standard range can be obtained by providing relevant information to the email address shown.

Project No:	Revision:
DWG No:	

Project:

Drawing Title:  
 Coating Only Application  
 using Versirail® roof edge protection

Scale: NTS @ A3      Drawn:

Date:

