


Key

- ① — Decothane Top Coat as per Sika Liquid Plastics Project Specification
- ② — Decothane Base Coat with embedded Reemat Premium GFM
- ③ Existing substrate prepared and primed in strict accordance with Sika Liquid Plastics Project Specification
- ④ Mechanically fixed exterior grade WBP plywood [layboard] providing continuity of substrate; primed and locally reinforced bond-breaks installed [junction to existing roof **and** butt-joints between boards - **refer to Bond Break Detail**] in accordance with Sika Liquid Plastics Project Specification
- ⑤ Existing sarking dressed over the upper edge of newly introduced layboard arrangement: **note** the uppermost edges of the layboard have also been eased [chamfered] to allow forced entry rainwater to drain naturally
- ⑥ Tanalised timber batten [top-edge eased] fixed tops-flush with layboard; dimensioned so as to kick-up the under-eaves tile/slate and provide a stop-end for the Decothane Waterproofing System and watercheck for wind-driven surface water.
- ⑦ Existing roof tiles/slates removed [and stored] to enable full installation of layboard and stop-end batten arrangement
Note: exercise due caution during exposed periods to prevent water ingress



Sika Liquid Plastics
 Sika House
 Miller Street
 Preston
 Lancashire PR1 1EA
 Telephone: 01772 259781
 Email: technical.customer.services@uk.sika.com
 Web: www.liquidplastics.co.uk

This drawing is solely intended to illustrate the correct application of Sika Liquid Plastics products and systems, it must be read in conjunction with the appropriate specification and current issue of relevant Technical Data Sheets. All elements bearing reference to structural and/or thermal design are shown indicatively and **should not be used** in whole or in part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229:2003 [Code of Practice for Flat Roofs with Continuously Supported Coverings] or improved upon for instances where these standards are not met.

Site-specific details not covered by our range of Standard Details can be obtained by providing relevant information to the email address shown.

Project No:	
DWG No:	Revision:
Project:	
Drawing Title: Waterproofing Termination Detail typical plain tiled/slate roof abutment with layboard arrangement	
Scale: NTS @ A3	Drawn:
Date:	

