






Key

- ① --- Root Resistant Decothane Top Coat applied in strict accordance with Sika Liquid Plastics Project Specification
- ①a --- 2 No. Root Resistant Decothane Detail Coats applied to UV exposed areas in strict accordance with Sika Liquid Plastics Project Specification
- ② --- Root Resistant Decothane Base Coat applied at correct coverage rate for surface conditions, embedded with Sika Reemat Premium GFM
- ③ --- Sika Liquid Plastics Carrier Membrane SA applied in strict accordance with Sika Liquid Plastics Specification
- ④  Decotherm insulation bonded in strict accordance with Sika Liquid Plastics Project Specification
- ⑤ - - - S-Vap 5000E SA self adhesive Vapour Control Layer [as required] applied in strict accordance with Sika Liquid Plastics Project specification
- ⑥ Existing substrate prepared in strict accordance with Sika Liquid Plastics Project Specification
- ⑦  AquaDrain^{PLUS} proprietary drainage system with integral Filtration [top] and Protection [bottom]
- ⑧  SikaGrow^{PLUS} growing medium
- ⑨  Pre-grown vegetation blanket, plug plants or cuttings/seeds
- ⑩ Mechanically fixed Sika Liquid Plastics Decolight [Modular or Bespoke] on 300mm high uPVC kerb on suitably sized precast builders kerb
- ⑪ Gravel borders to all details [20 - 40mm round washed river stones]

Vegetation Options	SikaGrow ^{PLUS} Thickness	Gross Wet Weights
Sika Sedum Prime	50 - 70mm	100kg/m ²
Sika Sedum Plug	70 - 90mm	100 - 125kg/m ²
Sika Sedum Seed	70 - 90mm	100 - 125kg/m ²
Sika Meadow Prime	120mm	170kg/m ²
Sika Meadow Plug	100 - 250mm	125 - 340kg/m ²
Sika Meadow Seed	100 - 250mm	125 - 340kg/m ²



Optional roof access hatch



Sika Liquid Plastics
 Sika House
 Miller Street
 Preston
 Lancashire PR1 1EA
 Telephone: 01772 259781
 Email: technical.customer.services@uk.sika.com
 www.liquidplastics.co.uk

This drawing is solely intended to illustrate the correct application of Sika Liquid Plastics products and systems. It must be read in conjunction with the appropriate specification and current issue of relevant Product Data Sheets. All elements bearing reference to structural and/or thermal design are shown indicatively and should not be used in whole or in part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229:2003 [Code of Practice for Flat Roofs with Continuously Supported Coverings] or improved upon for instances where these standards are not met.

Site-specific details not covered by our standard range can be obtained by providing relevant information to the email address shown.

Project No:	Revision:
DWG No:	

Project:

Drawing Title:
 Green Roof installation over a Built Up Roof System showing termination to a Decolight rooflight

Scale: NTS @ A3	Drawn:
Date:	

