

Coach Screws CS

Coach Screws have a course single thread allowing more bite than a standard screw. Used for connecting steel to timber and timber to timber where access on the reverse side is restricted.

- Hexagonal headed bright zinc plated or hot dipped spun galvanised (galvanised Coach Screws may be supplied imperial square head or metric hex head, please contact us for details).
- Stainless steel available to order.

SPECIFICATION

- Bright zinc plated or hot dipped spun galvanised to EN ISO 1461:2009.

INSTALLATION

- Screw directly into timber using a small pilot hole if required.



Code	Product	Product Dimensions (mm)	
		Dia.	Length
Bright Zinc Plated (BZP)			
CSBZPM8X35	Coach Screw BZP	M8	35
CSBZPM8X50	Coach Screw BZP	M8	50
CSBZPM8X75	Coach Screw BZP	M8	75
CSBZPM8X100	Coach Screw BZP	M8	100
CSBZPM10X50	Coach Screw BZP	M10	50
CSBZPM10X65	Coach Screw BZP	M10	65
CSBZPM10X75	Coach Screw BZP	M10	75
CSBZPM10X100	Coach Screw BZP	M10	100
CSBZPM10X120	Coach Screw BZP	M10	120
CSBZPM10X130	Coach Screw BZP	M10	130
CSBZPM10X150	Coach Screw BZP	M10	150
CSBZPM10X200	Coach Screw BZP	M10	200
CSBZPM12X75	Coach Screw BZP	M12	75
CSBZPM12X100	Coach Screw BZP	M12	100
CSBZPM12X120	Coach Screw BZP	M12	120
CSBZPM12X130	Coach Screw BZP	M12	130
CSBZPM12X150	Coach Screw BZP	M12	150

Our product table continues on the following page.

Code	Product	Product Dimensions (mm)	
		Dia.	Length
Galvanised			
CSG1/4X11/2	Coach Screw	M6	40
CSG1/4X2	Coach Screw	M6	50
CSG1/4X21/4	Coach Screw	M6	55
CSG1/4X21/2	Coach Screw	M6	65
CSG1/4X3	Coach Screw	M6	75
CSG1/4X31/2	Coach Screw	M6	90
CSG1/4X4	Coach Screw	M6	100
CSG1/4X5	Coach Screw	M6	120
CSG5/16X11/2	Coach Screw	M8	40
CSG5/16X13/4	Coach Screw	M8	45
CSG5/16X2	Coach Screw	M8	50
CSG5/16X21/2	Coach Screw	M8	65
CSG5/16X3	Coach Screw	M8	75
CSG5/16X31/2	Coach Screw	M8	90
CSG5/16X4	Coach Screw	M8	100
CSG5/16X41/2	Coach Screw	M8	110
CSG5/16X5	Coach Screw	M8	120
CSG5/16X6	Coach Screw	M8	150
CSG3/8X1	Coach Screw	M10	25
CSG3/8X11/4	Coach Screw	M10	30
CSG3/8X11/2	Coach Screw	M10	40
CSG3/8X2	Coach Screw	M10	50
CSG3/8X21/2	Coach Screw	M10	65
CSG3/8X3	Coach Screw	M10	75
CSG3/8X31/2	Coach Screw	M10	90
CSG3/8X4	Coach Screw	M10	100
CSG3/8X41/2	Coach Screw	M10	110
CSG3/8X5	Coach Screw	M10	120
CSG3/8X6	Coach Screw	M10	150
CSG1/2X11/2	Coach Screw	M12	40
CSG1/2X2	Coach Screw	M12	50
CSG1/2X21/4	Coach Screw	M12	55
CSG1/2X21/2	Coach Screw	M12	65
CSG1/2X3	Coach Screw	M12	75
CSG1/2X31/2	Coach Screw	M12	90
CSG1/2X4	Coach Screw	M12	100
CSG1/2X5	Coach Screw	M12	120
CSG1/2X6	Coach Screw	M12	150
CSG1/2X8	Coach Screw	M12	200
CSG5/8X10	Coach Screw	M16	250
CSG5/8X3	Coach Screw	M16	75
CSG5/8X4	Coach Screw	M16	100
CSG5/8X5	Coach Screw	M16	120
CSG5/8X6	Coach Screw	M16	150
CSG5/8X8	Coach Screw	M16	200
CSG3/4X10	Coach Screw	M20	250
CSG3/4X3	Coach Screw	M20	75
CSG3/4X4	Coach Screw	M20	100
CSG3/4X5	Coach Screw	M20	120
CSG3/4X6	Coach Screw	M20	150
CSG3/4X8	Coach Screw	M20	200

Timber Drive Screws TDS

A heavy duty fixing that requires no pre-drilling. Suitable for many timber to timber applications.

- Heat treated shank for extra strength.
- Green organic coating.
- Each pack comes complete with driver.

SPECIFICATION

- Green organic coating.

INSTALLATION

- Screw directly into timber, no pre drilling required.



Code	Product	Product Dimensions (mm)		Pack Qty.
		Dia.	Length	
Green Organic Coating				
TDS75	Timber Drive Screw	7	75	25
TDS100	Timber Drive Screw	7	100	25
TDS150	Timber Drive Screw	7	150	25
TDS200	Timber Drive Screw	7	200	10
TDS250	Timber Drive Screw	7	250	10
TDS100/100	Timber Drive Screw	7	100	100
TDS150/100	Timber Drive Screw	7	150	100
TDS200/100	Timber Drive Screw	7	200	100

Timber Master TMF

Timber Master is a heavy duty fixing for both timber to timber and component to timber applications. It has been specifically designed for ease of use and speed of application when used with a power tool.

- Torx Drive for ease of use and speed with power drills.
- Under-head ribbing self countersinking.
- Heat treated shank ensures maximum strength.

SPECIFICATION

- Zinc & Yellow Passivated.



Code	Product	Product Dimensions (mm)		Head Type	Pack Qty.
		Dia.	Length		
Zinc Plated and Yellow Passivated					
TMF08140	Timber Master	8	140	Flanged Head	50
TMF08180	Timber Master	8	180	Flanged Head	50
TMF08220	Timber Master	8	220	Flanged Head	50
TMF08300	Timber Master	8	300	Flanged Head	50
TMF10140	Timber Master	10	140	Flanged Head	50
TMF10180	Timber Master	10	180	Flanged Head	50
TMF10220	Timber Master	10	220	Flanged Head	50
TMF10300	Timber Master	10	300	Flanged Head	50

Stainless Steel Wood Screws WSS

Stainless Steel Woodscrews ideal for fixing stainless steel brackets and stainless steel mesh products when used with a stainless steel 18mm diameter washer .

SPECIFICATION

- Grade 1.4301 austenitic stainless steel to EN 10088-2.

INSTALLATION

- Screw directly into timber using a small pilot hole if required.



Code	Product	Product Dimensions (mm)		Pack Qty.
		Dia.	Length	
Stainless Steel				
WOOD SCREW				
WSS4X20	Wood Screw	4	20	200
WSS4X30	Wood Screw	4	30	200
WSS4X40	Wood Screw	4	40	200
WSS4X70	Wood Screw	4	70	100
WSS5X70	Wood Screw	5	70	100
WSS5X100	Wood Screw	5	100	50
WASHER				
WSS3IDM6	Washer	M6	18mm Dia.	

Deck Screws DS

Exterior Wood Screw with a green organic coating for a longer life. Ideal for decking and all outdoor applications.

- Heat treated shank for extra strength.
- Green organic coating.
- Each pack comes complete with driver.

SPECIFICATION

- Green organic coating.

INSTALLATION

- Screw directly into timber using a small pilot hole if required.



DS



Code	Product	Product Dimensions (mm)		Pack Details
		Dia.	Length	
Green Organic Coating				
DS8X2/200	Deck Screws	4	50	Box of 200
DS8X2/500	Deck Screws	4	50	Tub of 500
DS8X2.1/2/150	Deck Screws	4	65	Box of 150
DS8X2.1/2/350	Deck Screws	4	65	Tub of 350
DS10X3/100	Deck Screws	5	75	Box of 100
DS10X3/200	Deck Screws	5	75	Tub of 200

Drywall Screws DWS

High quality screws designed for fixing plasterboard.

- Bugle head.
- Sharp point.

SPECIFICATION

- Black phosphate finish.

INSTALLATION

- Screw directly into timber, no pre drilling required.



www.tecoproducts.co.uk

Code	Product	Product Dimensions (mm)		Pack Qty.
		Dia.	Length	
Black Phosphate Finish				
DWS25	Dry Wall Screws	3.5	25	1000
DWS32	Dry Wall Screws	3.5	32	1000
DWS38	Dry Wall Screws	3.5	38	1000
DWS42	Dry Wall Screws	3.5	42	1000
DWS50	Dry Wall Screws	3.5	50	1000
DWS60	Dry Wall Screws	3.5	60	500
DWS75	Dry Wall Screws	4.2	75	500
DWS100	Dry Wall Screws	4.8	100	100

Self Drilling Screws MFH & WFH

Self drilling screws for fixing to steel available in two types:

Metalfix Self Drilling Screw MFH

- Metalfix for steel to steel applications.
- Hexagon head.

Woodfix Self Drilling Screw WFH

- Woodfix for timber to steel applications.
- Countersunk head, Phillips No.3 Drive.

SPECIFICATION

- Zinc plated.

INSTALLATION

- Screw directly into timber using a small pilot hole if required.



MFH



WFH

Code	Product	Product Dimensions (mm)		Point Type (mm)	Steel Thickness (mm)	Max.Fixture Thickness (mm)	Box Qty.
		Thread Dia.	Length				
Zinc Plated							
METALFIX							
MFH55022	Metalfix Self Drilling Screw	5.5	22	4	3.0-6.0	5	100
MFH55032	Metalfix Self Drilling Screw	5.5	32	5	4.0-12.5	5	100
MFH55040	Metalfix Self Drilling Screw	5.5	40	5	4.0-12.5	13	100
MFH55050	Metalfix Self Drilling Screw	5.5	50	5	4.0-12.5	23	100
MFH55060	Metalfix Self Drilling Screw	5.5	60	5	4.0-12.5	33	100
MFH55070	Metalfix Self Drilling Screw	5.5	70	5	4.0-12.5	43	100
MFH55080	Metalfix Self Drilling Screw	5.5	80	5	4.0-12.5	53	100
MFH550100	Metalfix Self Drilling Screw	5.5	100	5	4.0-12.5	70	100
MFH550120	Metalfix Self Drilling Screw	5.5	120	5	4.0-12.5	90	100
WOODFIX							
WFH55040	Woodfix Self Drilling Screw	5.5	40	3	1.2-3.0	22	100
WFH55050	Woodfix Self Drilling Screw	5.5	50	5	4.0-12.5	23	100
WFH55060	Woodfix Self Drilling Screw	5.5	60	5	4.0-12.5	33	100
WFH55070	Woodfix Self Drilling Screw	5.5	70	5	4.0-12.5	43	100
WFH55085	Woodfix Self Drilling Screw	5.5	85	5	4.0-12.5	58	100
WFH55110	Woodfix Self Drilling Screw	5.5	109	5	4.0-12.5	82	100
WFH55120	Woodfix Self Drilling Screw	5.5	120	5	4.0-12.5	92	100