



## Equaline

### Linear lighting in a simple pure design

- Superior performance demonstrated by LORs up to 83% for Satinbrite versions
- Recessed or surface mounted for direct illumination and suspended for direct/indirect illumination
- Available in single and double length modules with flexibility of optics: opal or microprism diffuser or satinbrite louvre
- System versions offer further design flexibility: double and triple length modules with a wide range of accessories such as connectors, spotlight modules and infill panels



Photographs, line drawings and photometric data are representative only. For specific product detail please select an individual product.



96238133

### Material/Finish

Body: extruded anodised aluminium, recessed version finished in powder coated white (close to RAL 9003)  
 End Caps: die-cast aluminium, powder coated grey (close to RAL 7046)  
 Louvre: aluminium, Satinbrite finish  
 MPT: acrylic refractor and controller, polycarbonate clear cover  
 Diffuser: opal polycarbonate  
 Wiring: Low Smoke Zero Halogen

### Installation/Mounting

For surface version individual luminaires are supplied with dedicated surface mounting brackets, for suspended and direct/indirect versions individual luminaires are supplied with adjustable wire suspension mounting, with quick-locks included. For System versions brackets or suspension kits are to be ordered separately. Maximum spacing recommended is 2.5m. Individual luminaires supplied with a 2.5m halogen free grey cable 3 x 0.75mm<sup>2</sup> and Dimming/Sensa versions 5 x 0.75mm<sup>2</sup>. For system versions mains cable and feed-in blocks are to be ordered separately. Recessed version is suitable for recessed mounting into plasterboard ceiling using dedicated bracket kit 96238914 (to be ordered separately). Versions for recessed mounting into concrete ceilings can also be made to special order, which can be cast into wet concrete during construction.

## Equaline

### Specification

To specify state:

Surface mounted slim aluminium luminaire for use with T16 (T5) 28, 35, 49, 54W lamps, mounted via dedicated surface brackets. With Satinbrite Louvre/ Opal diffuser and MicroPrism Technology optics. Mounted individually or in continuous lines, with dimmable and Sensa versions.

As Thorn Equaline (Surface).

Wire suspended slim aluminium luminaire for use with T16 (T5) 28, 35, 49, 54W lamps, mounted via dedicated wire suspension brackets. With Satinbrite Louvre/Opal diffuser and MicroPrism Technology optics. Mounted individually or in continuous lines, with dimmable and Sensa versions.

As Thorn Equaline (Suspended).

Recessed slim aluminium luminaire with for use with T16 (T5) 28, 35, 49, 54W lamps, mounted via dedicated concrete/plasterboard brackets. With Satinbrite Louvre/Opal diffuser and MicroPrism Technology optics. Mounted individually or in continuous lines, with dimmable and Sensa versions.

As Thorn Equaline (Recessed).

Wire suspended slim aluminium luminaire for use with T16 (T5) 28, 35, 49, 54W lamps, mounted via dedicated wire suspension brackets. With Satinbrite Louvre/Opal diffuser and MicroPrism Technology optics. Mounted individually or in continuous lines, with dimmable and Sensa versions.

As Thorn Equaline (Direct/Indirect).

### Ordering Guide Lamp(s) to be ordered separately

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
<b>Equaline Single length, suspended, louvre</b>				
EQUALINE 1X49W HF DSB MSWT	FDH	G5	3,6	96236848
EQUALINE 1X54W HF DSB MSWT	FDH	G5	2,9	96236881
EQUALINE 1X28W HF DSB MSWT	FDH	G5	2,9	96236846
EQUALINE 1X35W HF DSB MSWT	FDH	G5	3,6	96236847
EQUALINE 1X28W HFSI DSB MSWT	FDH	G5	3	96240570
EQUALINE 1X35W HFI DSB MSWT	FDH	G5	4,1	96240533
EQUALINE 1X49W HFI DSB MSWT	FDH	G5	3,75	96240542
EQUALINE 1X54W HFI DSB MSWT	FDH	G5	4	96240554
EQUALINE 1X49W HFSI DSB MSWT	FDH	G5	3,75	96240732
EQUALINE 1X28W HFI DSB MSWT	FDH	G5	3	96240522
EQUALINE 1X35W HFSI DSB MSWT	FDH	G5	4,3	96240578
EQUALINE 1X54W HFSI DSB MSWT	FDH	G5	3,3	96240584
<b>Equaline Single length, suspended, MicroPrism technology</b>				
EQUALINE 1X49W HF MPT MSWT	FDH	G5	4	96236871
EQUALINE 1X54W HF MPT MSWT	FDH	G5	3,3	96236872
EQUALINE 1X28W HF MPT MSWT	FDH	G5	3,3	96236869
EQUALINE 1X35W HF MPT MSWT	FDH	G5	4	96236870
EQUALINE 1X54W HFI MPT MSWT	FDH	G5	3,3	96240718
EQUALINE 1X35W HFI MPT MSWT	FDH	G5	4	96240535
EQUALINE 1X49W HFI MPT MSWT	FDH	G5	4	96240544
EQUALINE 1X28W HFSI MPT MSWT	FDH	G5	36	96240729
EQUALINE 1X35W HFSI MPT MSWT	FDH	G5	43	96240730
EQUALINE 1X49W HFSI MPT MSWT	FDH	G5	4,3	96240733
EQUALINE 1X54W HFSI MPT MSWT	FDH	G5	3,6	96240734
EQUALINE 1X28W HFI MPT MSWT	FDH	G5	3,3	96240524

## Equaline

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
<b>Equaline Single length, suspended, opal polycarbonate</b>				
EQUALINE 1X28W HF OP PC MSWT	FDH	G5	2,9	96236857
EQUALINE 1X35W HF OP PC MSWT	FDH	G5	3,6	96236858
EQUALINE 1X49W HF OP PC MSWT	FDH	G5	3,6	96236859
EQUALINE 1X54W HF OP PC MSWT	FDH	G5	2,9	96236860
EQUALINE 1X35W HFI OP PC MSWT	FDH	G5	3,6	96240537
EQUALINE 1X49W HFI OP PC MSWT	FDH	G5	3,6	96240547
EQUALINE 1X54W HFI OP PC MSWT	FDH	G5	2,9	96240559
EQUALINE 1X35W HFSI OP PC MSWT	FDH	G5	3,9	96240731
EQUALINE 1X54W HFSI OP PC MSWT	FDH	G5	3,2	96240735
EQUALINE 1X28W HFI OP PC MSWT	FDH	G5	2,9	96240527
EQUALINE 1X28W HFSI OP PC MSWT	FDH	G5	3,2	96240574
EQUALINE 1X49W HFSI OP PC MSWT	FDH	G5	3,9	96240583
<b>Equaline Single length, surface mounted, louvre</b>				
EQUALINE 1X54W HF DSB MCE	FDH	G5	2,8	96238136
EQUALINE 1X35W HF DSB MCE	FDH	G5	3,5	96238134
EQUALINE 1X49W HF DSB MCE	FDH	G5	3,5	96238135
EQUALINE 1X28W HF DSB MCE	FDH	G5	2,8	96238133
EQUALINE 1X35W HFI DSB MCE	FDH	G5	3,5	96240531
EQUALINE 1X49W HFI DSB MCE	FDH	G5	3,5	96240540
EQUALINE 1X54W HFI DSB MCE	FDH	G5	2,8	96240552
EQUALINE 1X35W HFSI DSB MCE	FDH	G5	3,7	96240736
EQUALINE 1X49W HFSI DSB MCE	FDH	G5	3,8	96240738
EQUALINE 1X54W HFSI DSB MCE	FDH	G5	3,1	96240740
EQUALINE 1X28W HFI DSB MCE	FDH	G5	2,8	96240520
EQUALINE 1X28W HFSI DSB MCE	FDH	G5	3,1	96240568
<b>Equaline Single length, surface mounted, MicroPrism technology</b>				
EQUALINE 1X28W HF MPT MCE	FDH	G5	3,2	96237042
EQUALINE 1X49W HF MPT MCE	FDH	G5	3,9	96237044
EQUALINE 1X54W HF MPT MCE	FDH	G5	3,2	96237072
EQUALINE 1X35W HF MPT MCE	FDH	G5	3,9	96237043
EQUALINE 1X28W HFI MPT MCE	FDH	G5	3,3	96240719
EQUALINE 1X49W HFI MPT MCE	FDH	G5	4	96240721
EQUALINE 1X35W HFI MPT MCE	FDH	G5	4	96240534
EQUALINE 1X54W HFI MPT MCE	FDH	G5	3,3	96240555
EQUALINE 1X35W HFSI MPT MCE	FDH	G5	4,3	96240737
EQUALINE 1X49W HFSI MPT MCE	FDH	G5	4,3	96240739
EQUALINE 1X54W HFSI MPT MCE	FDH	G5	3,6	96240741
EQUALINE 1X28W HFSI MPT MCE	FDH	G5	3,6	96240571
<b>Equaline Single length, surface mounted, opal polycarbonate</b>				
EQUALINE 1X35W HF OP PC MCE	FDH	G5	3,5	96238138
EQUALINE 1X49W HF OP PC MCE	FDH	G5	3,5	96238139
EQUALINE 1X54W HF OP PC MCE	FDH	G5	2,8	96238140
EQUALINE 1X28W HF OP PC MCE	FDH	G5	2,8	96238137

## Equaline

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE 1X35W HFI OP PC MCE	FDH	G5	3,6	96240720
EQUALINE 1X35W HFSI OP PC MCE	FDH	G5	3,9	96241336
EQUALINE 1X49W HFI OP PC MCE	FDH	G5	3,6	96240545
EQUALINE 1X54W HFI OP PC MCE	FDH	G5	2,9	96240557
EQUALINE 1X28W HFI OP PC MCE	FDH	G5	2,9	96240525
EQUALINE 1X28W HFSI OP PC MCE	FDH	G5	3,2	96240573
EQUALINE 1X49W HFSI OP PC MCE	FDH	G5	3,9	96240581
EQUALINE 1X54W HFSI OP PC MCE	FDH	G5	3,2	96240585

### Equaline Single length, recessed, louvre

EQUALINE 1X54W HF DSB MRE	FDH	G5	2,8	96238173
EQUALINE 1X28W HF DSB MRE	FDH	G5	2,8	96238170
EQUALINE 1X35W HF DSB MRE	FDH	G5	3,5	96238171
EQUALINE 1X49W HF DSB MRE	FDH	G5	3,5	96238172
EQUALINE 1X35W HFI DSB MRE	FDH	G5	3,6	96240532
EQUALINE 1X49W HFI DSB MRE	FDH	G5	3,6	96240541
EQUALINE 1X54W HFI DSB MRE	FDH	G5	2,9	96240553
EQUALINE 1X35W HFSI DSB MRE	FDH	G5	3,9	96240743
EQUALINE 1X49W HFSI DSB MRE	FDH	G5	3,9	96240745
EQUALINE 1X54W HFSI DSB MRE	FDH	G5	3,2	96240747
EQUALINE 1X28W HFI DSB MRE	FDH	G5	2,9	96240521
EQUALINE 1X28W HFSI DSB MRE	FDH	G5	3,2	96240569

### Equaline Single length, recessed, MicroPrism technology

EQUALINE 1X28W HF MPT MRE	FDH	G5	3,2	96238178
EQUALINE 1X35W HF MPT MRE	FDH	G5	3,9	96238179
EQUALINE 1X49W HF MPT MRE	FDH	G5	3,9	96238180
EQUALINE 1X54W HF MPT MRE	FDH	G5	3,2	96238181
EQUALINE 1X35W HFI MPT MRE	FDH	G5	4	96240722
EQUALINE 1X49W HFI MPT MRE	FDH	G5	4	96240543
EQUALINE 1X54W HFI MPT MRE	FDH	G5	3,3	96240556
EQUALINE 1X35W HFSI MPT MRE	FDH	G5	4,3	96240744
EQUALINE 1X49W HFSI MPT MRE	FDH	G5	4,3	96240746
EQUALINE 1X54W HFSI MPT MRE	FDH	G5	3,6	96240748
EQUALINE 1X28W HFI MPT MRE	FDH	G5	3,3	96240523
EQUALINE 1X28W HFSI MPT MRE	FDH	G5	3,6	96240572

### Equaline Single length, recessed, opal polycarbonate

EQUALINE 1X28W HF OP PC MRE	FDH	G5	2,8	96238174
EQUALINE 1X49W HF OP PC MRE	FDH	G5	3,5	96238176
EQUALINE 1X54W HF OP PC MRE	FDH	G5	2,8	96238177
EQUALINE 1X35W HF OP PC MRE	FDH	G5	3,5	96238175
EQUALINE 1X35W HFI OP PC MRE	FDH	G5	3,6	96240536
EQUALINE 1X49W HFI OP PC MRE	FDH	G5	3,6	96240546
EQUALINE 1X54W HFI OP PC MRE	FDH	G5	2,9	96240558
EQUALINE 1X28W HFSI OP PC MRE	FDH	G5	3,2	96240742
EQUALINE 1X28W HFI OP PC MRE	FDH	G5	2,9	96240526
EQUALINE 1X35W HFSI OP PC MRE	FDH	G5	3,9	96240579

## Equaline

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE 1X49W HFSI OP PC MRE	FDH	G5	3,9	96240582
EQUALINE 1X54W HFSI OP PC MRE	FDH	G5	3,2	96240586

### Equaline Single length, direct/indirect, louvre

EQUALINE DI 2X28W HF DSB	FDH	G5	4,5	96238242
EQUALINE DI 2X35W HF DSB	FDH	G5	4,9	96238243
EQUALINE DI 2X49W HF DSB	FDH	G5	4,9	96238244
EQUALINE DI 2X54W HF DSB	FDH	G5	4,5	96238245
EQUALINE DI 2X28W HFI DSB	FDH	G5	4,6	96240821
EQUALINE DI 2X35W HFI DSB	FDH	G5	5	96240824
EQUALINE DI 2X49W HFI DSB	FDH	G5	5	96240827
EQUALINE DI 2X54W HFI DSB	FDH	G5	4,6	96240830
EQUALINE DI 2X28W HFSI DSB	FDH	G5	4,9	96240833
EQUALINE DI 2X35W HFSI DSB	FDH	G5	5,3	96240836
EQUALINE DI 2X49W HFSI DSB	FDH	G5	5,3	96240839
EQUALINE DI 2X54W HFSI DSB	FDH	G5	4,9	96240842

### Equaline Single length, direct/indirect, MicroPrism technology

EQUALINE DI 2X35W HF MPT	FDH	G5	5,3	96238251
EQUALINE DI 2X49W HF MPT	FDH	G5	5,3	96238252
EQUALINE DI 2X54W HF MPT	FDH	G5	4,9	96238253
EQUALINE DI 2X28W HF MPT	FDH	G5	4,9	96238250
EQUALINE DI 2X28W HFI MPT	FDH	G5	5	96240822
EQUALINE DI 2X35W HFI MPT	FDH	G5	5,4	96240825
EQUALINE DI 2X49W HFI MPT	FDH	G5	5,4	96240828
EQUALINE DI 2X54W HFI MPT	FDH	G5	5	96240831
EQUALINE DI 2X28W HFSI MPT	FDH	G5	5,3	96240834
EQUALINE DI 2X35W HFSI MPT	FDH	G5	5,7	96240837
EQUALINE DI 2X49W HFSI MPT	FDH	G5	5,7	96240840
EQUALINE DI 2X54W HFSI MPT	FDH	G5	5,3	96240843

### Equaline Single length, direct/indirect

EQUALINE DI 2X54W HF OP PC	FDH	G5	4,5	96238249
EQUALINE DI 2X28W HF OP PC	FDH	G5	4,5	96238246
EQUALINE DI 2X35W HF OP PC	FDH	G5	4,9	96238247
EQUALINE DI 2X49W HF OP PC	FDH	G5	4,9	96238248
EQUALINE DI 2X28W HFI OP PC	FDH	G5	4,6	96240823
EQUALINE DI 2X35W HFI OP PC	FDH	G5	5	96240826
EQUALINE DI 2X49W HFI OP PC	FDH	G5	5	96240829
EQUALINE DI 2X54W HFI OP PC	FDH	G5	4,6	96240832
EQUALINE DI 2X28W HFSI OP PC	FDH	G5	4,9	96240835
EQUALINE DI 2X35W HFSI OP PC	FDH	G5	5,3	96240838
EQUALINE DI 2X49W HFSI OP PC	FDH	G5	5,3	96240841
EQUALINE DI 2X54W HFSI OP PC	FDH	G5	4,9	96240844

### Equaline Double length, suspended, louvre

EQUALINE 2/1X35W HF DSB MSWT	FDH	G5	7	96236850
EQUALINE 2/1X28W HF DSB MSWT	FDH	G5	5,6	96236849
EQUALINE 2/1X54W HF DSB MSWT	FDH	G5	5,6	96236852

## Equaline

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE 2/1X49W HF DSB MSWT	FDH	G5	7	96236851
EQUALINE 2/1X28W HFI DSB MSWT	FDH	G5	5,7	96240749
EQUALINE 2/1X35W HFI DSB MSWT	FDH	G5	7,1	96240752
EQUALINE 2/1X49W HFI DSB MSWT	FDH	G5	7,1	96240755
EQUALINE 2/1X54W HFI DSB MSWT	FDH	G5	5,7	96240758
EQUALINE 2/1X28W HFSI DSB MSWT	FDH	G5	6	96240785
EQUALINE 2/1X35W HFSI DSB MSWT	FDH	G5	7,4	96240788
EQUALINE 2/1X49W HFSI DSB MSWT	FDH	G5	7,4	96240791
EQUALINE 2/1X54W HFSI DSB MSWT	FDH	G5	6	96240794

### Equaline Double length, suspended

EQUALINE 2/1X49W HF MPT MSWT	FDH	G5	7,8	96236875
EQUALINE 2/1X54W HF MPT MSWT	FDH	G5	6,4	96236876
EQUALINE 2/1X35W HF MPT MSWT	FDH	G5	7,8	96236874
EQUALINE 2/1X28W HF MPT MSWT	FDH	G5	6,4	96236873
EQUALINE 2/1X28W HFI MPT MSWT	FDH	G5	6,5	96240750
EQUALINE 2/1X35W HFI MPT MSWT	FDH	G5	7,9	96240753
EQUALINE 2/1X49W HFI MPT MSWT	FDH	G5	7,9	96240756
EQUALINE 2/1X54W HFI MPT MSWT	FDH	G5	6,5	96240759
EQUALINE 2/1X28W HFSI MPT MSWT	FDH	G5	6,8	96240786
EQUALINE 2/1X35W HFSI MPT MSWT	FDH	G5	8,2	96240789
EQUALINE 2/1X49W HFSI MPT MSWT	FDH	G5	8,2	96240792
EQUALINE 2/1X54W HFSI MPT MSWT	FDH	G5	6,8	96240795

### Equaline Double length, suspended, opal polycarbonate

EQUALINE 2/1X49W HF OP PC MSWT	FDH	G5	7	96236863
EQUALINE 2/1X28W HF OP PC MSWT	FDH	G5	5,6	96236861
EQUALINE 2/1X35W HF OP PC MSWT	FDH	G5	7	96236862
EQUALINE 2/1X54W HF OP PC MSWT	FDH	G5	5,6	96236864
EQUALINE 2/1X28W HFI OP PC MSWT	FDH	G5	5,7	96240751
EQUALINE 2/1X35W HFI OP PC MSWT	FDH	G5	7,1	96240754
EQUALINE 2/1X49W HFI OP PC MSWT	FDH	G5	7,1	96240757
EQUALINE 2/1X54W HFI OP PC MSWT	FDH	G5	5,7	96240760
EQUALINE 2/1X28W HFSI OP PC MSWT	FDH	G5	6	96240787
EQUALINE 2/1X35W HFSI OP PC MSWT	FDH	G5	7,4	96240790
EQUALINE 2/1X49W HFSI OP PC MSWT	FDH	G5	7,4	96240793
EQUALINE 2/1X54W HFSI OP PC MSWT	FDH	G5	6	96240796

### Equaline Double length, surface mounted, louvre

EQUALINE 2/1X35W HF DSB MCE	FDH	G5	6,8	96237058
EQUALINE 2/1X49W HF DSB MCE	FDH	G5	6,8	96237059
EQUALINE 2/1X54W HF DSB MCE	FDH	G5	5,4	96237060
EQUALINE 2/1X28W HF DSB MCE	FDH	G5	5,4	96237057
EQUALINE 2/1X28W HFI DSB MCE	FDH	G5	5,5	96240761
EQUALINE 2/1X35W HFI DSB MCE	FDH	G5	6,9	96240764
EQUALINE 2/1X49W HFI DSB MCE	FDH	G5	6,9	96240767
EQUALINE 2/1X54W HFI DSB MCE	FDH	G5	5,5	96240770
EQUALINE 2/1X28W HFSI DSB MCE	FDH	G5	5,8	96240797

## Equaline

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE 2/1X35W HFSI DSB MCE	FDH	G5	7,2	96240800
EQUALINE 2/1X49W HFSI DSB MCE	FDH	G5	7,2	96240803
EQUALINE 2/1X54W HFSI DSB MCE	FDH	G5	5,8	96240806

### Equaline Double length, surface mounted

EQUALINE 2/1X49W HF MPT MCE	FDH	G5	7,6	96237047
EQUALINE 2/1X54W HF MPT MCE	FDH	G5	6,2	96237048
EQUALINE 2/1X35W HF MPT MCE	FDH	G5	7,6	96237046
EQUALINE 2/1X28W HF MPT MCE	FDH	G5	6,2	96237045
EQUALINE 2/1X28W HFI MPT MCE	FD	G13	6,3	96240762
EQUALINE 2/1X35W HFI MPT MCE	FDH	G5	7,7	96240765
EQUALINE 2/1X49W HFI MPT MCE	FDH	G5	7,7	96240768
EQUALINE 2/1X54W HFI MPT MCE	FDH	G5	6,3	96240771
EQUALINE 2/1X28W HFSI MPT MCE	FD	G13	6,6	96240798
EQUALINE 2/1X35W HFSI MPT MCE	FDH	G5	8	96240801
EQUALINE 2/1X49W HFSI MPT MCE	FDH	G5	8	96240804
EQUALINE 2/1X54W HFSI MPT MCE	FDH	G5	6,6	96240807

### Equaline Double length, surface mounted

EQUALINE 2/1X49W HF OP PC MCE	FDH	G5	6,8	96237066
EQUALINE 2/1X28W HF OP PC MCE	FDH	G5	5,4	96237064
EQUALINE 2/1X35W HF OP PC MCE	FDH	G5	6,8	96237065
EQUALINE 2/1X54W HF OP PC MCE	FDH	G5	5,4	96237067
EQUALINE 2/1X28W HFI OP PC MCE	FDH	G5	5,5	96240763
EQUALINE 2/1X35W HFI OP PC MCE	FDH	G5	6,9	96240766
EQUALINE 2/1X49W HFI OP PC MCE	FDH	G5	6,9	96240769
EQUALINE 2/1X54W HFI OP PC MCE	FDH	G5	5,5	96240772
EQUALINE 2/1X28W HFSI OP PC MCE	FDH	G5	5,8	96240799
EQUALINE 2/1X35W HFSI OP PC MCE	FDH	G5	7,2	96240802
EQUALINE 2/1X49W HFSI OP PC MCE	FDH	G5	7,2	96240805
EQUALINE 2/1X54W HFSI OP PC MCE	FDH	G5	5,8	96240808

### Equaline Double length, recessed, louvre

EQUALINE 2/1X28W HF DSB MRE	FDH	G5	5,4	96238206
EQUALINE 2/1X35W HF DSB MRE	FDH	G5	6,8	96238207
EQUALINE 2/1X49W HF DSB MRE	FDH	G5	6,8	96238208
EQUALINE 2/1X54W HF DSB MRE	FDH	G5	5,4	96238209
EQUALINE 2/1X28W HFI DSB MRE	FDH	G5	5,5	96240773
EQUALINE 2/1X35W HFI DSB MRE	FDH	G5	6,9	96240776
EQUALINE 2/1X49W HFI DSB MRE	FDH	G5	6,9	96240779
EQUALINE 2/1X54W HFI DSB MRE	FDH	G5	5,5	96240782
EQUALINE 2/1X28W HFSI DSB MRE	FDH	G5	5,8	96240809
EQUALINE 2/1X35W HFSI DSB MRE	FDH	G5	7,2	96240812
EQUALINE 2/1X49W HFSI DSB MRE	FDH	G5	7,2	96240815
EQUALINE 2/1X54W HFSI DSB MRE	FDH	G5	5,8	96240818

### Equaline Double length, recessed

EQUALINE 2/1X28W HF MPT MRE	FDH	G5	6,2	96238214
EQUALINE 2/1X49W HF MPT MRE	FDH	G5	7,6	96238216

## Equaline

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE 2/1X35W HF MPT MRE	FDH	G5	7,6	96238215
EQUALINE 2/1X54W HF MPT MRE	FDH	G5	6,2	96238217
EQUALINE 2/1X28W HFI MPT MRE	FDH	G5	6,3	96240774
EQUALINE 2/1X35W HFI MPT MRE	FDH	G5	7,7	96240777
EQUALINE 2/1X49W HFI MPT MRE	FDH	G5	7,7	96240780
EQUALINE 2/1X54W HFI MPT MRE	FDH	G5	6,3	96240783
EQUALINE 2/1X28W HFSI MPT MRE	FDH	G5	6,6	96240810
EQUALINE 2/1X35W HFSI MPT MRE	FDH	G5	8	96240813
EQUALINE 2/1X49W HFSI MPT MRE	FDH	G5	8	96240816
EQUALINE 2/1X54W HFSI MPT MRE	FDH	G5	6,6	96240819

### Equaline Double length, recessed

EQUALINE 2/1X49W HF OP PC MRE	FDH	G5	6,8	96238212
EQUALINE 2/1X54W HF OP PC MRE	FDH	G5	5,4	96238213
EQUALINE 2/1X28W HF OP PC MRE	FDH	G5	5,4	96238210
EQUALINE 2/1X35W HF OP PC MRE	FDH	G5	6,8	96238211
EQUALINE 2/1X28W HFI OP PC MRE	FDH	G5	5,5	96240775
EQUALINE 2/1X35W HFI OP PC MRE	FDH	G5	6,9	96240778
EQUALINE 2/1X49W HFI OP PC MRE	FDH	G5	6,9	96240781
EQUALINE 2/1X54W HFI OP PC MRE	FDH	G5	5,5	96240784
EQUALINE 2/1X28W HFSI OP PC MRE	FDH	G5	5,8	96240811
EQUALINE 2/1X35W HFSI OP PC MRE	FDH	G5	7,2	96240814
EQUALINE 2/1X49W HFSI OP PC MRE	FDH	G5	7,2	96240817
EQUALINE 2/1X54W HFSI OP PC MRE	FDH	G5	5,8	96240820

### Equaline Double length, direct/indirect, louvre

EQUALINE DI 2/2X54W HF DSB	FDH	G5	9	96238281
EQUALINE DI 2/2X28W HF DSB	FDH	G5	9	96238278
EQUALINE DI 2/2X35W HF DSB	FDH	G5	9,8	96238279
EQUALINE DI 2/2X49W HF DSB	FDH	G5	9,8	96238280
EQUALINE DI 2/2X28W HFI DSB	FDH	G5	9,1	96240845
EQUALINE DI 2/2X35W HFI DSB	FDH	G5	9,9	96240848
EQUALINE DI 2/2X49W HFI DSB	FDH	G5	9,9	96240851
EQUALINE DI 2/2X54W HFI DSB	FDH	G5	9,1	96240854
EQUALINE DI 2/2X28W HFSI DSB	FDH	G5	9,4	96240857
EQUALINE DI 2/2X35W HFSI DSB	FDH	G5	10,2	96240860
EQUALINE DI 2/2X49W HFSI DSB	FDH	G5	10,2	96240863
EQUALINE DI 2/2X54W HFSI DSB	FDH	G5	9,4	96240866

### Equaline Double length, direct/indirect

EQUALINE DI 2/2X35W HF MPT	FDH	G5	10,6	96238287
EQUALINE DI 2/2X49W HF MPT	FDH	G5	10,6	96238288
EQUALINE DI 2/2X54W HF MPT	FDH	G5	9,8	96238289
EQUALINE DI 2/2X28W HF MPT	FDH	G5	9,8	96238286
EQUALINE DI 2/2X28W HFI MPT	FDH	G5	9,9	96240846
EQUALINE DI 2/2X35W HFI MPT	FDH	G5	10,7	96240849
EQUALINE DI 2/2X49W HFI MPT	FDH	G5	10,7	96240852
EQUALINE DI 2/2X54W HFI MPT	FDH	G5	9,9	96240855
EQUALINE DI 2/2X28W HFSI MPT	FDH	G5	10,2	96240858

## EquaLine

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE DI 2/2X35W HFSI MPT	FDH	G5	11	96240861
EQUALINE DI 2/2X49W HFSI MPT	FDH	G5	11	96240864
EQUALINE DI 2/2X54W HFSI MPT	FDH	G5	10,2	96240867

### EquaLine Double length, direct/indirect

EQUALINE DI 2/2X28W HF OP PC	FDH	G5	9	96238282
EQUALINE DI 2/2X35W HF OP PC	FDH	G5	9,8	96238283
EQUALINE DI 2/2X49W HF OP PC	FDH	G5	9,8	96238284
EQUALINE DI 2/2X54W HF OP PC	FDH	G5	9	96238285
EQUALINE DI 2/2X28W HFI OP PC	FDH	G5	9,1	96240847
EQUALINE DI 2/2X35W HFI OP PC	FDH	G5	9,9	96240850
EQUALINE DI 2/2X49W HFI OP PC	FDH	G5	9,9	96240853
EQUALINE DI 2/2X54W HFI OP PC	FDH	G5	9,1	96240856
EQUALINE DI 2/2X28W HFSI OP PC	FDH	G5	9,4	96240859
EQUALINE DI 2/2X35W HFSI OP PC	FDH	G5	10,2	96240862
EQUALINE DI 2/2X49W HFSI OP PC	FDH	G5	10,2	96240865
EQUALINE DI 2/2X54W HFSI OP PC	FDH	G5	9,4	96240868

### EquaLine System, double length, suspended

EQUALINE S 2/1X28W HF DSB MSWT	FDH	G5	5,6	96238314
EQUALINE S 2/1X54W HF DSB MSWT	FDH	G5	5,6	96238317
EQUALINE S 2/1X35W HF DSB MSWT	FDH	G5	7	96238315
EQUALINE S 2/1X49W HF DSB MSWT	FDH	G5	7	96238316
EQUALINE S 2/1X28W HFI DSB MSWT	FDH	G5	5,7	96240869
EQUALINE S 2/1X35W HFI DSB MSWT	FDH	G5	7,1	96240872
EQUALINE S 2/1X49W HFI DSB MSWT	FDH	G5	7,1	96240875
EQUALINE S 2/1X54W HFI DSB MSWT	FDH	G5	5,7	96240878
EQUALINE S 2/1X28W HFSI DSB MSWT	FDH	G5	6	96240906
EQUALINE S 2/1X35W HFSI DSB MSWT	FDH	G5	7,4	96240909
EQUALINE S 2/1X49W HFSI DSB MSWT	FDH	G5	7,4	96240912
EQUALINE S 2/1X54W HFSI DSB MSWT	FDH	G5	6	96240915

### EquaLine System, double length, suspended, MicroPrism technology

EQUALINE S 2/1X28W HF MPT MSWT	FDH	G5	6,4	96238322
EQUALINE S 2/1X35W HF MPT MSWT	FDH	G5	7,8	96238323
EQUALINE S 2/1X49W HF MPT MSWT	FDH	G5	7,8	96238324
EQUALINE S 2/1X54W HF MPT MSWT	FDH	G5	6,4	96238325
EQUALINE S 2/1X28W HFI MPT MSWT	FDH	G5	6,5	96240870
EQUALINE S 2/1X35W HFI MPT MSWT	FDH	G5	7,9	96240873
EQUALINE S 2/1X49W HFI MPT MSWT	FDH	G5	7,9	96240876
EQUALINE S 2/1X54W HFI MPT MSWT	FDH	G5	6,5	96240879
EQUALINE S 2/1X28W HFSI MPT MSWT	FDH	G5	6,8	96240907
EQUALINE S 2/1X35W HFSI MPT MSWT	FDH	G5	8,2	96240910
EQUALINE S 2/1X49W HFSI MPT MSWT	FDH	G5	8,2	96240913
EQUALINE S 2/1X54W HFSI MPT MSWT	FDH	G5	6,8	96240916

### EquaLine System, double length, suspended, opal polycarbonate

EQUALINE S 2/1X28W HF OP PC MSWT	FDH	G5	5,6	96238318
----------------------------------	-----	----	-----	----------

## Equaline

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE S 2/1X35W HF OP PC MSWT	FDH	G5	7	96238319
EQUALINE S 2/1X49W HF OP PC MSWT	FDH	G5	7	96238320
EQUALINE S 2/1X54W HF OP PC MSWT	FDH	G5	5,6	96238321
EQUALINE S 2/1X28W HFI OP PC MSWT	FDH	G5	5,7	96240871
EQUALINE S 2/1X35W HFI OP PC MSWT	FDH	G5	7,1	96240874
EQUALINE S 2/1X49W HFI OP PC MSWT	FDH	G5	7,1	96240877
EQUALINE S 2/1X54W HFI OP PC MSWT	FDH	G5	5,7	96240880
EQUALINE S 2/1X28W HFSI OP PC MSWT	FDH	G5	6	96240908
EQUALINE S 2/1X35W HFSI OP PC MSWT	FDH	G5	7,4	96240911
EQUALINE S 2/1X49W HFSI OP PC MSWT	FDH	G5	7,4	96240914
EQUALINE S 2/1X54W HFSI OP PC MSWT	FDH	G5	6	96240917

### Equaline System, double length, surface mounted, louvre

EQUALINE S 2/1X28W HF DSB MCE	FDH	G5	5,4	96238386
EQUALINE S 2/1X35W HF DSB MCE	FDH	G5	6,8	96238387
EQUALINE S 2/1X49W HF DSB MCE	FDH	G5	6,8	96238388
EQUALINE S 2/1X54W HF DSB MCE	FDH	G5	5,4	96238389
EQUALINE S 2/1X28W HFI DSB MCE	FDH	G5	5,5	96240881
EQUALINE S 2/1X35W HFI DSB MCE	FDH	G5	6,9	96240884
EQUALINE S 2/1X49W HFI DSB MCE	FDH	G5	6,9	96240887
EQUALINE S 2/1X54W HFI DSB MCE	FDH	G5	5,5	96240890
EQUALINE S 2/1X28W HFSI DSB MCE	FDH	G5	5,8	96240918
EQUALINE S 2/1X35W HFSI DSB MCE	FDH	G5	7,2	96240921
EQUALINE S 2/1X49W HFSI DSB MCE	FDH	G5	7,2	96240924
EQUALINE S 2/1X54W HFSI DSB MCE	FDH	G5	5,8	96240927

### Equaline System, double length, surface mounted, MicroPrism technology

EQUALINE S 2/1X28W HF MPT MCE	FDH	G5	6,2	96238394
EQUALINE S 2/1X35W HF MPT MCE	FDH	G5	7,6	96238395
EQUALINE S 2/1X49W HF MPT MCE	FDH	G5	7,6	96238396
EQUALINE S 2/1X54W HF MPT MCE	FDH	G5	6,2	96238397
EQUALINE S 2/1X28W HFI MPT MCE	FDH	G5	6,3	96240882
EQUALINE S 2/1X35W HFI MPT MCE	FDH	G5	7,7	96240885
EQUALINE S 2/1X49W HFI MPT MCE	FDH	G5	7,7	96240888
EQUALINE S 2/1X54W HFI MPT MCE	FDH	G5	6,3	96240892
EQUALINE S 2/1X28W HFSI MPT MCE	FDH	G5	6,6	96240919
EQUALINE S 2/1X35W HFSI MPT MCE	FDH	G5	8	96240922
EQUALINE S 2/1X49W HFSI MPT MCE	FDH	G5	8	96240925
EQUALINE S 2/1X54W HFSI MPT MCE	FDH	G5	6,6	96240928

### Equaline System, double length, surface mounted, opal polycarbonate

EQUALINE S 2/1X28W HF OP PC MCE	FDH	G5	5,4	96238390
EQUALINE S 2/1X35W HF OP PC MCE	FDH	G5	6,8	96238391
EQUALINE S 2/1X49W HF OP PC MCE	FDH	G5	6,8	96238392
EQUALINE S 2/1X54W HF OP PC MCE	FDH	G5	5,4	96238393
EQUALINE S 2/1X28W HFI OP PC MCE	FDH	G5	5,5	96240883
EQUALINE S 2/1X35W HFI OP PC MCE	FDH	G5	6,9	96240886

## Equaline

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE S 2/1X49W HFI OP PC MCE	FDH	G5	6,9	96240889
EQUALINE S 2/1X54W HFI OP PC MCE	FDH	G5	5,5	96240893
EQUALINE S 2/1X28W HFSI OP PC MCE	FDH	G5	5,8	96240920
EQUALINE S 2/1X35W HFSI OP PC MCE	FDH	G5	7,2	96240923
EQUALINE S 2/1X49W HFSI OP PC MCE	FDH	G5	7,2	96240926
EQUALINE S 2/1X54W HFSI OP PC MCE	FDH	G5	5,8	96240929

### Equaline System, double length, recessed, louvre

EQUALINE S 2/1X49W HF DSB MRE	FDH	G5	6,8	96238673
EQUALINE S 2/1X35W HF DSB MRE	FDH	G5	6,8	96238672
EQUALINE S 2/1X54W HF DSB MRE	FDH	G5	5,4	96238674
EQUALINE S 2/1X28W HF DSB MRE	FDH	G5	5,4	96238671
EQUALINE S 2/1X28W HFI DSB MRE	FDH	G5	5,5	96240894
EQUALINE S 2/1X35W HFI DSB MRE	FDH	G5	6,9	96240897
EQUALINE S 2/1X49W HFI DSB MRE	FDH	G5	6,9	96240900
EQUALINE S 2/1X54W HFI DSB MRE	FDH	G5	5,5	96240903
EQUALINE S 2/1X28W HFSI DSB MRE	FDH	G5	5,8	96240930
EQUALINE S 2/1X35W HFSI DSB MRE	FDH	G5	7,2	96240933
EQUALINE S 2/1X49W HFSI DSB MRE	FDH	G5	7,2	96240936
EQUALINE S 2/1X54W HFSI DSB MRE	FDH	G5	5,8	96240939

### Equaline System, double length, recessed, MicroPrism technology

EQUALINE S 2/1X49W HF MPT MRE	FDH	G5	7,6	96238681
EQUALINE S 2/1X54W HF MPT MRE	FDH	G5	6,2	96238682
EQUALINE S 2/1X28W HF MPT MRE	FDH	G5	6,2	96238679
EQUALINE S 2/1X35W HF MPT MRE	FDH	G5	7,6	96238680
EQUALINE S 2/1X28W HFI MPT MRE	FDH	G5	6,3	96240895
EQUALINE S 2/1X35W HFI MPT MRE	FDH	G5	7,7	96240898
EQUALINE S 2/1X49W HFI MPT MRE	FDH	G5	7,7	96240901
EQUALINE S 2/1X54W HFI MPT MRE	FDH	G5	6,3	96240904
EQUALINE S 2/1X28W HFSI MPT MRE	FDH	G5	6,6	96240931
EQUALINE S 2/1X35W HFSI MPT MRE	FDH	G5	8	96240934
EQUALINE S 2/1X49W HFSI MPT MRE	FDH	G5	8	96240937
EQUALINE S 2/1X54W HFSI MPT MRE	FDH	G5	6,6	96240940

### Equaline System, double length, recessed, opal polycarbonate

EQUALINE S 2/1X49W HF OP PC MRE	FDH	G5	6,8	96238677
EQUALINE S 2/1X54W HF OP PC MRE	FDH	G5	5,4	96238678
EQUALINE S 2/1X28W HF OP PC MRE	FDH	G5	5,4	96238675
EQUALINE S 2/1X35W HF OP PC MRE	FDH	G5	6,8	96238676
EQUALINE S 2/1X28W HFI OP PC MRE	FDH	G5	5,5	96240896
EQUALINE S 2/1X35W HFI OP PC MRE	FDH	G5	6,9	96240899
EQUALINE S 2/1X49W HFI OP PC MRE	FDH	G5	6,9	96240902
EQUALINE S 2/1X54W HFI OP PC MRE	FDH	G5	5,5	96240905
EQUALINE S 2/1X28W HFSI OP PC MRE	FDH	G5	5,8	96240932
EQUALINE S 2/1X35W HFSI OP PC MRE	FDH	G5	7,2	96240935
EQUALINE S 2/1X49W HFSI OP PC MRE	FDH	G5	7,2	96240938
EQUALINE S 2/1X54W HFSI OP PC MRE	FDH	G5	5,8	96240941

## Equaline

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
<b>Equaline System, double length, direct/indirect, louvre</b>				
EQUALINE S DI 2/2X54W HF DSB	FDH	G5	9	96238787
EQUALINE S DI 2/2X28W HF DSB	FDH	G5	9	96238784
EQUALINE S DI 2/2X35W HF DSB	FDH	G5	9,8	96238785
EQUALINE S DI 2/2X49W HF DSB	FDH	G5	9,8	96238786
EQUALINE S DI 2/2X28W HFI DSB	FDH	G5	9,1	96240997
EQUALINE S DI 2/2X49W HFI DSB	FDH	G5	9,9	96241000
EQUALINE S DI 2/2X54W HFI DSB	FDH	G5	9,1	96241003
EQUALINE S DI 2/2X28W HFSI DSB	FDH	G5	9,4	96241006
EQUALINE S DI 2/2X35W HFSI DSB	FDH	G5	10,2	96241009
EQUALINE S DI 2/2X49W HFSI DSB	FDH	G5	10,2	96241012
EQUALINE S DI 2/2X54W HFSI DSB	FDH	G5	9,4	96241015
EQUALINE S DI 2/2X35W HFI DSB	FDH	G5	10,2	96241246
<b>Equaline System, double length, direct/indirect, MicroPrism technology</b>				
EQUALINE S DI 2/2X28W HF MPT	FDH	G5	9,8	96238792
EQUALINE S DI 2/2X49W HF MPT	FDH	G5	10,6	96238794
EQUALINE S DI 2/2X35W HF MPT	FDH	G5	10,6	96238793
EQUALINE S DI 2/2X54W HF MPT	FDH	G5	9,8	96238795
EQUALINE S DI 2/2X28W HFI MPT	FDH	G5	9,9	96240998
EQUALINE S DI 2/2X49W HFI MPT	FDH	G5	10,7	96241001
EQUALINE S DI 2/2X54W HFI MPT	FDH	G5	9,9	96241004
EQUALINE S DI 2/2X28W HFSI MPT	FDH	G5	10,2	96241007
EQUALINE S DI 2/2X35W HFSI MPT	FDH	G5	11	96241010
EQUALINE S DI 2/2X49W HFSI MPT	FDH	G5	11	96241013
EQUALINE S DI 2/2X54W HFSI MPT	FDH	G5	10,2	96241016
EQUALINE S DI 2/2X35W HFI MPT	FDH	G5	10,2	96241248
<b>Equaline System, double length, direct/indirect, opal polycarbonate</b>				
EQUALINE S DI 2/2X49W HF OP PC	FDH	G5	9,8	96238790
EQUALINE S DI 2/2X54W HF OP PC	FDH	G5	9	96238791
EQUALINE S DI 2/2X28W HF OP PC	FDH	G5	9	96238788
EQUALINE S DI 2/2X35W HF OP PC	FDH	G5	9,8	96238789
EQUALINE S DI 2/2X28W HFI OP PC	FDH	G5	9,1	96240999
EQUALINE S DI 2/2X49W HFI OP PC	FDH	G5	9,9	96241002
EQUALINE S DI 2/2X54W HFI OP PC	FDH	G5	9,1	96241005
EQUALINE S DI 2/2X28W HFSI OP PC	FDH	G5	9,4	96241008
EQUALINE S DI 2/2X35W HFSI OP PC	FDH	G5	10,2	96241011
EQUALINE S DI 2/2X49W HFSI OP PC	FDH	G5	10,2	96241014
EQUALINE S DI 2/2X54W HFSI OP PC	FDH	G5	9,4	96241017
EQUALINE S DI 2/2X35W HFI OP PC	FDH	G5	10,2	96241247
<b>Equaline System, triple length, suspended, louvre</b>				
EQUALINE S 3/1X35W HF DSB MSWT	FDH	G5	10,6	96238351
EQUALINE S 3/1X49W HF DSB MSWT	FDH	G5	10,6	96238352
EQUALINE S 3/1X28W HF DSB MSWT	FDH	G5	8,5	96238350
EQUALINE S 3/1X54W HF DSB MSWT	FDH	G5	8,5	96238353

## Equaline

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE S 3/1X28W HFI DSB MSWT	FDH	G5	8,6	96240528
EQUALINE S 3/1X35W HFI DSB MSWT	FDH	G5	10,7	96240943
EQUALINE S 3/1X49W HFI DSB MSWT	FDH	G5	10,7	96240945
EQUALINE S 3/1X54W HFI DSB MSWT	FDH	G5	8,6	96240946
EQUALINE S 3/1X49W HFSI DSB MSWT	FDH	G5	11	96240971
EQUALINE S 3/1X28W HFSI DSB MSWT	FDH	G5	8,9	96240576
EQUALINE S 3/1X35W HFSI DSB MSWT	FDH	G5	11	96240580
EQUALINE S 3/1X54W HFSI DSB MSWT	FDH	G5	8,9	96240588

### Equaline System, triple length, suspended, MicroPrism technology

EQUALINE S 3/1X35W HF MPT MSWT	FDH	G5	11,8	96238359
EQUALINE S 3/1X54W HF MPT MSWT	FDH	G5	9,7	96238361
EQUALINE S 3/1X49W HF MPT MSWT	FDH	G5	11,8	96238360
EQUALINE S 3/1X28W HF MPT MSWT	FDH	G5	9,7	96238358
EQUALINE S 3/1X49W HFI MPT MSWT	FDH	G5	11,9	96240550
EQUALINE S 3/1X54W HFI MPT MSWT	FDH	G5	9,8	96240560
EQUALINE S 3/1X28W HFI MPT MSWT	FDH	G5	9,8	96240942
EQUALINE S 3/1X35W HFI MPT MSWT	FDH	G5	11,9	96240944
EQUALINE S 3/1X28W HFSI MPT MSWT	FDH	G5	10,1	96240967
EQUALINE S 3/1X35W HFSI MPT MSWT	FDH	G5	12,2	96240969
EQUALINE S 3/1X49W HFSI MPT MSWT	FDH	G5	12,2	96240972
EQUALINE S 3/1X54W HFSI MPT MSWT	FDH	G5	10,1	96240974

### Equaline System, triple length, suspended, opal polycarbonate

EQUALINE S 3/1X49W HF OP PC MSWT	FDH	G5	10,6	96238356
EQUALINE S 3/1X54W HF OP PC MSWT	FDH	G5	8,5	96238357
EQUALINE S 3/1X28W HF OP PC MSWT	FDH	G5	8,5	96238354
EQUALINE S 3/1X35W HF OP PC MSWT	FDH	G5	10,6	96238355
EQUALINE S 3/1X28W HFI OP PC MSWT	FDH	G5	8,6	96240530
EQUALINE S 3/1X35W HFI OP PC MSWT	FDH	G5	10,7	96240539
EQUALINE S 3/1X49W HFI OP PC MSWT	FDH	G5	10,7	96240551
EQUALINE S 3/1X54W HFI OP PC MSWT	FDH	G5	8,6	96240947
EQUALINE S 3/1X28W HFSI OP PC MSWT	FDH	G5	8,9	96240968
EQUALINE S 3/1X35W HFSI OP PC MSWT	FDH	G5	11	96240970
EQUALINE S 3/1X49W HFSI OP PC MSWT	FDH	G5	11	96240973
EQUALINE S 3/1X54W HFSI OP PC MSWT	FDH	G5	8,9	96240975

### Equaline System, triple length, surface mounted, louvre

EQUALINE S 3/1X28W HF DSB MCE	FDH	G5	8,2	96238422
EQUALINE S 3/1X35W HF DSB MCE	FDH	G5	10,3	96238423
EQUALINE S 3/1X49W HF DSB MCE	FDH	G5	10,3	96238424
EQUALINE S 3/1X54W HF DSB MCE	FDH	G5	8,2	96238425
EQUALINE S 3/1X28W HFI DSB MCE	FDH	G5	8,3	96240948
EQUALINE S 3/1X35W HFI DSB MCE	FDH	G5	10,4	96240950
EQUALINE S 3/1X49W HFI DSB MCE	FDH	G5	10,4	96240953
EQUALINE S 3/1X54W HFI DSB MCE	FDH	G5	8,3	96240956
EQUALINE S 3/1X35W HFSI DSB MCE	FDH	G5	10,7	96240978

## EquaLine

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE S 3/1X49W HFSI DSB MCE	FDH	G5	10,7	96240981
EQUALINE S 3/1X28W HFSI DSB MCE	FDH	G5	8,6	96240575
EQUALINE S 3/1X54W HFSI DSB MCE	FDH	G5	8,6	96240587

### **EquaLine System, triple length, surface mounted, MicroPrism technology**

EQUALINE S 3/1X35W HF MPT MCE	FDH	G5	11,5	96238644
EQUALINE S 3/1X54W HF MPT MCE	FDH	G5	9,4	96238646
EQUALINE S 3/1X28W HF MPT MCE	FDH	G5	9,4	96238643
EQUALINE S 3/1X49W HF MPT MCE	FDH	G5	11,5	96238645
EQUALINE S 3/1X28W HFI MPT MCE	FDH	G5	9,5	96240949
EQUALINE S 3/1X35W HFI MPT MCE	FDH	G5	11,6	96240951
EQUALINE S 3/1X49W HFI MPT MCE	FDH	G5	11,6	96240954
EQUALINE S 3/1X54W HFI MPT MCE	FDH	G5	9,5	96240957
EQUALINE S 3/1X28W HFSI MPT MCE	FDH	G5	9,8	96240976
EQUALINE S 3/1X35W HFSI MPT MCE	FDH	G5	11,9	96240979
EQUALINE S 3/1X49W HFSI MPT MCE	FDH	G5	11,9	96240982
EQUALINE S 3/1X54W HFSI MPT MCE	FDH	G5	9,8	96240984

### **EquaLine System, triple length, surface mounted, opal polycarbonate**

EQUALINE S 3/1X28W HF OP PC MCE	FDH	G5	8,2	96238639
EQUALINE S 3/1X35W HF OP PC MCE	FDH	G5	10,3	96238640
EQUALINE S 3/1X49W HF OP PC MCE	FDH	G5	10,3	96238641
EQUALINE S 3/1X54W HF OP PC MCE	FDH	G5	8,2	96238642
EQUALINE S 3/1X28W HFI OP PC MCE	FDH	G5	8,3	96240529
EQUALINE S 3/1X35W HFI OP PC MCE	FDH	G5	10,4	96240952
EQUALINE S 3/1X49W HFI OP PC MCE	FDH	G5	10,4	96240955
EQUALINE S 3/1X54W HFI OP PC MCE	FDH	G5	8,3	96240958
EQUALINE S 3/1X28W HFSI OP PC MCE	FDH	G5	8,6	96240977
EQUALINE S 3/1X35W HFSI OP PC MCE	FDH	G5	10,7	96240980
EQUALINE S 3/1X49W HFSI OP PC MCE	FDH	G5	10,7	96240983
EQUALINE S 3/1X54W HFSI OP PC MCE	FDH	G5	8,6	96240985

### **EquaLine System, triple length, recessed, louver**

EQUALINE S 3/1X35W HF DSB MRE	FDH	G5	10,3	96238728
EQUALINE S 3/1X49W HF DSB MRE	FDH	G5	10,3	96238729
EQUALINE S 3/1X28W HF DSB MRE	FDH	G5	8,2	96238727
EQUALINE S 3/1X54W HF DSB MRE	FDH	G5	8,2	96238730
EQUALINE S 3/1X49W HFI DSB MRE	FDH	G5	10,4	96240548
EQUALINE S 3/1X35W HFI DSB MRE	FDH	G5	10,4	96240961
EQUALINE S 3/1X54W HFI DSB MRE	FDH	G5	8,3	96240965
EQUALINE S 3/1X28W HFSI DSB MRE	FDH	G5	8,6	96240986
EQUALINE S 3/1X35W HFSI DSB MRE	FDH	G5	10,7	96240988
EQUALINE S 3/1X49W HFSI DSB MRE	FDH	G5	10,7	96240991
EQUALINE S 3/1X54W HFSI DSB MRE	FDH	G5	8,6	96240994

### **EquaLine System, triple length, recessed, MicroPrism technology**

EQUALINE S 3/1X28W HF MPT MRE	FDH	G5	9,4	96238735
-------------------------------	-----	----	-----	----------

## Equaline

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE S 3/1X35W HF MPT MRE	FDH	G5	11,5	96238736
EQUALINE S 3/1X49W HF MPT MRE	FDH	G5	11,5	96238737
EQUALINE S 3/1X54W HF MPT MRE	FDH	G5	9,4	96238738
EQUALINE S 3/1X49W HFI MPT MRE	FDH	G5	11,6	96240549
EQUALINE S 3/1X28W HFI MPT MRE	FDH	G5	9,5	96240960
EQUALINE S 3/1X35W HFI MPT MRE	FDH	G5	11,6	96240962
EQUALINE S 3/1X54W HFI MPT MRE	FDH	G5	9,5	96240966
EQUALINE S 3/1X28W HFSI MPT MRE	FDH	G5	9,8	96240987
EQUALINE S 3/1X35W HFSI MPT MRE	FDH	G5	11,9	96240989
EQUALINE S 3/1X49W HFSI MPT MRE	FDH	G5	11,9	96240992
EQUALINE S 3/1X54W HFSI MPT MRE	FDH	G5	9,8	96240995

### Equaline System, triple length, recessed, opal polycarbonate

EQUALINE S 3/1X49W HF OP PC MRE	FDH	G5	10,3	96238733
EQUALINE S 3/1X28W HF OP PC MRE	FDH	G5	8,2	96238731
EQUALINE S 3/1X35W HF OP PC MRE	FDH	G5	10,3	96238732
EQUALINE S 3/1X54W HF OP PC MRE	FDH	G5	8,2	96238734
EQUALINE S 3/1X35W HFI OP PC MRE	FDH	G5	10,4	96240538
EQUALINE S 3/1X54W HFI OP PC MRE	FDH	G5	8,3	96240561
EQUALINE S 3/1X28W HFI OP PC MRE	FDH	G5	8,3	96240963
EQUALINE S 3/1X49W HFI OP PC MRE	FDH	G5	10,4	96240964
EQUALINE S 3/1X35W HFSI OP PC MRE	FDH	G5	10,7	96240990
EQUALINE S 3/1X49W HFSI OP PC MRE	FDH	G5	10,7	96240993
EQUALINE S 3/1X54W HFSI OP PC MRE	FDH	G5	8,6	96240996
EQUALINE S 3/1X28W HFSI OP PC MRE	FDH	G5	8,6	96240577

### Equaline System, triple length, direct/indirect, louvre

EQUALINE S DI 3/2X28W HF DSB	FDH	G5	13,5	96238820
EQUALINE S DI 3/2X35W HF DSB	FDH	G5	14,7	96238821
EQUALINE S DI 3/2X49W HF DSB	FDH	G5	14,7	96238822
EQUALINE S DI 3/2X54W HF DSB	FDH	G5	13,5	96238823
EQUALINE S DI 3/2X28W HFI DSB	FDH	G5	13,6	96241018
EQUALINE S DI 3/2X35W HFI DSB	FDH	G5	14,8	96241021
EQUALINE S DI 3/2X49W HFI DSB	FDH	G5	14,8	96241024
EQUALINE S DI 3/2X54W HFI DSB	FDH	G5	13,6	96241027
EQUALINE S DI 3/2X28W HFSI DSB	FDH	G5	13,9	96241030
EQUALINE S DI 3/2X35W HFSI DSB	FDH	G5	15,1	96241033
EQUALINE S DI 3/2X49W HFSI DSB	FDH	G5	15,1	96241036
EQUALINE S DI 3/2X54W HFSI DSB	FDH	G5	13,9	96241039

### Equaline System, triple length, direct/indirect, MicroPrism technology

EQUALINE S DI 3/2X28W HF MPT	FDH	G5	14,7	96238828
EQUALINE S DI 3/2X35W HF MPT	FDH	G5	15,9	96238829
EQUALINE S DI 3/2X49W HF MPT	FDH	G5	15,9	96238830
EQUALINE S DI 3/2X54W HF MPT	FDH	G5	14,7	96238831
EQUALINE S DI 3/2X28W HFI MPT	FDH	G5	14,8	96241019
EQUALINE S DI 3/2X35W HFI MPT	FDH	G5	16	96241022

## Equaline

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE S DI 3/2X49W HFI MPT	FDH	G5	16	96241025
EQUALINE S DI 3/2X54W HFI MPT	FDH	G5	14,8	96241028
EQUALINE S DI 3/2X28W HFSI MPT	FDH	G5	15,2	96241031
EQUALINE S DI 3/2X35W HFSI MPT	FDH	G5	16,3	96241034
EQUALINE S DI 3/2X49W HFSI MPT	FDH	G5	16,3	96241037
EQUALINE S DI 3/2X54W HFSI MPT	FDH	G5	15,1	96241040

### Equaline System, triple length, direct/indirect, opal polycarbonate

EQUALINE S DI 3/2X28W HF OP PC	FDH	G5	13,5	96238824
EQUALINE S DI 3/2X35W HF OP PC	FDH	G5	14,7	96238825
EQUALINE S DI 3/2X49W HF OP PC	FDH	G5	14,7	96238826
EQUALINE S DI 3/2X54W HF OP PC	FDH	G5	13,5	96238827
EQUALINE S DI 3/2X28W HFI OP PC	FDH	G5	13,6	96241020
EQUALINE S DI 3/2X35W HFI OP PC	FDH	G5	14,8	96241023
EQUALINE S DI 3/2X49W HFI OP PC	FDH	G5	14,8	96241026
EQUALINE S DI 3/2X54W HFI OP PC	FDH	G5	13,6	96241029
EQUALINE S DI 3/2X28W HFSI OP PC	FDH	G5	13,9	96241032
EQUALINE S DI 3/2X35W HFSI OP PC	FDH	G5	15,1	96241035
EQUALINE S DI 3/2X49W HFSI OP PC	FDH	G5	15,1	96241038
EQUALINE S DI 3/2X54W HFSI OP PC	FDH	G5	13,9	96241041

### Equaline Accessories, End cap kits

EQUALINE ECA SINGLE			0,05	96238093
EQUALINE ECA BRA MRE SINGLE			0,05	96238909
EQUALINE ECA MRE SINGLE			0,05	96238908
EQUALINE ECA BRA SINGLE			0,05	96238907
EQUALINE D/I ECA SINGLE			0,1	96238910
EQUALINE D/I ECA BRA SINGLE			0,1	96238911

### Equaline Accessories, Mounting Kits

EQUALINE MSWT 1500MM PAIR			0,04	96237077
EQUALINE CEILING ROSE KIT ML5c1.5			0,15	96238915
EQUALINE MRS KIT 200MM PAIR			0,22	96238913
EQUALINE MCE PAIR			0,005	96238912
EQUALINE PLASTERBOARD KIT PAIR			0,35	96238914

### Equaline Accessories, System components

EQUALINE T-CT			0,7	96237013
EQUALINE T-CX			0,95	96237014
EQUALINE T-CL			0,52	96237012
EQUALINE INFILL PROFILE 1485MM			2,5	96238916
EQUALINE INFILL PROFILE 1185MM			2	96238917
EQUALINE T-CL MRE			0,52	96238934
EQUALINE T-CL D/I			0,64	96238935
EQUALINE SPOTLIGHT MODULE 1185MM			3,2	96238918

### Equaline Accessories, Electrical components

EQUALINE FEED-IN BLOCK			0,33	96238092
EQUALINE D/I FEED-IN BLOCK			0,5	96239129

## EquaLine

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
EQUALINE MRE FEED-IN BLOCK			0,4	96239130
TRANSPARENT ML5c1.5			0,1	96238921
TRANSPARENT ML3c1.5			0,07	96238920
<b>EquaLine Accessories, Sensa accessories</b>				
SENSA SENRC			0,11	96004175
SENSA SENP			0,05	96004189
<b>EquaLine Accessories, Emergency LED modules</b>				
EQUALINE S EMERGENCY UNIT MCE/MSWT			1,4	96238873
EQUALINE S EMERGENCY UNIT MRE			1,8	96240274
EQUALINE S DI EMERGENCY UNIT			1,8	96239450