

# Flooring Product Guide



 **TIMBMET**

Everything wood should be

# About Timbmet

Founded in 1942, Timbmet is a major UK importer, distributor and supplier of Timber and Panel products. We are an environmentally conscientious organisation, recognised around the world.

Throughout our years of operation, we've established excellent networks within the Timber industry worldwide, allowing us to continually research and source new species, products and ranges ensuring you have the best quality lines to choose from. All of our products are sourced responsibly.

The Timbmet team has accumulated decades of experience and expertise, making us ideally placed to act as your trusted advisor. We can offer you versatile and cost effective solutions to help meet your needs. If you have any queries we can help you by advising on the species or products to use.

Still a family business, the founder's enduring passion for wood inspires the ethos of the company today.

**Timbmet... Everything wood should be**



# Flooring Products and Services

**With a long standing reputation for quality and hard-wearing performance, our premium Flooring product range is suitable for commercial and domestic use.**

Made from solid or engineered hardwood, our Flooring is available in a choice of finishes; unfinished, oiled or lacquered, to suit all types of sub floor and installation.

Our new range Timbflor, sourced from Kährs, is a great addition. Timbmet also stock a comprehensive range of Flooring accessories, from underlays, adhesives, trims and thresholds, through to finishing oils and post-installation cleaners.

We also have a wide range of doorblanks, door frames, window sills, handrails, TEC® stair parts, skirting and door and window parts available to match your Flooring.

All of our Flooring is responsibly sourced and we can find the product you are looking for using our network of international suppliers.

The Timbmet team are on hand to offer advice and solutions to all your Flooring needs. We are your ideal partner for the highest quality Flooring product at the right prices.

- About Timbmet** 2
- Flooring Products and Services** 3
- Introduction to Flooring** 4
- Rustic Floor Grades** 5
- Timbflor® Engineered Hardwood Flooring** 6
- Silkflor® PREM Engineered Hardwood Flooring** 8
- Silkflor® Engineered Hardwood Flooring** 10
- Tavernflor® Solid Oak Hardwood Flooring** 12
- Kährs Flooring** 14
- Special Order Flooring** 15
- Skirting and Architrave** 16
- Flooring Accessories, Care and Maintenance** 18
- Parallel Mouldings and Beading** 20
- Manufacturing and Finishing** 21
- Responsible Business** 22
- UK Coverage** 23

# Introduction to Flooring

**Timbmet's Flooring ranges include both Solid Timber Flooring and Engineered Timber Flooring.**

## **Solid Timber Flooring (Tavernflor)**

- Always in plank format
- Generally thicker than engineered wood
- Installed by nailing
- Thicker wear surface
- Can be sanded and finished more times than an engineered wood floor

## **Engineered Timber Flooring (Timbflor, Silkflor PREM, Silkflor and Kährs)**

- Pre-finished
- Bevelled edges
- Installed with glue or as a floating installation
- More dimensionally stable
- Universal usage
- Suitable for underfloor heating and radiant systems

**Timbmet can help with full installation guidelines as well as technical advice prior to purchasing.**


**For more information contact our Flooring Team on 01865 860107.**



# Rustic Flooring Grades

Timber grading rules vary from product to product. For Flooring, Timbmet's 'Rustic' grade may include the following features, giving the floor a unique character. The presence of such features can vary in size/quantity:

- **Sound Knots** – 'Live' knots within the surface timber wear layer
- **Filled Knots** – Dead knots that have fallen out will be filled with a wood 'filler'
- **Filled 'Splits'** – Small splits within the wood layer, filled with filler
- **Sapwood** – Colour variation caused by the presence of 'sapwood', typically lighter





# Timbflor® Engineered Hardwood Flooring

**Timbflor® our new range sourced from Kährs, is made from Engineered Oak with a locking joint. The range is available from stock in a choice of six lacquered finishes and one brushed oil finish.**

Kährs is the oldest wood floor manufacturer in the world still in operation, with a history dating back to 1857, which is why Timbmet and Kährs chose to work together on the new Timbflor® range.

The Woodloc® system was the first glue-free joint system in the world. This system locks the boards together mechanically creating a gap free floor with no need for adhesive.

Compared to a traditional solid wood floor the Timbflor® range is 75% more stable. It will resist buckling and cracking even as temperature and humidity change throughout the seasons.

Timbflor® works well with underfloor heating because of the Woodloc® joint and the stable, well balanced construction of the board.



**Oak, Black,  
Matt Lacquered, Brushed**  
TIMBBLAM



**Oak, Dark Brown,  
Matt Lacquered, Brushed**  
TIMBDARB



**Oak, Dark Grey,  
Matt Lacquered, Brushed**  
TIMBDARG



**Oak, Light Grey,  
Matt Lacquered, Brushed**  
TIMBLIGG



**Oak,  
Satin Lacquered**  
TIMBSAT1



**Oak, White,  
Matt Lacquered**  
TIMBWHIM



**Oak, Nature,  
Brushed, Oiled**  
TIMBNATO

### Timbflor® Engineered Oak 1 strip

FINISH	THICKNESS (mm)	WIDTH (mm)	LENGTH* (mm)	EDGES	PACK SIZE (m <sup>2</sup> ) APPROX.
<b>All Finishes</b>	14	189	1860	Lock joint, bevel edged	2.81



# Silkflor® PREM Engineered Hardwood Flooring

**Silkflor® PREM Engineered Hardwood Flooring has a Rustic Grade Oak or Classic Grade Black Walnut surface, with a choice of either unfinished, smoked, oiled or lacquered finishes.**

Silkflor® PREM is 20mm thick, with a 14mm plywood backing and a 6mm wear layer.

This product is suitable for use with water based underfloor heating and can be used as a load bearing floor, as it is 20mm thick.



**Oak, Unfinished 1 Strip**  
Rustic Grade  
SIPREMUNF

**Oak, Lacquered 1 Strip**  
Rustic Grade  
SIPREMLAQ

**Oak, Oiled 1 Strip**  
Rustic Grade  
SIPREMOIL

**Oak, Smoked and Oiled 1 Strip**  
Rustic Grade  
SIPREMS+O

**Black Walnut, UV Lacquered 1 Strip**  
Classic Grade  
SIPREMBWUV

## Oak Rustic Grade and Black Walnut Finish Silkflor® PREM

FINISH	PRODUCT CODE	THICKNESS (mm)	WIDTH (mm)	LENGTH* (mm)	EDGES	PACK SIZE (m <sup>2</sup> ) APPROX.
<b>Oak, Unfinished</b>	SIPREMUNF	20	190	1900	T&G all round with Micro bevel 2 long edges	1.805
<b>Oak, Lacquered</b>	SIPREMLAQ					
<b>Oak, Oiled</b>	SIPREMOIL					
<b>Oak, Smoked and Oiled</b>	SIPREMS+O					
<b>Black Walnut, UV Lacquered</b>	SIPREMBWUV			1860		1.767

\* Packs can contain shorter lengths



# Silkflor® Engineered Hardwood Flooring

**Silkflor® Engineered Hardwood Flooring has a Rustic Grade Oak surface, with a choice of either one or three strips in either oiled or lacquered finishes. It is also available in a Classic Grade Black Walnut finish.**

Silkflor is 14mm thick, with an 11mm backing board and a 3mm wear layer. This product is suitable for use with water based underfloor heating only.



## Oak Rustic Grade Silkflor®

FINISH	PRODUCT CODE	THICKNESS (mm)	WIDTH (mm)	LENGTH** (mm)	EDGES	PACK SIZE (m²) APPROX.
Oak, Lacquered	SILK3STRE	13	200	2420	3 strip Woodloc Square edges	3.4
Oak, Lacquered	SILK1S150L	14	150	Random (300-1500)	1 strip T&G Micro bevel 4 edges	2.64
Oak, Oiled	SILK1S1500		150	Random (300-1500)		2.64
Oak, Lacquered	SILK1S190LZ*		190	1900		2.888
Oak, Oiled	SILK1S1900Z*		190	1900		2.888
Black Walnut, UV Lacquered	SIBW1S150L		150	Random (300-1500)		2.64

\* Available to order \*\* Packs can contain shorter lengths



# Tavernflor® Solid Oak Hardwood Flooring

**Tavernflor® Solid Oak Hardwood Flooring is available in a choice of widths, and is available unfinished, lacquered or brushed and oiled.**

The rustic grade includes knots and sapwood for a natural look, offering a practical, reliable and hardwearing base and is a beautiful natural addition to any interior. Due to the natural movement of solid wood floors, Tavernflor should be secret nailed or glued down to a suitable dry, level subfloor. The boards should never be glued together and are not suitable for underfloor heating.



**Oak,  
Lacquered**  
Rustic Grade



**Oak,  
Brushed and Oiled**  
Rustic Grade



**Oak,  
Unfinished**  
Parquet, Oak Prime Grade

## Oak Rustic Grade Tavernflor®

FINISH	PRODUCT CODE	THICKNESS (mm)	WIDTH (mm)	LENGTH* (mm)	EDGES	PACK SIZE (m <sup>2</sup> ) APPROX.
<b>Oak, Lacquered</b>	TVW0090RP226	18	90	Random (300-1500)	T&G all round Micro bevel 4 edges	2.268
<b>Oak, Lacquered</b>	TVW0130RP		130			2.184
<b>Oak, Lacquered</b>	TVW0150RP1.8		150			1.89
<b>Oak, Brushed and Oiled</b>	TVW0120BO		120			2.016
<b>Oak, Brushed and Oiled</b>	TVW0150BO1.8		150			1.89
<b>Parquet, Oak, Prime Grade Unfinished</b>	PA022070TGPU	22	70	230	T&G all round Square edges	0.644
<b>Oak, Rustic Unfinished</b>	TVW0020150RE	20	150	Random (450-3000)	T&G all round Square edges	Random
<b>Oak, Rustic Unfinished</b>	TVW0020190RE		190			

\* Packs can contain shorter lengths



## Kährs Flooring

**Timbmet can also supply the full range of Kährs Flooring which comes in many wood species, sizes, patterns and finishes.**

Kährs Flooring resist warping, buckling and cracking even as temperature and humidity change throughout the seasons making them the ideal partners to underfloor heating. The joint system, Woodloc® locks the boards together mechanically creating a completely gap free Floor.

Brushed, hand scraped, bevelled, silky smooth or matt finishes are available. Colours range from pure white to inky black, warm russets to soft greys, Kährs offers the widest range of colours and shades. To view the full range go to [www.kahrs.com](http://www.kahrs.com)

[www.timbmet.com](http://www.timbmet.com)



## Special Order Flooring

**If you are looking for a Hardwood Flooring product that is not featured in this product guide, we can try and source the product using our extensive network of international suppliers.**

We have access to a wide variety of additional Flooring colourways, widths, thicknesses, lengths and species. As these are sourced to order, please allow a minimum of 5 working days.

**For more information contact our Flooring Team on 01865 860107.**

### Further Information

For more information contact our Flooring Team

[oxfsales@timbmet.com](mailto:oxfsales@timbmet.com)

01865 860107

[www.timbmet.com](http://www.timbmet.com)

# Skirting and Architrave

**Timbmet offer a range of Skirting and Architrave Mouldings from stock. These are available in a number of species to tie in with your Flooring requirements.**

A selection of the most popular industry standard profiles are shown on the next page.

**If you require a profile not pictured here, or have a product you wish to match, please contact us on 01865 860350.**



Twelve standard profiles available.  
Bespoke profiles available on request.



TIMBS1



TIMBS7



TIMBS2\*



TIMBS8



TIMBS3



TIMBS9\*



TIMBS4



TIMBS10\*



TIMBS5



TIMBS11\*



TIMBS6\*



TIMBS12\*

\* Available on request. All drawings not to scale.


# Flooring Accessories, Care and Maintenance

Timbmet stock a comprehensive range of Flooring accessories, including Bona adhesives, oils and cleaners and underlays.

Timbmet offer a full range of Flooring adhesives, oils and cleaners from Bona.

Underlay helps with noise reduction on Engineered and Solid Wood Flooring, slight imperfections in subfloors and acts as a moisture barrier.

Bona Wax Oil Refresher	Bona R850 Adhesive	Bona Cleaner	Bona Oil 25	PVA Glue
				
Bona Wax Oil Refresher is a maintenance product which is easy to apply with a rapid drying. The product has a low solvent content with a low smell.	An elastic one-component silane-based adhesive. Rapid setting, the adhesive has a firm texture and can be used on most subfloors.	A powerful, low-foaming cleaner for sealed wooden floors. A pH neutral detergent which leaves no residue.	A hardening pine oil to maintain the original natural look and wear resistant of wood floors treated with Bona priming oils.	PVA Glue for Floated Floors.
<b>Available sizes:</b> 1L <b>Product Code:</b> BONAREFRESH	<b>Available sizes:</b> 15kg (approx 15m <sup>2</sup> ) <b>Product Code:</b> BONAR850ADH	<b>Available sizes:</b> 1L <b>Product Code:</b> BONACLEANREF	<b>Available sizes:</b> 1L (approx 20-100m <sup>2</sup> ) <b>Product Code:</b> BONAMAIN01	<b>Available sizes:</b> 100ml (approx 10m <sup>2</sup> ) <b>Product Code:</b> ADHES



## Underlay

For engineered and solid wood flooring underlay helps with noise reduction, slight imperfections in subfloors and acts as a moisture barrier.

UNDERLAY	DESCRIPTION	SIZE
UND15	3mm Poly foam underlay	15m <sup>2</sup> roll
UND15VAPOUR	3mm Poly foam vapour barrier underlay	15m <sup>2</sup> roll
UNDSIL10	5.5mm Fiberboard acoustic tiles	10m <sup>2</sup> roll
UNDXTRA	3mm Timbertech xtra rubber underlay with aluminium vapour barrier	10m <sup>2</sup> roll
UNDADHESIVE	3mm X-Pre Tack self adhesive underlay for solid floors	10m <sup>2</sup> roll
UNDVAPTAPE	75mm wide vapour barrier jointing tape	25m roll




For further details on our Accessories and information on Care and Maintenance please call us on 01865 860107.


# Parallel Mouldings and Beading

**Parallel Mouldings, suitable for Door Thresholds are available. Timbmet also supply Solid Oak Lacquered Scotia Beading.**


All parallel mouldings are supplied with a fixing rail for height adjustability.




WR 18 RAMP	
PRODUCT CODE	PWR3MO (3metre) PWR9900 (990mm)




WR 18 TWIN	
PRODUCT CODE	PWT3MO (3metre) PWT9900 (990mm)



SOLID OAK LACQUERED SCOTIA BEADING	
PRODUCT CODE	HSCBLO (3metre)



WR 18 SEMI RAMP	
PRODUCT CODE	PWE3MO (3metre) PWE9900 (990mm)



18 BASE	
Supplied with all Thresholds	



# Manufacturing and Finishing

**Timbmet offers a full range of bespoke manufacturing services including the ability to mould, lacquer, stain, prime and CNC to your exact requirements.**

### Quick Mill Facility

We understand there are situations when something is required urgently and when time is tight, a Quick Mill service is available – in under 5 days from request – all designed to assist when the pressure is on.

### Finishing

A wide range of finishing, to protect or colour the Timber, is available from Timbmet. Our specialist team are available to help with any queries on Timber treatment.

### Bespoke Machining Services

Our bespoke machining facilities enable special profiles and joinery components to be manufactured to a specific design.

With many years' manufacturing service experience we offer a wide range from a basic planed four sided profile or complicated architectural moulds to laminated Louvre blades. We can work with your own designs and replicate for your final project specification.

### Priming & Lacquering

We also offer a finishing service with the ability to lacquer, paint, prime, sand and offer high performance fire retardant treatments from Arch Timber Protection.

For more information go to [www.timbmet.com](http://www.timbmet.com)





# UK Coverage

Timbmet offers UK-wide coverage via our network of depots, supported by our distribution centres in Oxfordshire and Glasgow.

Our depots are located in Basildon (Essex), Borehamwood (North London border), Larkfield (Kent), Poole (Dorset) and Stonehouse (Gloucester). Timbmet can deliver your order or you can collect it from one of our depots, offering you the choice.

**With extensive distribution and regional depots, office and field support Timbmet provide exceptional customer service.**

**Timbmet... National coverage, Local service**

## Further Information

Our team are happy to help with any queries, or, for more information on any of our products or services please contact us:

**oxfsales@timbmet.com**  
**01865 860350**  
**www.timbmet.com**



# Responsible Business

**Timbmet are market leaders in our commitment to the sustainability and legality of our supply base and responsible business solutions.**

We have been independently audited to ensure we are compliant with the European Timber Regulation (EUTR), both as an operator and a trader. Timbmet are members of the Timber Trade Federation (TTF) and have signed up to their Responsible Purchasing Process (RPP).

We fully support independent third party certification schemes of Timber products such as FSC® (Forest Stewardship Council®) and PEFC (Programme for Endorsement of Forest Certification) as the best way to demonstrate compliance with the EUTR and the RPP. We are committed to increasing the proportion of our purchasing that is certified. Where certification is not available we investigate the origin via a robust Due Diligence process.

Timbmet operate in full compliance with the EUTR




Look for FSC® certified products.



**Timbmet have a range of useful guides available for their other products.**

To request a copy contact [marketing@timbmet.com](mailto:marketing@timbmet.com) or download at [www.timbmet.com](http://www.timbmet.com)



### Head Offices / Sales

#### Oxford

Kemp House  
Chawley Park  
Cumnor Hill  
Oxford OX2 9PH  
t: 01865 860350  
f: 01865 864367  
e: [oxfsales@timbmet.com](mailto:oxfsales@timbmet.com)

#### Glasgow

235 Bogmoor Road  
Shieldhall  
Glasgow G51 4SH  
t: 0141 440 6600  
f: 0141 445 5736  
e: [glwsales@timbmet.com](mailto:glwsales@timbmet.com)

#### Timbmet Global

t: +44(0) 1865 860392  
e: [timbmetglobal@timbmet.com](mailto:timbmetglobal@timbmet.com)

Cutting & Milling Facilities

### Local Depots and Distribution

#### Basildon

Units B1/B2  
Hovefields Avenue  
Burnt Mills Industrial Estate  
Basildon SS13 1EB  
t: 01268 246800  
f: 01268 728442

Cutting Facilities

#### Borehamwood

Unit 2 Manor Place  
Manor Way  
Borehamwood WD6 1WG  
t: 020 8238 6930  
f: 020 8953 5781

Cutting Facilities

#### Larkfield

Units E1/E2  
Larkfield Trading Estate  
New Hythe Lane  
Larkfield  
Kent ME20 6SW  
t: 01622 718980  
f: 01622 719040

Cutting Facilities

#### Poole

Unit 4  
Lion Works Industrial Estate  
543 Wallisdown Road  
Poole BH12 5AD  
t: 01202 531926  
f: 01202 537918

#### Shellingford (Distribution)

White Horse Business Park  
Ware Road  
Stanford in the Vale  
Oxfordshire SN7 8NY  
t: 01865 860350

#### Stonehouse

14 Gloucester Road  
Stonehouse GL10 2PB  
t: 01453 826886  
f: 01453 828029

Cutting, Edging & CNC Facilities

